



OLD FASHION FAUCETS  
old fashioned style. old fashioned quality

**Rubex**  
RUBINETTERIA


**Cavazzo**

Finishes

Finish	Part No.
Chrome	1003H-CP-
Polished Nickel	1003H-PN-
Matt Bronze	1003H-MT-

Options

Option	Part No.
w/ Cross Handles	1003H-CP-X
	1003H-PN-X
	1003H-MT-X
w/ Lever Handles	1003H-CP-LV
	1003H-PN-LV
	1003H-MT-LV



### Care and Maintenance

Minimum maintenance is required to maintain product finish. With proper maintenance your Rubex faucet will continually look like new. Special care should be taken when cleaning your faucet and the following suggestions will help extend your faucet life

- A. Cleaning should be done regularly using a soft cotton cloth and warm water; then towel dry
- B. Do not use cleaners that contain abrasives or harsh chemicals; care should be taken in selecting cleaning supplies. Many cleaners contain detergents, ammonia, or other corrosive solvents that could damage your faucet finish.
- C. Occasionally clean with a non-abrasive wax polish

### Warranty

Old Fashion Faucets warrants the original purchase for a LIMITED LIFE TIME from original purchase that the product will be free of any manufacturing defects. Product will be replaced at no charge provided it has been installed in accordance to the attached installation instruction, used as recommended and not damaged due to misuse, abuse, faulty maintenance, accident, or other damage. Old Fashion Faucets is not responsible for replacement labour costs, or shipping charges, or damage incurred during installation, transportation, removal, repair, or replacements. All warranty claims are to be made to [sales@oldfashionfaucets.com](mailto:sales@oldfashionfaucets.com) and shall be accompanied by the original purchase receipt and photographs of the damage.

## Installation Instruction

It is recommended to consult a professional if you are unfamiliar with installing bathroom fixtures and plumbing. TAIC accepts no liability for any damages to property or personal injury during installation

This tub is primarily intended for tub mount applications.

1. Remove lock nuts from the back of the faucet and insert faucet through mounting holes in tub
2. Hand-tighten washers and hex nuts to secure faucet to tub. (Washers may not be mandatory)
3. Check to make sure faucet is properly aligned and adjust as needed. When faucet is in the proper position, finish tightening the hex nuts with your adjustable wrench.
4. Attach the hot & cold-water feed tubes to the water inlets on the back of the faucet. Tip; use plumbers' tape on hose & pipes before you attached supply lines in order to ensure a leak free connection
5. Finish your installation by attaching supply hoses or tubes
6. After all connections have been made, while the faucet is in the off positions turn on the water supply and check to make sure that all connections are tight and that no water drips or leaks are present. Once it is confirmed that there are no leaks open the faucet and allow water to flow through the faucet.
7. End

**Note:** This faucet is often paired with the following water supply lines


### Straight Supply Lines

5576ST Chrome  
5573ST Brushed Nickel



### Straight Supply Lines w/ Valves

5576-V Chrome  
5573-V Brushed Nickel




### Offset Supply Lines

5576CP Chrome  
5576BN Brushed Nickel



### Offset Supply Lines W/ Valves

5576CP-X or -LV Chrome  
5573BN-X or -LV Br. Nick.  
5576MT-X or -LV Matt Brz



## Parts Breakdown

### 1. Mounting Nut

¾" Metal Nut

### 2. Escutcheon Rings

¾" threaded escutcheon

### 3. Faucet Body

All brass body

### 4A. Lever Handles

### 4B. Cross Handles

### 5. H Button & Ring

For cross handles

### 6. C Button & Ring

For cross handles

### 7. 1003H-CH

Ceramic Hot Cartridge

### 8. 1003H-CC

Ceramic Cold Cartridge

### 9. Cartridge Cover

Replacement parts shown above may be available upon request.

Please note faucet finish when ordering parts, part numbers shown are for chrome finish and may vary.

