



Integrated Power PT4 SERIES LED POLETOP LIGHTS - 40W



The PT Series LED poletops package the latest LED chipsets and drivers in an expanding range of heritage and contemporary designs. The PT4 is the latest edition to our PT Series, offering a smooth architectural design. With symmetric and asymmetric optics, it makes the PT4 poletop highly adaptable to projects where widespread and controlled lighting is required. This results in more efficient lighting, better glare control and reduced spill lighting.

R01201	Type ${ m V}$ Short
R01203	Тур Ш Medium
R01204	Type IV Medium

Features

- Asymmetric & symmetric optics choices
- High output Seoul LED chips
- High specification Sosen driver
- 76mm spigot adaptor (60mm spigot adaptor available)
- Durable powdercoated finish
- Robust cast aluminium construction
- 0-10V dimming
- Fitted with 6m, 5 core cable
- Smart lighting control options

Applications

- Parks
- Walkways
- Education Campus'
- Council Facilities
- Courtyards

1300 551 942 sales@integratedpower.net.au











Standard Specifications

• Rated Input Power: 40W

• Lumen Output: 4,800lm

• Colour Temp: 4000K (3000K, 5000K optional)

• CRI Rating: CRI>80

• Operating Temperature: -30/+45degC

• Service Life: L90B10 >52,000hrs

• Ingress Protection: IP66

• IK Rating: IK09

• Fitting Weight: 7.1kg

Options List

• DALI Dimming /DALI

Models List

Black / 3000K / Type V Symmetric	PT440BK3KD01	Special Order
Black / 3000K / Type IV Asymmetric	PT440BK3KD02	Special Order
Black / 3000K / Type III Asymmetric	PT440BK3KD03	Special Order
Black / 4000K / Type V Symmetric	PT440BK4KD01	Stock Item
Black / 4000K / Type IV Asymmetric	PT440BK4KD02	Special Order
Black / 4000K / Type III Asymmetric	PT440BK4KD03	Special Order
Black / 5000K / Type V Symmetric	PT440BK5KD01	Special Order
Black / 5000K / Type IV Asymmetric	PT440BK5KD02	Special Order
Black / 5000K / Type III Asymmetric	PT440BK5KD03	Special Order

Accessories

Spigot Adaptor - 60mm

PT4ADP60

IES Files

IES PT440BK5KN01 40W IES PT440BK5KN02 40W IES PT440BK5KN03 40W











