SAFETY DATA SHEET

1. Identification

Product identifier Magnetic primer

Other means of identification None.

Recommended use Primer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier IdeaPaint, Inc.

264 Queens Quay West Toronto, ON M5J 1B5

Telephone number 617.714.1050

e-mail marty@ideapaint.com

Emergency +1.866.519.4752 (US, Canada, Mexico) +1-760-476-3962 (US, Canada, Mexico)

Access Code: 333641

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 2

Specific target organ toxicity following

repeated exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Label elements



Signal word Warning

Hazard statement Suspected of causing cancer. May cause damage to organs (lungs) through prolonged or

repeated exposure. Harmful to aquatic life.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Category 2 (lungs)

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Iron		7439-89-6	45 - 70
Anatase		1317-70-0	5 - 10
Kaolin, calcined		92704-41-1	1 - 5

Magnetic primer SDS Canada

941933 Version #: 02 Revision date: 13-February-2019 Issue date: 12-February-2019

Octoxvnol-13. Polvethylene 9036-19-5 0.1 - 1glycol mono(octylphenyl) ether Sodium nitrite 7632-00-0 0.1 - 1

Composition comments

Components not listed are either non-hazardous or are below reportable limits. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Prolonged exposure may cause chronic effects.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delaved

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Indication of immediate medical attention and special treatment needed

Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Magnetic primer SDS Canada

941933 Version #: 02 Revision date: 13-February-2019 Issue date: 12-February-2019

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

 Components
 Type
 Value

 Anatase (CAS 1317-70-0)
 TWA
 10 mg/m3

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components Type Value

Anatase (CAS 1317-70-0) TWA 10 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and

Safety Regulation 296/97, as amended)

ComponentsTypeValueFormAnatase (CAS 1317-70-0)TWA3 mg/m3Respirable fraction.10 mg/m3Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components Type Value

Anatase (CAS 1317-70-0) TWA 10 mg/m3

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components Type Value

Anatase (CAS 1317-70-0) TWA 10 mg/m3

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

ComponentsTypeValueFormAnatase (CAS 1317-70-0)TWA10 mg/m3Total dust.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

 Components
 Type
 Value

 Anatase (CAS 1317-70-0)
 15 minute
 20 mg/m3

 8 hour
 10 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Colour Not available.
Odour Not available.

Magnetic primer SDS Canada

941933 Version #: 02 Revision date: 13-February-2019 Issue date: 12-February-2019

Not available. **Odour threshold** Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

Not available. Vapour pressure Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble in water. Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Not explosive. **Explosive properties Oxidising properties** Not oxidising.

VOC 0 g/l

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid Incompatible materials Strong acids. Strong oxidising agents.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged

inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Magnetic primer SDS Canada 941933 Version #: 02 Revision date: 13-February-2019 Issue date: 12-February-2019

Species Test Results Components

Sodium nitrite (CAS 7632-00-0)

Acute Inhalation

LC50 Rat 5.5 mg/l, 4 Hours

Oral

LD50 Rat 214 mg/kg

Skin corrosion/irritation Serious eye damage/eye Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitisation Canada - Alberta OELs: Irritant

> Irritant Anatase (CAS 1317-70-0)

Respiratory sensitisation

This product is not expected to cause skin sensitisation.

Skin sensitisation No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

Not a respiratory sensitiser.

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

ACGIH Carcinogens

Anatase (CAS 1317-70-0) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Anatase (CAS 1317-70-0) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Anatase (CAS 1317-70-0) 2B Possibly carcinogenic to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (lungs) through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may **Chronic effects**

be harmful. Prolonged exposure may cause chronic effects.

Further information Symptoms may be delayed.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Components		Species	Test Results			
Sodium nitrite (CAS 7632-00-0)						
Aquatic						
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 hours			
Crustacea	LC50	Australian redclaw crayfish (Cherax quadricarinatus)	4.93 mg/l, 96 hours			
Fish	LC50	Oncorhynchus mykiss	0.54 mg/l, 96 hours			
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.					
Bioaccumulative potential	No data a	vailable on bioaccumulation.				
Malatita da a att	The product is incoluble in water Evented to beyone low mobility in soil					

Mobility in soil The product is insoluble in water. Expected to have low mobility in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions**

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

5/7

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

SDS Canada Magnetic primer

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region Inventory name On inventory (yes/no)*

Taiwan Chemical Substance Inventory (TCSI)

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date12-February-2019Revision date13-February-2019

Version No. 02

List of abbreviations LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

EC50: Effective Concentration, 50%. TWA: Time weighted average.

References HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer IdeaPaint cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Magnetic primer SDS Canada

941933 Version #: 02 Revision date: 13-February-2019 Issue date: 12-February-2019

Yes