

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Distillate
Silver Lining Xtracts LLC
 AG-R1049952IHH



Confident Cannabis ID: 1908KR0105.3449

Sample ID: M191039-07

Matrix: Distillate

METRC Batch #:

Sampling Method/SOP: SOP.T.20.010

Date Sampled: 08/19/19 09:00

Date Accepted: 08/19/19

Harvest/Process Lot ID: 05:02:6-4

Batch ID: 05:02:6-4

Batch Size (g): 37380 g

Unit for Sale: 1g-1ky

Harvest/Production Date: 8-8-19


Cannabinoid Analysis

Date/Time Extracted: 08/22/19 10:24

Date/Time Analyzed: 08/22/19 19:52

Analysis Method/SOP: SOP.T.40.020

Cannabinoids	LOQ(%)	mg/g	% weight	Cannabinoid Profile
Total THC <small>((THCA*0.877)+Δ9THC)</small>		26.9	2.69	
Total CBD <small>((CBDA*0.877)+CBD)</small>		800	80.0	
THCA	0.200	< LOQ	< LOQ	
delta 9-THC	0.200	26.9	2.69	
delta 8-THC	0.200	< LOQ	< LOQ	
CBDA	0.200	< LOQ	< LOQ	
CBD	0.200	800	80.0	
CBN	0.200	< LOQ	< LOQ	
CBG	0.200	25.3	2.53	
CBC	0.200	107	10.7	
Sum of tested Cannabinoids	0.200	960	96.0	



"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Oregon Water Activity action level is 0.65Aw and Oregon Moisture Content action level is 15%. Samples above limit will be highlighted RED; FD = Field Duplicate; LOQ = Limit of Quantitation.

Stephanie Moon
 Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Distillate

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M191039-07

METRC Batch #:

Matrix: Distillate

Date Sampled: 08/19/19 09:00

Date Accepted: 08/19/19

Batch ID: 05:02:6-4

Batch Size: 37380 g

Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 08/22/19 10:14

Date/Time Analyzed: 8/22/2019 6:48:33PM

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

Analyte	LOQ	Action Level	Result	Units	Type
Abamectin	0.250	0.5	< LOQ	ppm	
Acephate	0.200	0.4	< LOQ	ppm	Organophosphate insecticide
Acequinocyl	1.00	2	< LOQ	ppm	
Acetamiprid	0.200	0.2	< LOQ	ppm	Neonicotinoid insecticide
Aldicarb	0.200	0.4	< LOQ	ppm	Carbamate insecticide
Azoxystrobin	0.200	0.2	< LOQ	ppm	
Bifenazate	0.200	0.2	< LOQ	ppm	Unclassified insecticide
Bifenthrin	0.200	0.2	< LOQ	ppm	
Boscalid	0.200	0.4	< LOQ	ppm	Anilide fungicide
Carbaryl	0.200	0.2	< LOQ	ppm	Carbamate insecticide
Carbofuran	0.200	0.2	< LOQ	ppm	Carbamate insecticide
Chlorantraniliprole	0.200	0.2	< LOQ	ppm	Anthranilic diamide insecticide
Chlorfenapyr	0.500	1	< LOQ	ppm	Pyrazole insecticide
Chlorpyrifos	0.200	0.2	< LOQ	ppm	Organophosphate insecticide
Clofentezine	0.200	0.2	< LOQ	ppm	
Cyfluthrin	0.500	1	< LOQ	ppm	
Cypermethrin	0.500	1	< LOQ	ppm	
Daminozide	0.500	1	< LOQ	ppm	
DDVP (Dichlorvos)	0.500	1	< LOQ	ppm	
Diazinon	0.200	0.2	< LOQ	ppm	Organophosphate insecticide
Dimethoate	0.200	0.2	< LOQ	ppm	
Ethoprophos	0.200	0.2	< LOQ	ppm	
Etofenprox	0.200	0.4	< LOQ	ppm	
Etoxazole	0.200	0.2	< LOQ	ppm	Unclassified miticide
Fenoxycarb	0.200	0.2	< LOQ	ppm	
Fenpyroximate	0.200	0.4	< LOQ	ppm	
Fipronil	0.200	0.4	< LOQ	ppm	Pyrazole insecticide
Fonicamid	0.500	1	< LOQ	ppm	Pyridinecarboxamide insecticide
Fludioxonil	0.200	0.4	< LOQ	ppm	non-systemic fungicide
Hexythiazox	0.500	1	< LOQ	ppm	
Imazalil	0.200	0.2	< LOQ	ppm	Azole fungicide
Imidacloprid	0.200	0.4	< LOQ	ppm	Neonicotinoid insecticide
Kresoxim-methyl	0.200	0.4	< LOQ	ppm	
Malathion	0.200	0.2	< LOQ	ppm	
Metalaxyl	0.200	0.2	< LOQ	ppm	
Methiocarb	0.200	0.2	< LOQ	ppm	Carbamate insecticide



Stephanie Moon
Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Distillate

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M191039-07

METRC Batch #:

Matrix: Distillate

Date Sampled: 08/19/19 09:00

Date Accepted: 08/19/19

Batch ID: 05:02:6-4

Batch Size: 37380 g

Sampling Method/SOP: SOP.T.20.010

Pesticides

Date/Time Extracted: 08/22/19 10:14

Date/Time Analyzed: 8/22/2019 6:48:33PM

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

Analyte	LOQ	Action Level	Result	Units	Type
Methomyl	0.200	0.4	< LOQ	ppm	Carbamate insecticide
Methyl parathion	0.200	0.2	< LOQ	ppm	
MGK-264	0.200	0.2	< LOQ	ppm	
Myclobutanil	0.200	0.2	< LOQ	ppm	Azole fungicide
Naled	0.250	0.5	< LOQ	ppm	
Oxamyl	0.500	1	< LOQ	ppm	Carbamate insecticide
Paclobutrazol	0.200	0.4	< LOQ	ppm	Azole plant growth regulator
Permethrins	0.200	0.2	< LOQ	ppm	
Phosmet	0.200	0.2	< LOQ	ppm	Organophosphate insecticide
Piperonyl butoxide	1.00	2	< LOQ	ppm	
Prallethrin	0.200	0.2	< LOQ	ppm	
Propiconazole	0.200	0.4	< LOQ	ppm	
Propoxur	0.200	0.2	< LOQ	ppm	Carbamate insecticide
Pyrethrins	0.500	1	< LOQ	ppm	
Pyridaben	0.200	0.2	< LOQ	ppm	Unclassified insecticide
Spinosad	0.200	0.2	< LOQ	ppm	Spinosyn insecticide
Spiromesifen	0.200	0.2	< LOQ	ppm	Keto-enol insecticide
Spirotetramat	0.200	0.2	< LOQ	ppm	Keto-enol insecticide
Spiroxamine	0.200	0.4	< LOQ	ppm	Unclassified fungicide
Tebuconazole	0.200	0.4	< LOQ	ppm	
Thiacloprid	0.200	0.2	< LOQ	ppm	
Thiamethoxam	0.200	0.2	< LOQ	ppm	Neonicotinoid insectide
Trifloxystrobin	0.200	0.2	< LOQ	ppm	Strobin fungicide

Results above the action level fail Oregon state testing requirements and will be highlighted RED.

LOQ= Limit of Quantitation; PPM= Parts per million; ND= Not detected; NT= Not tested; AC= Above calibration range. PASS/FAIL status based on OAR 333-007.



Stephanie Moon
Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Distillate

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M191039-07

METRC Batch #:

Matrix: Distillate

Date Sampled: 08/19/19 09:00

Date Accepted: 08/19/19

Batch ID: 05:02:6-4

Batch Size: 37380 g

Sampling Method/SOP: SOP.T.20.010

Residual Solvents

Analyte	LOQ	Action Level	Result	Units
Butanes	250	5000 ³	< LOQ	ppm
n-Butane	250	5000	< LOQ	ppm
iso-Butane	250	5000	< LOQ	ppm
Hexanes	174	290 ⁴	< LOQ	ppm
n-Hexane	174	290	< LOQ	ppm
2-Methylpentane	174	290	< LOQ	ppm
3-Methylpentane	174	290	< LOQ	ppm
2,2-Dimethylbutane	174	290	< LOQ	ppm
2,3-Dimethylbutane	174	290	< LOQ	ppm
Pentanes	1400	5000 ⁵	< LOQ	ppm
n-Pentane	1400	5000	< LOQ	ppm
iso-Pentane	1400	5000	< LOQ	ppm
Neopentane	250	5000	< LOQ	ppm
Xylenes	1302	2170	< LOQ	ppm
1,2-Dimethylbenzene	1302	2170	< LOQ	ppm
1,3-Dimethylbenzene	1302	2170	< LOQ	ppm
1,4-Dimethylbenzene	1302	2170	< LOQ	ppm
Xylenes MP	1302	2170	< LOQ	ppm
Ethyl benzene	1302	NA	< LOQ	ppm
2-Propanol (IPA)	1400	5000	< LOQ	ppm
Acetone	1400	5000	< LOQ	ppm
Acetonitrile	246	410	< LOQ	ppm
Benzene	1.2	2	< LOQ	ppm
Methanol	1000	3000	< LOQ	ppm
Propane	250	5000	< LOQ	ppm
Toluene	534	890	< LOQ	ppm
Dichloromethane	360	600	< LOQ	ppm
1,4-Dioxane	228	380	< LOQ	ppm
2-Butanol	1400	5000	< LOQ	ppm
2-Ethoxyethanol	96	160	< LOQ	ppm
Cumene	42	70	< LOQ	ppm
Cyclohexane	2278	3880	< LOQ	ppm
Ethyl acetate	1400	5000	< LOQ	ppm
Ethyl ether	1400	5000	< LOQ	ppm
Ethylene glycol	372	620	< LOQ	ppm
Ethylene oxide	30	50	< LOQ	ppm
Heptane	1400	5000	< LOQ	ppm
Isopropyl acetate	1400	5000	< LOQ	ppm
Tetrahydrofuran	432	720	< LOQ	ppm
Ethanol	1400	NA ⁷	< LOQ	ppm

Date/Time Extracted: 08/27/19 16:50

Date/Time Analyzed: 08/29/19 06:33

Analysis Method/SOP: SOP.T.40.031

3 - Total butanes are calculated as sum of n-butanes (CAS# 106-97-8) and iso-butane (CAS# 75-28-5)

4 - Total hexanes are calculated as sum of n-hexane (CAS# 110-54-3), 2-methylpentane (CAS# 107-83-5), 3-methylpentane (CAS# 96-14-0), 2,2-dimethylbutane (CAS# 75-83-2), 2,3-dimethylbutane (CAS# 79-29-8)

5 - Total pentanes are calculated as sum of n-pentane (CAS# 109-66-0), iso-pentane (CAS# 78-78-4), and neo-pentane (CAS# 463-82-1)

6 - Total xylenes are calculated as 1,2-dimethylbenzene (CAS# 95-47-6), 1,3-dimethylbenzene (CAS# 106-42-3), and 1-4-dimethylbenzene (CAS# 106-42-3)

7 - Ethanol is not regulated under OAR-333-007-0410.

Results above the action level fail Oregon state testing requirements and will be highlighted **RED**. LOQ=Limit of Quantitation; PPM=Parts per million; ND=Not detected; NT=Not tested; AC=Above calibration range. PASS/FAIL status based on OAR 333-007. Analysis performed in conjunction with EVIO Labs Portland.



Stephanie Moon
 Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19H118 - SOP.T.30.060 Pesticide Prep

Blank(M19H118-BLK1)			Extracted: 08/22/19 10:14		Analyzed: 08/22/19 15:02		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Cyfluthrin	< LOQ	0.500 (ppm)	< LOQ	Cypermethrin	< LOQ	0.500 (ppm)	< LOQ
MGK-264	< LOQ	0.200 (ppm)	< LOQ	Chlorfenapyr	< LOQ	0.500 (ppm)	< LOQ
Methyl parathion	< LOQ	0.200 (ppm)	< LOQ	Acequinocyl	< LOQ	1.00 (ppm)	< LOQ
Bifenthrin	< LOQ	0.200 (ppm)	< LOQ	Acephate	< LOQ	0.200 (ppm)	< LOQ
Abamectin	< LOQ	0.250 (ppm)	< LOQ	Acetamiprid	< LOQ	0.200 (ppm)	< LOQ
Aldicarb	< LOQ	0.200 (ppm)	< LOQ	Azoxystrobin	< LOQ	0.200 (ppm)	< LOQ
Bifenazate	< LOQ	0.200 (ppm)	< LOQ	Boscalid	< LOQ	0.200 (ppm)	< LOQ
Carbaryl	< LOQ	0.200 (ppm)	< LOQ	Carbofuran	< LOQ	0.200 (ppm)	< LOQ
Chlorantraniliprole	< LOQ	0.200 (ppm)	< LOQ	Chlorpyrifos	< LOQ	0.200 (ppm)	< LOQ
Clofentezine	< LOQ	0.200 (ppm)	< LOQ	Daminozide	< LOQ	0.500 (ppm)	< LOQ
DDVP (Dichlorvos)	< LOQ	0.500 (ppm)	< LOQ	Diazinon	< LOQ	0.200 (ppm)	< LOQ
Dimethoate	< LOQ	0.200 (ppm)	< LOQ	Ethoprophos	< LOQ	0.200 (ppm)	< LOQ
Etofenprox	< LOQ	0.200 (ppm)	< LOQ	Etoxazole	< LOQ	0.200 (ppm)	< LOQ
Fenoxycarb	< LOQ	0.200 (ppm)	< LOQ	Fenpyroximate	< LOQ	0.200 (ppm)	< LOQ
Fipronil	< LOQ	0.200 (ppm)	< LOQ	Flonicamid	< LOQ	0.500 (ppm)	< LOQ
Fludioxonil	< LOQ	0.200 (ppm)	< LOQ	Hexythiazox	< LOQ	0.500 (ppm)	< LOQ
Imazalil	< LOQ	0.200 (ppm)	< LOQ	Imidacloprid	< LOQ	0.200 (ppm)	< LOQ
Kresoxim-methyl	< LOQ	0.200 (ppm)	< LOQ	Malathion	< LOQ	0.200 (ppm)	< LOQ
Metalaxyl	< LOQ	0.200 (ppm)	< LOQ	Methiocarb	< LOQ	0.200 (ppm)	< LOQ
Methomyl	< LOQ	0.200 (ppm)	< LOQ	Myclobutanil	< LOQ	0.200 (ppm)	< LOQ
Naled	< LOQ	0.250 (ppm)	< LOQ	Oxamyl	< LOQ	0.500 (ppm)	< LOQ
Paclobutrazol	< LOQ	0.200 (ppm)	< LOQ	Permethrins	< LOQ	0.200 (ppm)	< LOQ
Phosmet	< LOQ	0.200 (ppm)	< LOQ	Piperonyl butoxide	< LOQ	1.00 (ppm)	< LOQ
Prallethrin	< LOQ	0.200 (ppm)	< LOQ	Propiconazole	< LOQ	0.200 (ppm)	< LOQ
Propoxur	< LOQ	0.200 (ppm)	< LOQ	Pyrethrins	< LOQ	0.500 (ppm)	< LOQ
Pyridaben	< LOQ	0.200 (ppm)	< LOQ	Spinosad	< LOQ	0.200 (ppm)	< LOQ
Spiromesifen	< LOQ	0.200 (ppm)	< LOQ	Spirotetramat	< LOQ	0.200 (ppm)	< LOQ
Spiroxamine	< LOQ	0.200 (ppm)	< LOQ	Tebuconazole	< LOQ	0.200 (ppm)	< LOQ
Thiacloprid	< LOQ	0.200 (ppm)	< LOQ	Thiamethoxam	< LOQ	0.200 (ppm)	< LOQ
Trifloxystrobin	< LOQ	0.200 (ppm)	< LOQ				

LCS(M19H118-BS1)			Extracted: 08/22/19 10:14		Analyzed: 08/22/19 15:24		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Cyfluthrin	185	0.500 (ppm)	30-170	Cypermethrin	178	0.500 (ppm)	30-170
MGK-264	116	0.200 (ppm)	50-150	Chlorfenapyr	92.5	0.500 (ppm)	40-160
Methyl parathion	39.0	0.200 (ppm)	30-170	Bifenthrin	110	0.200 (ppm)	50-150
Acephate	108	0.200 (ppm)	50-150	Abamectin	47.8	0.250 (ppm)	50-150



Stephanie Moon
Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19H118 - SOP.T.30.060 Pesticide Prep (Continued)

LCS(M19H118-BS1)			Extracted: 08/22/19 10:14		Analyzed: 08/22/19 16:03		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Acetamiprid	113	0.200 (ppm)	50-150	Aldicarb	132	0.200 (ppm)	40-160
Azoxystrobin	108	0.200 (ppm)	50-150	Bifenazate	96.0	0.200 (ppm)	50-150
Boscalid	83.0	0.200 (ppm)	50-150	Carbaryl	138	0.200 (ppm)	50-150
Carbofuran	115	0.200 (ppm)	50-150	Chlorantraniliprole	46.5	0.200 (ppm)	40-160
Chlorpyrifos	92.2	0.200 (ppm)	50-150	Clofentezine	32.3	0.200 (ppm)	30-170
DDVP (Dichlorvos)	97.9	0.500 (ppm)	50-150	Diazinon	116	0.200 (ppm)	50-150
Dimethoate	109	0.200 (ppm)	50-150	Ethoprophos	142	0.200 (ppm)	50-150
Etofenprox	87.8	0.200 (ppm)	50-150	Etoxazole	102	0.200 (ppm)	50-150
Fenoxycarb	115	0.200 (ppm)	50-150	Fenpyroximate	64.5	0.200 (ppm)	40-160
Fipronil	115	0.200 (ppm)	50-150	Flonicamid	109	0.500 (ppm)	50-150
Fludioxonil	66.6	0.200 (ppm)	50-150	Hexythiazox	105	0.500 (ppm)	50-150
Imazalil	78.9	0.200 (ppm)	50-150	Imidacloprid	99.4	0.200 (ppm)	50-150
Kresoxim-methyl	114	0.200 (ppm)	50-150	Malathion	115	0.200 (ppm)	50-150
Metalaxyl	110	0.200 (ppm)	50-150	Methiocarb	108	0.200 (ppm)	50-150
Methomyl	112	0.200 (ppm)	50-150	Myclobutanil	118	0.200 (ppm)	50-150
Naled	111	0.250 (ppm)	50-150	Oxamyl	113	0.500 (ppm)	50-150
Paclobutrazol	109	0.200 (ppm)	50-150	Permethrins	104	0.200 (ppm)	50-150
Phosmet	80.6	0.200 (ppm)	50-150	Piperonyl butoxide	95.3	1.00 (ppm)	50-150
Prallethrin	116	0.200 (ppm)	50-150	Propiconazole	103	0.200 (ppm)	50-150
Propoxur	116	0.200 (ppm)	50-150	Pyrethrins	130	0.500 (ppm)	50-150
Pyridaben	93.4	0.200 (ppm)	50-150	Spinosad	29.6	0.200 (ppm)	40-160
Spiromesifen	125	0.200 (ppm)	40-160	Spirotetramat	102	0.200 (ppm)	50-150
Spiroxamine	35.8	0.200 (ppm)	50-150	Tebuconazole	93.8	0.200 (ppm)	50-150
Thiacloprid	101	0.200 (ppm)	50-150	Thiamethoxam	104	0.200 (ppm)	50-150
Trifloxystrobin	112	0.200 (ppm)	50-150				

Batch: M19H119 - SOP.T.30.050 Prep for Cannabinoids

Blank(M19H119-BLK1)			Extracted: 08/22/19 10:24		Analyzed: 08/22/19 17:16		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
THCA	< LOQ	0.200 (%)	< LOQ	delta 9-THC	< LOQ	0.200 (%)	< LOQ
delta 8-THC	< LOQ	0.200 (%)	< LOQ	CBDA	< LOQ	0.200 (%)	< LOQ
CBD	< LOQ	0.200 (%)	< LOQ	CBG	< LOQ	0.200 (%)	< LOQ
CBN	< LOQ	0.200 (%)	< LOQ	CBC	< LOQ	0.200 (%)	< LOQ
Sum of tested Cannabinoid:	< LOQ	0.200 (%)	< LOQ				

LCS(M19H119-BS1)			Extracted: 08/22/19 10:24		Analyzed: 08/22/19 17:33		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits



Stephanie Moon
Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19H119 - SOP.T.30.050 Prep for Cannabinoids (Continued)

LCS(M19H119-BS1)			Extracted: 08/22/19 10:24		Analyzed: 08/22/19 17:33		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
THCA	108	(%)	70-130	delta 9-THC	102	(%)	70-130
CBDA	108	(%)	70-130	CBD	108	(%)	70-130

Batch: M19H145 - SOP.T.40.031 Solvents

Blank(M19H145-BLK1)			Extracted: 08/27/19 16:50		Analyzed: 08/29/19 01:48		
Analyte	Result	LOQ	Recovery Limits	Analyte	Result	LOQ	Recovery Limits
Butanes	< LOQ	250 (ppm)	< LOQ	n-Butane	< LOQ	250 (ppm)	< LOQ
iso-Butane	< LOQ	250 (ppm)	< LOQ	Hexanes	< LOQ	174 (ppm)	< LOQ
n-Hexane	< LOQ	174 (ppm)	< LOQ	2-Methylpentane	< LOQ	174 (ppm)	< LOQ
3-Methylpentane	< LOQ	174 (ppm)	< LOQ	2,2-Dimethylbutane	< LOQ	174 (ppm)	< LOQ
2,3-Dimethylbutane	< LOQ	174 (ppm)	< LOQ	Pentanes	< LOQ	1400 (ppm)	< LOQ
n-Pentane	< LOQ	1400 (ppm)	< LOQ	iso-Pentane	< LOQ	1400 (ppm)	< LOQ
Neopentane	< LOQ	250 (ppm)	< LOQ	Xylenes	< LOQ	1302 (ppm)	< LOQ
1,2-Dimethylbenzene	< LOQ	1302 (ppm)	< LOQ	1,3-Dimethylbenzene	< LOQ	1302 (ppm)	< LOQ
1,4-Dimethylbenzene	< LOQ	1302 (ppm)	< LOQ	Xylenes MP	< LOQ	1302 (ppm)	< LOQ
Ethyl benzene	< LOQ	1302 (ppm)	< LOQ	2-Propanol (IPA)	< LOQ	1400 (ppm)	< LOQ
Acetone	< LOQ	1400 (ppm)	< LOQ	Acetonitrile	< LOQ	246 (ppm)	< LOQ
Benzene	< LOQ	1.2 (ppm)	< LOQ	Methanol	< LOQ	1000 (ppm)	< LOQ
Propane	< LOQ	250 (ppm)	< LOQ	Toluene	< LOQ	534 (ppm)	< LOQ
Dichloromethane	< LOQ	360 (ppm)	< LOQ	1,4-Dioxane	< LOQ	228 (ppm)	< LOQ
2-Butanol	< LOQ	1400 (ppm)	< LOQ	2-Ethoxyethanol	< LOQ	96 (ppm)	< LOQ
Cumene	< LOQ	42 (ppm)	< LOQ	Cyclohexane	< LOQ	2278 (ppm)	< LOQ
Ethyl acetate	< LOQ	1400 (ppm)	< LOQ	Ethyl ether	< LOQ	1400 (ppm)	< LOQ
Ethylene glycol	< LOQ	372 (ppm)	< LOQ	Ethylene oxide	< LOQ	30 (ppm)	< LOQ
Heptane	< LOQ	1400 (ppm)	< LOQ	Isopropyl acetate	< LOQ	1400 (ppm)	< LOQ
Tetrahydrofuran	< LOQ	432 (ppm)	< LOQ	Ethanol	< LOQ	1400 (ppm)	< LOQ

LCS(M19H145-BS1)			Extracted: 08/27/19 16:50		Analyzed: 08/29/19 03:13		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
Butanes		250 (ppm)	0-200	n-Butane	201	250 (ppm)	50-150
iso-Butane	218	250 (ppm)	50-150	Hexanes		174 (ppm)	0-200
n-Hexane	127	174 (ppm)	70-130	2-Methylpentane	137	174 (ppm)	70-130
3-Methylpentane	132	174 (ppm)	70-130	2,2-Dimethylbutane	139	174 (ppm)	70-130
2,3-Dimethylbutane	124	174 (ppm)	70-130	Pentanes		1400 (ppm)	0-200
n-Pentane	144	1400 (ppm)	70-130	iso-Pentane	145	1400 (ppm)	70-130
Neopentane	200	250 (ppm)	50-150	Xylenes		1302 (ppm)	0-200
1,2-Dimethylbenzene	118	1302 (ppm)	70-130	1,3-Dimethylbenzene	116	1302 (ppm)	70-130



Stephanie Moon
Laboratory Director - 9/3/2019

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19H145 - SOP.T.40.031 Solvents (Continued)

LCS(M19H145-BS1)			Extracted: 08/27/19 16:50		Analyzed: 08/29/19 03:13		
Analyte	% Recovery	LOQ	Recovery Limits	Analyte	% Recovery	LOQ	Recovery Limits
1,4-Dimethylbenzene	116	1302 (ppm)	70-130	Xylenes MP		1302 (ppm)	0-200
Ethyl benzene	121	1302 (ppm)	70-130	2-Propanol (IPA)	127	1400 (ppm)	70-130
Acetone	125	1400 (ppm)	70-130	Acetonitrile	125	246 (ppm)	70-130
Benzene	137	1.2 (ppm)	70-130	Methanol	120	1000 (ppm)	70-130
Propane	114	250 (ppm)	50-150	Toluene	122	534 (ppm)	70-130
Dichloromethane	124	360 (ppm)	70-130	1,4-Dioxane	123	228 (ppm)	70-130
2-Butanol	134	1400 (ppm)	70-130	2-Ethoxyethanol	109	96 (ppm)	70-130
Cumene	117	42 (ppm)	50-150	Cyclohexane	145	2278 (ppm)	70-130
Ethyl acetate	132	1400 (ppm)	70-130	Ethyl ether	131	1400 (ppm)	70-130
Ethylene glycol	108	372 (ppm)	70-130	Ethylene oxide	132	30 (ppm)	50-150
Heptane	135	1400 (ppm)	70-130	Isopropyl acetate	133	1400 (ppm)	70-130
Tetrahydrofuran	123	432 (ppm)	70-130	Ethanol	133	1400 (ppm)	70-130



Stephanie Moon
 Laboratory Director - 9/3/2019