




# DS18<sup>®</sup>




## OWNER'S MANUAL *MANUAL DE USUARIO*

## PRO-DPL1 2" THROAT COMPRESSION DRIVER WITH 2" TITANIUM VOICE COIL


*DRIVER DE COMPRESION CON  
BOCA DE 2" Y BOBINA DE  
VOZ DE 2" DE TITANIO*



# PRO-DPL1



## SPL vs Freq



### SPECIFICATIONS / ESPECIFICACIONES:


Throat Diameter / Diámetro de la Garganta.....	2" / 50.8 mm
Installation Type / Tipo de Instalacion.....	Bolt on
Nominal Impedance / Impedancia Nominal.....	8 OHMS
AES Power Handling / Manejo de Potencia AES.....	160W
Program Power Handling / Manejo de Potencia del Programa.....	320W
Peak Power Handling / Manejo de Potencia Peak.....	640W
Sensitivity (1w/1m) / Sensibilidad (1w/1m).....	109dB
Frequency Response / Respuesta de Frecuencia.....	630Hz-20KHz
Recommended Hi Pass Crossover / Corte Paso Alto Recomendado.....	900 Hz

### MOTOR / MOTOR:

Voice Coil Diameter / Diámetro de la Bobina de Voz.....	2.03" / 51.5mm
VC Former Material / Material Interior de Bobina Móvil.....	Kapton
Winding Material / Material de Bobinado.....	CCA
Diaphragm Material / Material del Diafragma.....	Titanium / Titanio
Magnet Material / Material del Imán.....	Ferrite / Ferrita
Magnet Weith / Peso del Imán.....	35 Oz
Body Material / Material del Cuerpo.....	Plastic Cover / Carcasa Plastica

### MEASUREMENTS / MEDIDAS:

Overall Diameter / Diámetro Total.....	5.27" / 134mm
Overall Depth / Profundidad Total.....	2.4" / 61mm
Bolt Pattern - Type / Patrón de Perno - Tipo.....	4" / 102mm - M6



FOR MORE INFORMATION  
PLEASE VISIT  
[DS18.COM](http://DS18.COM)

*WE LIKE IT LOUD*

The DS18 logo, consisting of the letters "DS18" in a bold, stylized, italicized font. The "1" is a vertical bar, and the "8" has a distinctive shape. A registered trademark symbol (®) is located to the upper right of the "8".

**DS18®**