




DS18[®]

OWNER'S MANUAL
MANUAL DE USUARIO

PRO-GM10

10" MIDRANGE LOUDSPEAKER



ALTAVOZ DE RANGO MEDIO DE 10"



ENGLISH | ESPAÑOL



PRO-GM10



WE LIKE IT LOUD

SPECIFICATIONS / ESPECIFICACIONES:

Nominal Diameter / Diámetro Nominal.....	10"
Nominal Impedance / Impedancia Nominal	8 OHMS
RMS Power Handling/ Manejo de Potencia RMS.....	220 Watts
MAX Power Handling / Manejo de Potencia MAX.....	660 Watts
Sensitivity / Sensibilidad (1w/1m).....	95dB
Frequency Response / Respuesta de Frecuencia.....	40Hz-6.3KHz
Recommended Hi Pass Crossover / Crossover de Paso Alto Recomendado	90Hz
Pair or single / Par o Unidad.....	Single / Unidad

MOTOR / MOTOR:

Voice Coil Diameter / Diámetro de la Bobina de Voz	2" / 50.8mm
Voice Coil Former Material / Material Interior de Bobina Móvil.....	Kapton
Winding Material / Material de Bobinado	CCAW
Cone Material / Material del Cono	Paper / Papel
Dustcap Material / Material de la Tapa anti-Polvo.....	Paper / Papel
Surround Material / Material de la Suspensión.....	Cloth / Tela
Basket Material / Material de la Canasta.....	Steel / Acero
Basket Color / Color de Canasta.....	Matte Black / Negro Mate
Magnet Material / Material del Imán	Ferrite / Ferrita
Magnet Weight / Peso del Imán	30oz

THIELE & SMALL PARAMETERS / PARÁMETROS T/S:

Equivalent Volume / Volumen Equivalente	Vas	75.76L / 2.67ft3
Free Air Resonance / Resonancia al Aire Libre	Fs	67Hz
Mechanical Factor / Factor Mecánico	Qms	11.409
Electrical Factor / Factor Eléctrico.....	Qes.....	1.13
Total Factor / Factor Total.....	Qts	1.028
Mechanical Mass / Factor Mecánico	Mms.....	12.66g
Mechanical Compliance / Cumplimiento Mecánico	Cms	0.441mm/N
BL Factor / Factor BL	BL	5.43
Voice Coil Inductance.....	Le.....	0.962mH
Cone Area / Área del Cono	Sd	349.67cm2
DC Resistance / Resistencia DC.....	Re	6.2 ohm

MEASUREMENTS / MEDIDAS:

Overall Diameter / Diámetro Total.....	10.1" / 256 mm
Overall Depth / Profundidad Total	4" / 103 mm
Front Mount Baffle Cutout / Corte del Orificio de Montaje	9" / 230 mm
Mounting Depth / Profundidad de Montaje.....	3.7" / 96mm
Motor Diameter / Diámetro del Motor.....	4.72" / 120mm



FOR MORE INFORMATION
PLEASE VISIT
DS18.COM

WE LIKE IT LOUD

The DS18 logo, featuring the letters "DS18" in a bold, stylized, red font. The "D" and "S" are connected, and the "18" is slightly separated. A registered trademark symbol (®) is located to the upper right of the "8".

DS18[®]