
# TOPFIRES

BY THE OUTDOOR PLUS



THEOUTDOORPLUS.COM

## PHOTOGRAPHY PROGRAM





## **TABLE OF CONTENTS**



Concrete Bowls	5
Copper Bowls	15
Powder-coated Bowls	22
Ornaments	24
Scuppers	26
Self Contained Units	28
Torches	32
Fire Towers	. 34
Corten Steel Planters	36
Wood Grain GFRC Fire Pits	38
Wood Grain GFRC Seating	41
Flagstone GFRC Fire Pits & Fire Tables	42
Smooth GFRC Fire Pits & Fire Tables	43
Steel, Stainless Steel & Copper Fire Pits & Fire Tables	55
Fire Pit Add-Ons	64
Electronic Ignition Systems & Components	65
Accessories	66
Burn Media Selection	67
Flame Guards and Fire Pit Covers	68
*Custom Fire and Water Units	70
Utility Line Diagrams	72
Clearance From Combustibles	73
Warranty and Return Policy	74
Map Policy  Cover Photo Credits: Water Crest Pools. North Richland Hills, Texas	75

## **METALLIC & RUSTIC PREMIUM FINISHES**



#### **Metallic Finishes**

TOP Fire's metallic finishes are the latest additions to the concrete finish options. Each finish reflects beautifully in the light and mimics the look of an anodized finish. Our metallic finishes can be applied to ANY GFRC concrete product.

This means you can have any concrete bowl, fire pit or fire table in a luxurious metallic finish



### **Rustic Finishes**

TOP Fire's rustic finishes are some of the latest additions to concrete finish options. The texture is created by hand, creating a unique finish every time. The textured appearance is only on the surface. This means your fire pit will still be extremely strong.

Every concrete bowl, fire pit or fire table can be made with the rustic finish



## **ROMA CONCRETE BOWLS**



## Roma Planter

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-ROMPO24	24"	13"	10"	1 ft³
OPT-ROMPO37	37"	16"	17"	3 ft <sup>3</sup>

## Roma Planter & Water Bowl

Includes: Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	SOIL USAGE
OPT-ROMPW24	24"	13"	10"	12-15	1 ft³
OPT-ROMPW37	37"	16"	17"	12-15	3 ft³





## Roma Water Bowl

Includes: Bowl, Smooth Flow Water Fitting (1 1/2" Connection) & Copper Scupper

sku	SIZE	BASE	HEIGHT	GPM
OPT-ROMWO24	24"	13"	10"	12-15
OPT-ROMWO37	37"	16"	17"	12-15

## Roma Fire Bowl ......



 $\textbf{Includes:} \textit{ Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, and the property of the property of$ Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	GLASS
OPT-ROM24	Match Lit	24"	13"	10"	8"	65,000	25 lbs
OPT-ROM37	Match Lit	37"	16"	17"	12"	65,000	75 lbs
OPT-ROM24E12V	Electronic	24"	13"	10"	8"	65,000	25 lbs
OPT-ROM37E12V	Electronic	37"	16"	17"	12"	65,000	75 lbs





## Roma Fire & Water Bowl ......



Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Copper Scupper, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-ROMFW24	Match Lit	24"	13"	10"	8"	65,000	50 lbs.	12-15
	OPT-ROMFW37	Match Lit	37"	16"	17"	12"	65,000	75 lbs.	12-15
9	OPT-ROMFW24E12V	Electronic	24"	13"	10"	8"	65,000	50 lbs.	12-15
9	OPT-ROMFW37E12V	Electronic	37"	16"	17"	12"	65,000	75 lbs.	12-15





## **Sedona Planter Bowl**

Includes: Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-27RP	27"	12"	10"	1.5 ft <sup>3</sup>
OPT-33RP	33"	17"	11"	2.5 ft <sup>3</sup>

## Sedona Planter & Water Bowl

**Includes:** Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE	GPM
OPT-27RPW	27"	12"	10"	1.5 ft <sup>3</sup>	12-15
OPT-33RPW	33"	17"	11"	2.5 ft <sup>3</sup>	12-15





### **Sedona Water Bowl**

Includes: Bowl, Smooth Flow Water Fitting (1 1/2" Connection) & Copper Scupper

SKU	SIZE	BASE	HEIGHT	GPM
OPT-27RWO	27"	12"	10"	12-15
OPT-33RWO	33"	17"	11"	12-15





#### **OPTIONAL UPGRADE**

Key Valve Installation OPT-KVI

Includes: Key Valve, Installation Bracket, Turn Key & Whistle Free Hoses

Metallic Finishes and Rustic Finishes are available at an extra charge

<b>Black</b>	<b>Ash</b>	Natural Gray	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	<b>Brown</b>	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY		-CHC	-CST	-BRN	-VAN
<b>Rustic Gray</b>	<b>Moss Stone</b>	Rustic White	<b>Coffee</b>	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: 27" Brown Sedona Water Bowl = OPT-27RWO-BRN

The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.

## SEDONA CONCRETE BOWLS





### **Sedona Fire Bowl**

**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

0 50 lbs.	
0 75 lbs.	
0 50 lbs.	
0 75 lbs.	
(	75 lbs. 50 lbs.

## Sedona Fire & Water Bowl



**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Copper Scupper, Mounting Bracket & Lava Rock.

SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM	
OPT-27RFWM	Match Lit	27"	12"	10"	8"	65,000	50 lbs.	12-15	
OPT-33RFWM	Match Lit	33"	17"	11"	12"	65,000	75 lbs.	12-15	
OPT-27RFWE12V	Electronic	27"	12"	10"	8"	65,000	50 lbs.	12-15	
OPT-33RFWE12V	Electronic	33"	17"	11"	12"	65,000	75 lbs.	12-15	





## Sedona 360° Fire & Water Bowl



**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BURN AREA	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM	
	OPT-38FW360	Match Lit	38"	14"	18"	16"	8"	65,000	25 lbs.	40-50	
7)	OPT-38FW360E12V	Electronic	38"	14"	18"	16"	8"	65,000	25 lbs.	40-50	







## **Luna Planter Bowl**

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-LUNPO30	30"	13"	15"	3 ft³
OPT-LUNPO38	38"	16.5"	16.5"	5.75 ft <sup>3</sup>

## Luna Planter & Water Bowl

**Includes:** Bowl, Copper Scupper (¾" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	SOIL USAGE
OPT-LUNPW30	30"	13"	15"	12-15	3 ft³
OPT-LUNPW38	38"	16.5"	16.5"	12-15	5.75 ft³





### **Luna Water Bowl**

**Includes:** *Bowl, Smooth Flow Water Fitting (1 1/2" Connection) & Copper Scupper* 

SKU	SIZE	BASE	HEIGHT	GPM	
OPT-LUNWO30	30"	13"	15"	12-15	

## **Luna Fire Bowl**



**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

		,	,						
	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	
	OPT-LUNFO30	Match Lit	30"	13"	15"	12"	65,000	50 lbs.	
	OPT-LUNFO38	Match Lit	38"	13"	16.5"	18"	65,000	75 lbs.	
)	OPT-LUNFO30E12V	Electronic	30"	13"	15"	12"	65,000	50 lbs.	
)	OPT-LUNFO38E12V	Electronic	38"	13"	16.5"	18"	65,000	75 lbs.	





## 



**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Copper Scupper, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	GPM	SUGG. GLASS
	OPT-LUNFW30	Match Lit	30"	13"	15"	12"	65,000	12-15	50 lbs.
	OPT-LUNFW38	Match Lit	38"	16.5"	16.5"	18"	65,000	12-15	75 lbs.
9	OPT-LUN30FWE12V	Electronic	30"	13"	15"	12"	65,000	12-15	50 lbs.
9	OPT-LUN38FWE12V	Electronic	38"	13"	16.5"	18"	65,000	12-15	75 lbs.





## **Cazo Planter Bowl**

Includes: Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-24RP	24"	12"	8"	1 ft³
OPT-31RP	31"	12"	10"	2 ft <sup>3</sup>
OPT-36RP	36"	20"	10"	3 ft <sup>3</sup>

## Cazo Planter & WaterBowl

**Includes:** Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE	GPM
OPT-24RPW	24"	12"	8"	1 ft³	12-15
OPT-31RPW	31"	12"	10"	2 ft³	12-15
OPT-36RPW	36"	20"	10"	3 ft³	12-15





## Cazo Water Bowl

Includes: Bowl, Smooth Flow Water Fitting (1 1/2" Connection) & Copper Scupper

SKU	SIZE	BASE	HEIGHT	GPM
OPT-24RWO	24"	12"	8"	12-15
OPT-31RWO	31"	12"	10"	12-15
OPT-36RWO	36"	20"	10"	12-15

## 

**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS
OPT-24RFO	Match Lit	24"	12"	8"	8"	65,000	40 lbs.
OPT-31RFO	Match Lit	31"	12"	10"	12"	65,000	55 lbs.
OPT-36RFO	Match Lit	36"	20"	10"	12"	65,000	95 lbs.
OPT-48RFO	Match Lit	48"	20"	17"	18"	65,000	200 lbs.
OPT-24RFOE12V	Electronic	24"	12"	8"	8"	65,000	40 lbs.
OPT-31RFOE12V	Electronic	31"	12"	10"	12"	65,000	55 lbs.
OPT-36RFOE12V	Electronic	36"	20"	10"	12"	65,000	95 lbs.
OPT-48RFOE12V	Electronic	48"	20"	17"	18"	65,000	200 lbs.



## **CAZO CONCRETE BOWLS**



Cazo Fire & Water Bowl
Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate,

Burner, Gas Line, LP or NG Orifice, Copper Scupper, Mounting Bracket & Lava Rock.

SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
OPT-24RFWM	Match Lit	24"	12"	8"	8"	65,000	40 lbs.	12-15
OPT-31RFWM	Match Lit	31"	12"	10"	12"	65,000	55 lbs.	12-15
OPT-36RFWM	Match Lit	36"	20"	10"	12"	65,000	95 lbs.	12-15
OPT-48RFWM	Match Lit	48"	20"	17"	18"	65,000	200 lbs.	20-25
OPT-24FWE12V	Electronic	24"	12"	8"	8"	65,000	40 lbs.	12-15
OPT-31FWE12V	Electronic	31"	12"	10"	12"	65,000	55 lbs.	12-15
OPT-36FWE12V	Electronic	36"	20"	10"	12"	65,000	95 lbs.	12-15
OPT-48FWE12V	Electronic	48"	20"	17"	18"	65,000	200 lbs.	20-25





#### WATER BOWLS INCLUDE

**Easy Flow Fitting** 

All Water Bowls come with our easy-flow water fitting that accommodates a 1 1/2" water line



#### **OPTIONAL UPGRADE**


**Key Valve Installation** OPT-KVI

Includes: Key Valve, Installation Bracket, Turn Key & Whistle Free Hoses

Metallic Finishes and Rustic Finishes are available at an extra charge

<b>Black</b>	<b>Ash</b>	<b>Natural Gray</b>	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	<b>Brown</b>	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY	-LIM	-CHC	-CST	-BRN	-VAN
<b>Rustic Gray</b>	<b>Moss Stone</b>	Rustic White	<b>Coffee</b>	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: 24" Black Cazo Fire & Water Bowl = OPT-24RFWM-BLK The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.







## Maya Planter Bowl Includes: Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-24SP	24" x 24"	12" x 12"	10"	1 ft³
OPT-30SP	30" x 30"	12" x 12"	10"	2 ft <sup>3</sup>
OPT-36SP	36" x 36"	20" x 20"	10"	3 ft <sup>3</sup>

## Maya Planter & Water Bowl

Includes: Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE	GPM
OPT-24SPW	24" x 24"	12" x 12"	10"	1 ft³	12-15
OPT-30SPW	30" x 30"	12" x 12"	10"	2 ft³	12-15
OPT-36SPW	36" x 36"	20" x 20"	10"	3 ft³	12-15





## **Maya Water Bowl**

Includes: Bowl, Smooth Flow Water Fitting (1 1/2" Connection) & Copper Scupper

SKU	SIZE	BASE	HEIGHT	GPM
OPT-24SWO	24" x 24"	12" x 12"	10"	12-15
OPT-30SWO	30" x 30"	12" x 12"	10"	12-15
OPT-36SWO	36" x 36"	20" x 20"	10"	12-15





#### **OPTIONAL UPGRADE**

**Key Valve Installation** OPT-KVI

Includes: Key Valve, Installation Bracket, Turn Key & Whistle Free Hoses

Metallic Finishes and Rustic Finishes are available at an extra charge

<b>Black</b>	<b>Ash</b>	<b>Natural Gray</b>	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	Brown	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY		-CHC	-CST	-BRN	-VAN
Rustic Gray	<b>Moss Stone</b>	Rustic White	<b>Coffee</b>	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: 24" Black Maya Water Bowl = OPT-24SWO-BLK The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.

## **MAYA CONCRETE BOWLS**





## Maya Fire Bowl Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire

Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS
	OPT-24SFO	Match Lit	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.
	OPT-30SFO	Match Lit	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.
	OPT-36SFO	Match Lit	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.
)	OPT-24SFOE12V	Electronic	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.
)	OPT-30SFOE12V	Electronic	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.
)	OPT-36SFOE12V	Electronic	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.

## Maya Fire & Water Bowl Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire

Plate, Burner, Gas Line, LP or NG Orifice, Copper Scupper, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	GLASS	GPM
	OPT-24SFWM	Match Lit	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.	12-15
	OPT-30SFWM	Match Lit	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.	12-15
	OPT-36SFWM	Match Lit	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.	12-15
D	OPT-24SFWE12V	Electronic	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.	12-15
D	OPT-30SFWE12V	Electronic	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.	12-15
D	OPT-36SFWE12V	Electronic	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.	12-15





The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.





## **Avalon Planter Bowl**

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-AVLPO24	24" x 24"	12" x 12"	10"	1 ft³
OPT-AVLPO30	30" x 30"	12" x 12"	10"	2 ft³
OPT-AVLPO36	36" x 36"	20" x 20"	10"	3 ft³

## Avalon Planter & Water Bowl

**Includes:** Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE	GPM
OPT-AVLPW24	24" x 24"	12" x 12"	10"	1 ft³	12-15
OPT-AVLPW30	30" x 30"	12" x 12"	10"	2 ft³	12-15
OPT-AVLPW36	36" x 36"	20" x 20"	10"	3 ft³	12-15



## **Avalon Water Bowl**

Includes: Bowl, Smooth Flow Water Fitting (1 ½" Connection) & Copper Scupper

SKU	SIZE	BASE	HEIGHT	GPM
OPT-AVLWO24	24" x 24"	12" x 12"	10"	12-15
OPT-AVLWO30	30" x 30"	12" x 12"	10"	12-15
OPT-AVLWO36	36" x 36"	20" x 20"	10"	12-15



#### WATER BOWLS INCLUDE

**Easy Flow Fitting** 

All Water Bowls come with our easy-flow water fitting that accommodates a 1 ½" water line



#### **OPTIONAL UPGRADE**

Key Valve Installation OPT-KVI

Includes: Key Valve, Installation Bracket, Turn Key & Whistle Free Hoses

Metallic Finishes and Rustic Finishes are available at an extra charge

<b>Black</b>	<b>Ash</b>	Natural Gray	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	<b>Brown</b>	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY		-CHC	-CST	-BRN	-VAN
Rustic Gray	<b>Moss Stone</b>	Rustic White	<b>Coffee</b>	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: 24" Black Avalon Water Bowl = OPT-AVLWO24-BLK
The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.

## **AVALON CONCRETE BOWLS**





Avalon Fire Bowl Supplies Continues: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS
	OPT-AVLFO24	Match Lit	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.
	OPT-AVLFO30	Match Lit	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.
	OPT-AVLFO36	Match Lit	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.
(4)	OPT-AVLFO24E12V	Electronic	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.
<b>(</b>	OPT-AVLFO30E12V	Electronic	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.
(4)	OPT-AVLFO36E12V	Electronic	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.

## Avalon Fire & Water Bowl



Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Copper Scupper, Mounting Bracket & Lava

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-AVLFW24	Match Lit	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.	12-15
	OPT-AVLFW30	Match Lit	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.	12-15
	OPT-AVLFW36	Match Lit	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.	12-15
4	OPT-AVLFW24E12V	Electronic	24" x 24"	12" x 12"	10"	10"	65,000	40 lbs.	12-15
4	OPT-AVLFW30E12V	Electronic	30" x 30"	12" x 12"	10"	12"	65,000	55 lbs.	12-15
<b>(</b>	OPT-AVLFW36E12V	Electronic	36" x 36"	20" x 20"	10"	12"	65,000	95 lbs.	12-15



## **CAZO COPPER BOWLS**



## Cazo 4-Way Fire Water Bowl Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate,



Burner, Mounting Bracket & Lava Rock. 1 1/2" Water Inlet

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM	
	OPT-4W30	Match Lit	30"	16"	12"	12"	65,000	40 lbs.	25-30	
	OPT-4W36	Match Lit	36"	20"	12"	12"	65,000	55 lbs.	25-30	
9	OPT-4W30E12V	Electronic	30"	16"	12"	12"	65,000	40 lbs.	25-30	
	OPT-4W36E12V	Electronic	36"	20"	12"	12"	65.000	55 lbs.	25-30	

## Cazo 360° Fire & Water Bowl



Includes: Certified Match Lit Kit or Certified Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 1 1/2" Water Inlet

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-30FW360	Match Lit	30"	16"	12"	8"	65,000	25 lbs.	25-30
	OPT-36FW360	Match Lit	36"	20"	12"	8"	65,000	35 lbs.	25-30
<b>(</b>	OPT-30FW360E12V	Electronic	30"	16"	12"	8"	65,000	25 lbs.	25-30
<b>(</b>	OPT-36FW360E12V	Electronic	36"	20"	12"	8"	65,000	35 lbs.	25-30







#### **Cazo Planter Bowl**

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-R24CPO	24"	10"	10"	1.25 ft <sup>3</sup>
OPT-R30CPO	30"	16"	12"	3 ft <sup>3</sup>
OPT-R36CPO	36"	20"	12"	4.5 ft <sup>3</sup>

## Cazo Planter Bowl with Water Spillway

**Includes:** Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	WATER INLET	SOIL USAGE
OPT-R24CPW	24"	10"	10"	12-15	3/4"	1.25 ft <sup>3</sup>
OPT-R30CPW	30"	16"	12"	12-15	3/4"	3 ft <sup>3</sup>
OPT-R36CPW	36"	20"	12"	12-15	3/4"	4.5 ft <sup>3</sup>

### **Cazo Water Bowl**

Includes: Bowl, (1 1/2" Water Connection)

SKU	SIZE	BASE	HEIGHT	GPM
OPT-R24CPWO	24"	10"	10"	12-15
OPT-R30CPWO	30"	16"	12"	12-15
OPT-R36CPWO	36"	20"	12"	12-15





## 

**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS
	OPT-101-24NWF	Match Lit	24"	10"	10"	8"	65,000	25 lbs
	OPT-102-30NWF	Match Lit	30"	16"	12"	12"	65,000	50 lbs
	OPT-102-36NWF	Match Lit	36"	20"	12"	12"	65,000	50 lbs
<b>(</b>	OPT-101-24NWFE12V	Electronic	24"	10"	10"	8"	65,000	25 lbs
<b>(</b>	OPT-102-30NWFE12V	Electronic	30"	16"	12"	12"	65,000	50 lbs
(4)	OPT-102-36NWFE12V	Electronic	36"	20"	12"	12"	65,000	50 lbs

## 

Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 3/4" Water Inlet

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-101-24NWCB	Match Lit	24"	10"	10"	8"	65,000	25 lbs	12-15
	OPT-102-30NWCB	Match Lit	30"	16"	12"	12"	65,000	50 lbs	12-15
	OPT-102-36NWCB	Match Lit	36"	20"	12"	12"	65,000	50 lbs	12-15
<b>(</b>	OPT-101-24NWCBE12V	Electronic	24"	10"	10"	8"	65,000	25 lbs	12-15
<b>(</b>	OPT-102-30NWCBE12V	Electronic	30"	16"	12"	12"	65,000	50 lbs	12-15
<b>(</b>	OPT-102-36NWCBE12V	Electronic	36"	20"	12"	12"	65,000	50 lbs	12-15



## **REMI COPPER BOWLS**



#### Remi Planter

Includes: Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-31RCPO	31"	13"	11.5"	2.5 ft <sup>3</sup>

### Remi Planter with Water Spillway

**Includes:** Bowl, Copper Scupper (34" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	INLET	SOIL USAGE
OPT-31RCPW	31"	13"	11.5"	12-15	3/4"	2.5 ft <sup>3</sup>





## Remi Water Bowl

**Includes:** Smooth Flow Water Fitting (1 ½" Connection)

SKU	SIZE	BASE	HEIGHT	GPM
OPT-31RCWO	31"	13"	11.5"	12-15

## Remi Fire Bowl

**Includes:** Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS
	OPT-31RCFOM	Match Lit	31"	13"	11.5"	12"	65,000	75 lbs
3	OPT-31RCFOE12V	Electronic	31"	13"	11.5"	12"	65,000	75 lbs.





## Remi Fire & Water Bowl

VI Electronic Ignition System; Bow

Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 3/4" Water Inlet

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	GLASS	GPM
	OPT-31RCFWM	Match Lit	31"	13"	11.5"	12"	65,000	75 lbs	12-15
•)	OPT-31RCFWE12V	Electronic	31"	13"	11.5"	12"	65,000	75 lbs.	12-15



## **WATER BOWLS INCLUDE**Easy Flow Fitting

All Water Bowls come with our easy-flow water fitting that accommodates a 1 ½" water line



#### **OPTIONAL UPGRADE**

Key Valve Installation OPT-KVI

Includes: Key Valve, Installation Bracket, Turn Key & Whistle Free Hoses

# MAYA COPPER BOWLS Sustant Sizes Available







### **Maya Planter Bowl**

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT	SOIL USAGE
OPT-24SCPO	24" x 24"	12" x 12"	10"	3 ft³
OPT-30SCPO	30" x 30"	15" x 15"	10"	3 ft <sup>3</sup>
OPT-36SCPO	36" x 36"	18" x 18"	12"	5.25 ft <sup>3</sup>


### Maya Planter Bowl with Water Spillway

Includes: Bowl, Copper Scupper (3/4" Scupper). (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	WATER INLET	SOIL USAGE
OPT-24SCPW	24" x 24"	12" x 12"	10"	12-15	3/4"	3 ft <sup>3</sup>
OPT-30SCPW	30" x 30"	15" x 15"	10"	12-15	3/4"	3 ft <sup>3</sup>
OPT-36SCPW	36" x 36"	18" x 18"	12"	12-15	3/4"	5.25 ft <sup>3</sup>

## Maya Water Bowl Includes: Bowl, (1 1/2" Water Connection)

SKU	SIZE	BASE	HEIGHT	GPM
OPT-24SCW	24" x 24"	12" x 12"	10"	12-15
OPT-30SCW	30" x 30"	15" x 15"	10"	15-20
OPT-36SCW	36" x 36"	18" x 18"	12"	20-25





## Maya Water Bowl - Wide Spill Includes: Smooth Flow Water Fitting (3/4" Water Connection)

SKU	SIZE	BASE	HEIGHT	GPM
OPT-24SCXW	24" x 24"	12" x 12"	10"	15-20
OPT-30SCXW	30" x 30"	15" x 15"	10"	15-20
OPT-36SCXW	36" x 36"	18" x 18"	12"	15-20



#### WATER BOWLS INCLUDE **Easy Flow Fitting**

All Water Bowls come with our easy-flow water fitting that accommodates a 1 1/2" water line



#### **OPTIONAL UPGRADE**

**Key Valve Installation** OPT-KVI

Includes: Key Valve, Installation Bracket, Turn Key & Whistle Free Hoses

## MAYA COPPER BOWLS



SUGG



Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	GLASS
	OPT-103-SQ24	Match Lit	24" x 24"	12" x 12"	10"	8"	65,000	45 lbs.
	OPT-103-SQ30	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	60 lbs.
	OPT-103-SQ36	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	95 lbs.
D	OPT-103-SQ24E12V	Electronic	24" x 24"	12" x 12"	10"	8"	65,000	45 lbs.
D	OPT-103-SQ30E12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	60 lbs.
D	OPT-103-SQ36E12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	95 lbs.

## Maya Fire & Water Bowl

Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 3/4" Water Inlet.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-24SCFW	Match Lit	24" x 24"	12" x 12"	10"	8"	65,000	45 lbs.	12-15
	OPT-30SCFW	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	60 lbs.	12-15
	OPT-36SCFW	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	95 lbs.	12-15
(4)	OPT-24SCFWE12V	Electronic	24" x 24"	12" x 12"	10"	8"	65,000	45 lbs.	12-15
(4)	OPT-30SCFWE12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	60 lbs.	12-15
(4)	OPT-36SCFWE12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	95 lbs.	12-15



## Maya Fire & Water Bowl - Gravity Spill

Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 1 ½" Water Inlet.



	sku	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-SQ24FANDW	Match Lit	24" x 24"	12" x 12"	10"	8"	65,000	30 lbs.	12-15
	OPT-SQ30FANDW	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	45 lbs.	12-15
	OPT-SQ36FANDW	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	60 lbs.	12-15
	OPT-SQ24FANDWE12V	Electronic	24" x 24"	12" x 12"	10"	8"	65,000	30 lbs.	12-15
)	OPT-SQ30FANDWE12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	45 lbs.	12-15
	OPT-SQ36FANDWE12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	60 lbs.	12-15

## Maya 4-Way Fire & Water Bowl



Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 1 ½" Water Inlet.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-30FW4WM	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	45 lbs.	12-15
	OPT-36FW4WM	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	60 lbs.	12-15
4	OPT-30FW4WE12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	45 lbs.	12-15
(4)	OPT-36FW4WE12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	60 lbs.	12-15







## Nile Fire & Water Bowl



Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 3/4" Water Inlet Connection


	SKU	IGNITION	LENGTH	WIDTH	HEIGHT	BASE	BURNER	BTU	GPM
	OPT-24NLCPF	Match Lit	30"	24"	14"	12" x 10"	12"	65,000	12-15
	OPT-30NLCPF	Match Lit	40"	30"	14"	16" x 12"	15"	65,000	12-15
	OPT-36NLCPF	Match Lit	48"	36"	14"	18" x 15"	18"	65,000	12-15
(4)	OPT-24NLCPFE12V	Electronic	30"	24"	14"	12" x 10"	12"	65,000	12-15
<b>(</b>	OPT-30NLCPFE12V	Electronic	40"	30"	14"	16" x 12"	15"	65,000	12-15
<b>(P)</b>	OPT-36NLCPFE12V	Electronic	48"	36"	14"	18" x 15"	18"	65,000	12-15

## Avalon Water Only Bowl - Stainless Steel Includes: Bowl, (1 1/2" Water Connection)



SKU SIZE BASE HEIGHT **GPM** 24" x 24" OPT-24AVSSWO 12" x 12" 8" 12-15 OPT-30AVSSWO 30" x 30" 15" x 15" 10" 12-15 OPT-36AVSSWO 36" x 36" 18" x 18" 12-15

## **Avalon Water Only Bowl**





SKU	SIZE	BASE	HEIGHT	GPM
OPT-24AVCPWO	24" x 24"	12" x 12"	8"	12-15
OPT-30AVCPWO	30" x 30"	15" x 15"	10"	12-15
OPT-36AVCPWO	36" x 36"	18" x 18"	12"	12-15







## **Avalon Fire & Water Bowl**

Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 3/4" Water Inlet

	SKU (COPPER)	SKU (STAINLESS STEEL)	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-24AVCPFW	OPT-24AVSSFW	Match Lit	24" x 24"	12" x 12"	10"	8"	65,000	45 lbs.	12-15
	OPT-30AVCPFW	OPT-30AVSSFW	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	60 lbs.	12-15
	OPT-36AVCPFW	OPT-36AVSSFW	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	95 lbs.	12-15
<b>(4)</b>	OPT-24AVCPFWE12V	OPT-24AVSSFWE12V	Electronic	24" x 24"	12" x 12"	10"	8"	65,000	45 lbs.	12-15
<b>(4)</b>	OPT-30AVCPFWE12V	OPT-30AVSSFWE12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	60 lbs.	12-15
<b>(4)</b>	OPT-36AVCPFWE12V	OPT-36AVSSFWE12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	95 lbs.	12-15

# MAYA BOWLS - POWDER COAT FINISH Custom Sizes Available





### **Maya Planter Bowl**

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT
OPT-24SQPCPO	24" x 24"	12" x 12"	10"
OPT-30SQPCPO	30" x 30"	15" x 15"	10"
OPT-36SQPCPO	36" x 36"	18" x 18"	12"

### Maya Planter Bowl with Water Spillway

Includes: Bowl, (3/4" Scupper Inlet) (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	WATER INLET
OPT-24SQPCPW	24" x 24"	12" x 12"	10"	12-15	3/4"
OPT-30SQPCPW	30" x 30"	15" x 15"	10"	12-15	3/4"
OPT-36SQPCPW	36" x 36"	18" x 18"	12"	12-15	3/4"

## Maya Water Bowl

**Includes:** Smooth Flow Water Fitting (1 ½" Connection)

sku	SIZE	BASE	HEIGHT	GPM
OPT-24SQPCWO	24" x 24"	12" x 12"	10"	12-15
OPT-30SQPCWO	30" x 30"	15" x 15"	10"	15-20
OPT-36SQPCWO	36" x 36"	18" x 18"	12"	20-25





Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.



	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	GLASS	
	OPT-24SQPCFO	Match Lit	24" x 24"	12" x 12"	10"	8"	65,000	50 lbs.	
	OPT-30SQPCFO	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	75 lbs.	
	OPT-36SQPCFO	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	100 lbs.	
9	OPT-24SQPCFOE12V	Electronic	24" x 24"	12" x 12"	10"	8"	65,000	50 lbs.	
9	OPT-30SQPCFOE12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	75 lbs.	
9	OPT-36SQPCFOE12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	100 lbs.	

## Maya Fire & Water Bowl

Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 3/4" Water Inlet.

	sku	IGNITION	SIZE	BASE	HEIGHT	BURNER	вти	SUGG. GLASS	GPM
	OPT-24SQPCFW	Match Lit	24" x 24"	12" x 12"	10"	8"	65,000	50 lbs.	20
	OPT-30SQPCFW	Match Lit	30" x 30"	15" x 15"	10"	12"	65,000	75 lbs.	25
	OPT-36SQPCFW	Match Lit	36" x 36"	18" x 18"	12"	12"	65,000	100 lbs.	30
(4)	OPT-24SQPCFWE12V	Electronic	24" x 24"	12" x 12"	10"	8"	65,000	50 lbs.	20
(4)	OPT-30SQPCFWE12V	Electronic	30" x 30"	15" x 15"	10"	12"	65,000	75 lbs.	25
(4)	OPT-36SQPCFWE12V	Electronic	36" x 36"	18" x 18"	12"	12"	65,000	100 lbs.	30



## **CAZO POWDER COAT BOWLS**





#### **Cazo Planter Bowl**

**Includes:** Bowl (Soil and plants not included.)

SKU	SIZE	BASE	HEIGHT
OPT-R24PCPO	24"	10"	10"
OPT-R30PCPO	30"	16"	12"
OPT-R36PCPO	36"	20"	12"

## Cazo Planter Bowl with Water Spillway

Includes: Bowl, (3/4" Scupper Inlet) (Soil and plants not included)

SKU	SIZE	BASE	HEIGHT	GPM	WATER INLET
OPT-R24PCPW	24"	10"	10"	15-20	3/4"
OPT-R30PCPW	30"	16"	12"	15-20	3/4"
OPT-R36PCPW	36"	20"	12"	15-20	3/4"

## Cazo Water Bowl

Includes: Smooth Flow Water Fitting (1 1/2" Connection)

SKU	SIZE	BASE	HEIGHT	GPM
OPT-R24PCWO	24"	10"	10"	20
OPT-R30PCWO	30"	16"	12"	25
OPT-R36PCWO	36"	20"	12"	30





Cazo Fire Bowl
Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock.

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS
	OPT-R24PCFO	Match Lit	24"	10"	10"	8"	65,000	25 lbs
	OPT-R30PCFO	Match Lit	30"	16"	12"	12"	65,000	50 lbs
	OPT-R36PCFO	Match Lit	36"	20"	12"	12"	65,000	50 lbs
9	OPT-R24PCFOE12V	Electronic	24"	10"	10"	8"	65,000	25 lbs
9	OPT-R30PCFOE12V	Electronic	30"	16"	12"	12"	65,000	50 lbs
4	OPT-R36PCFOE12V	Electronic	36"	20"	12"	12"	65,000	50 lbs





Includes: Certified Match Lit Kit or Certified 12VAC Electronic Ignition System; Bowl, Fire Plate, Burner, Gas Line, LP or NG Orifice, Mounting Bracket & Lava Rock. 34" Water Inlet

	SKU	IGNITION	SIZE	BASE	HEIGHT	BURNER	BTU	SUGG. GLASS	GPM
	OPT-R24PCFW	Match Lit	24"	10"	10"	8"	65,000	25 lbs	15-20
	OPT-R30PCFW	Match Lit	30"	16"	12"	12"	65,000	50 lbs	15-20
	OPT-R36PCFW	Match Lit	36"	20"	12"	12"	65,000	50 lbs	15-20
<b>(</b>	OPT-R24PCFWE12V	Electronic	24"	10"	10"	8"	65,000	25 lbs	15-20
<b>(P)</b>	OPT-R30PCFWE12V	Electronic	30"	16"	12"	12"	65,000	50 lbs	15-20
(4)	OPT-R36PCFWE12V	Electronic	36"	20"	12"	12"	65,000	50 lbs	15-20









White

#### **Powder Coat Color Options**

When ordering, specify the powder coat color by adding the color code to the end of the part number. (see swatches to the left) **Example:** Gray Cazo & Fire Bowl = OPT-R24PCFW-GRY



Lotus Flower Blossom

Diameter: 16" Height: 8" BTU Output: 40,000

Inlet: ½"

Note - Replaces the pre-existing burner



Burning Bush

Diameter: 16" Height: 18"

BTU Output: 100,000

Inlet: 1/2"

Note - Replaces the pre-existing burner



Fire Globe Burner
OPT-FG12

Diameter: 12" Height: 12"

BTU Output: 100,000

Inlet: 1/2"

Note - Replaces the pre-existing burner



Steel Balls

Diameter: 4" Quantity: 7 Steel Balls Note - Sits on top of pre-existing burner



Steel Logs OPT-SL

Diameter: 18" Height: 20"

Note - Sits on top of pre-existing burner



Desert Sticks
OPT-DS

Diameter: 18" Height: 20"

Note - Sits on top of pre-existing burner



## Key Valve Installation OPT-KVI

- » Key Valves on bowls allows for individual flame adjustment of each feature. By adding this to your order, your bowl(s) will ship with a key valve and two gas hoses pre-installed.
- » For multiple bowls, order the matching quantity.
- » This item covers the cost of components and Valve installation.



Desert Sticks OPT-GFRCSTAND

Width: 16" Length: 16" Height: 21"

14" x 16" Access Door Bowl Not Included



## FOR MORE INFORMATION ABOUT CUSTOM UNITS, VISIT PAGE 70 OR SEND AN INQUIRY ON OUR WEBSITE AT THEOUTDOORPLUS.COM/CUSTOM











The Outdoor Plus individually handcrafts all scuppers from high grade copper. Scuppers are finished with a dark patina and have a 1 ½" female inlet & a ground terminal connection on the backside.



**Radius Scupper** 

SKU	W	Н	L
OPT-RSE8	8"	4"	8"
OPT-RSE12	12"	4"	8"
OPT-RSE24	24"	4"	8"
OPT-RSE36	36"	4"	8"
OPT-RSE48	48"	4"	8"



#### **Arch Flow Scupper**

SKU	W	н	L
OPT-ARF8	8"	5"	8"
OPT-ARF12	12"	5"	8"
OPT-ARF24	24"	5"	8"
OPT-ARF36	36"	5"	8"
OPT-ARF48	48"	5"	8"



**Smooth Flow Radius Scupper** 

SKU	W	Н	L
OPT-SFR8	8"	4"	7"
OPT-SFR12	12"	4"	7"
OPT-SFR24	24"	4"	7"
OPT-SFR36	36"	4"	7"
OPT-SFR48	48"	4"	7"



**Cannon Scupper** 

SKU	W	Н	L
OPT-CS2	2"	6"	12"
OPT-CS3	3"	6"	12"



**V-Shaped Scupper** 

· · · · · · · · · · · · · · · · · · ·				
SKU	W	Н	L	
OPT-WS6	6"	5"	12"	
OPT-WS8	8"	5"	12"	
OPT-WS10	10"	5"	12"	
OPT-WS12	12"	5"	12"	



Straight Spillway

SKU	W	Н	L
OPT-SS6	6"	2"	8"
OPT-SS8	8"	2"	8"
OPT-SS10	10"	2"	8"
OPT-SS12	12"	2"	8"



**Smooth Flow Scupper** 

SKU	W	н	L
OPT-SFS8	8"	4"	8"
OPT-SFS12	12"	4"	8"
OPT-SFS24	24"	4"	8"
OPT-SFS36	36"	4"	8"
OPT-SFS48	48"	4"	8"



**Box Scupper** 

SKU	W	Н	L
OPT-BX6	6"	6"	8"
OPT-BX8	8"	8"	8"
OPT-BX10	10"	10"	8"
OPT-BX12	12"	12"	8"




**U-Shaped Scupper** 


_	_			
SKU	W	Н	L	
OPT-USS6	6"	6"	10"	
OPT-USS8	8"	6"	10"	
OPT-USS10	10"	6"	10"	
OPT-USS12	12"	6"	10"	

## **SCUPPERS**







**Radius Scupper** 




**Arch Flow Scupper** 




**Smooth Flow Radius Scupper** 




**Cannon Scupper** 




**V-Shaped Scupper** 




**Straight Spillway** 



**Smooth Flow Scupper** 



**Box Scupper** 



**U-Shaped Scupper** 







## SELF CONTAINED UNITS Custom Sizes Available





Our Self Contained Units come equipped with all necessary components for plug and play application. All units are ready to be finished with your choice of exterior such as stones, bricks, pavers, veneer, coping, etc. They may also be enjoyed as is. Each unit is constructed from marine grade stainless steel and finished with powder coat for double the protection

Custom Sizes Available



## Olympian - 4 Way Spill

OPT-OLR60 Match Lit **OPT-OLR60E** Electronic Ignition

Overall Diameter: 60"

Overall Height: 36"

#### WATER TANK

- » Diameter: 60"
- » Height: 22"
- » Basin Depth: 12"
- Tank Includes: LED Lights (X4), 50 Ft2 Water Filter, 24Hr Circulation Pump, Auto-Fill, Drain Valve.
- Material: 316 Stainless Steel With Powder Coat Finish

#### 4 - WAY COPPER FIRE & WATER BOWL

- » Diameter: 30"
- Height: 12"
- » Base Diameter: 16"
- » Ignition: Match Lit / 12VAC Electronic Ignition
- » BTU: 65,000
- » Suggested Fire Glass: 50 Lbs.
- Bowl Includes: Fire Pan, Burner, Gas Hose, Lava Rock.
- Bowl Material: Copper Hammered Patina Finish
- LED Lights And Circulation Pump (Each Require 110V To Run)
- 80 U.S.. Gallons Required To Run Properly.

## **SELF CONTAINED UNITS**





## Olympian 360°

OPT-OLY60 OPT-OLY60E

Match Lit Electronic Ignition

- » Overall Diameter: 60"
- » Overall Height: 36"

#### **WATER TANK**

- » Diameter: 60"
- » Height: 22"
- » Basin Depth: 12"
- » Tank Includes: LED Lights (X4), 50 Ft² Water Filter, 24Hr Circulation Pump, Auto-Fill, Drain Valve.
- » Material: 316 Stainless Steel With Powder Coat Finish

#### 360° COPPER FIRE & WATER BOWL

- » Diameter: 30"
- » Height: 12"
- » Base Diameter: 16"
- » Ignition: Match Lit / 12VAC Electronic Ignition
- » BTU: 65,000
- » Suggested Fire Glass: 25 Lbs.
- » Bowl Includes: Fire Pan, Burner, Gas Hose, Lava Rock.
- » Bowl Material: Copper Hammered Patina Finish
- » LED Lights And Circulation Pump (Each Require 110V To Run)
- » 80 U.S.. Gallons Required To Run Properly.





## **Square Olympian**

OPT-OLS60S OPT-OLS60SE Match Lit Electronic Ignition

- » Overall Width: 60"
- » Overall Length: 60"
- » Overall Height: 36"

#### WATER TANK

- » Dimensions: 60" X 60"
- » Height: 22"
- » Basin Depth: 12"
- » Tank Includes: LED Lights (X4), 50 Ft² Water Filter, 24Hr Circulation Pump, Auto-Fill, Drain Valve.
- » Material: 316 Stainless Steel With Powder Coat Finish

#### 4-WAY COPPER FIRE & WATER BOWL

- » Dimensions: 30" X 30"
- » Height: 12"
- » Base Dimensions: 20" X 20"
- » Ignition: Match Lit / 12VAC Electronic Ignition
- » BTU: 65,000
- » Suggested Fire Glass: 30 Lbs.
- » Bowl Includes: Fire Pan, Burner, Gas Hose, Lava Rock.
- » Bowl Material: Copper Hammered Patina Finish
- » LED Lights And Circulation Pump (Each Require 110V To Run)
- » 95 U.S.. Gallons Required To Run Properly

## SELF CONTAINED UNITS Custom Sizes Available







### Osiris

OPT-OSR60E Electronic Ignition

- » Overall Height: 58" » Overall Diameter: 84"
- WATER TANK
- » Basin Diameter: 72"
- » Basin Depth: 10"
- » Overhang: 6"
- » Height: 22"
- Tank Includes: LED Lights (X4), 50 Ft<sup>2</sup> Water Filter, 24Hr Circulation Pump, Auto-Fill, Drain Valve
- » Material: 316 Stainless Steel With Powder Coat Finish

#### **COPPER FIRE BOWL - ELECTRONIC IGNITION**

- » Diameter: 24"
- » Height: 12"
- » Ignition: Match Lit / 12VAC Electronic Ignition
- » BTU: 65,000
- » No Fire Glass Or Lava Stone Required.
- » Bowl Includes: Fire Pan, Burner, Gas Hose, Lava Rock.
- » Bowl Material: Copper Hammered Patina Finish
- » LED Lights And Circulation Pump (Each Require 110V To Run)
- » 120 U.S.. Gallons Required To Run Properly.





## 360° Sedona

**OPT-OLYSED60** Match Lit **OPT-OLYSED60E** Electronic Ignition

- » Overall Diameter: 60"
- » Overall Height: 38"

#### WATER TANK

- » Diameter: 60"
- » Height: 22"
- » Basin Depth: 12"
- » Tank Includes: LED Lights (X4), 50 Ft<sup>2</sup> Water Filter, 24Hr Circulation Pump, Auto-Fill, Drain Valve

#### 360 CONCRETE FIRE & WATER BOWL - ELECTRONIC IGNITION

- » Diameter: 38"
- » Height: 16"
- » Ignition: Match Lit / 12VAC Electronic Ignition
- » BTU: 65,000
- » Bowl Includes: Fire Pan, Burner, Gas Hose, Lava Rock.
- » Bowl Material: Gfrc Concrete
- » LED Lights And Circulation Pump (Each Require 110V To Run)
- » 95 U.S.. Gallons Required To Run Properly.

# SELF CONTAINED UNITS Custom Sizes Available



## Olympian 3-Way Spill

OPT-OLY723W Match Lit **OPT-OLY723WE** Electronic Ignition

- » Overall Height: 58"
- » Overall Diameter: 72"

#### WATER TANK

- » Basin Diameter: 72"
- » Basin Depth: 10"
- » Overhang: 6"
- » Height: 22"
- » Tank Includes: LED Lights (X4), 50 Ft<sup>2</sup> Water Filter, 24Hr Circulation Pump, Auto-Fill, Drain Valve
- » Material: 316 Stainless Steel With Powder Coat Finish

#### **COPPER FIRE BOWL - ELECTRONIC IGNITION**


- » Diameter: 24"
- » Height: 12"
- » Ignition: Match Lit / 12VAC Electronic Ignition
- » BTU: 65,000
- » No Fire Glass Or Lava Stone Required.
- » Bowl Includes: Fire Pan, Burner, Gas Hose, Lava Rock.
- » Bowl Material: Copper Hammered Patina Finish
- » LED Lights And Circulation Pump (Each Require 110V To Run)
- » 120 U.S.. Gallons Required To Run Properly.



Custom Sizes Available



## FIRE TORCHES Custom Sizes Available



## FIRE TORCHES



All torches are individually constructed and manufactured by hand. Built with high grade stainless steel or corten steel for durability against heat & natures elements. All torches are for For outdoor use only. NG or LP compatible. Only available in match lit ignition

#	STYLE	ORIGINAL TOP TORCHES	TOP-LITE TORCHES	DIAMETER	HEIGHT	BTU
Α	Ellipse	OPT-TT1M	OPT-TCH1SS	3 ¾"	14"	20,000
В	Globe	OPT-TT2M	OPT-TCH2SS	10"	14"	20,000
С	Trojan	OPT-TT3M	OPT-TCH3SS	8"	14"	20,000
D	Vent	OPT-TT4M	OPT-TCH4SS	3 ¾"	14"	20,000
E	Basket	OPT-TT5M	OPT-TCH5SS	8"	14"	20,000
F	Lantern	OPT-TT6M	OPT-TCH6SS	8"	14"	20,000
G	Roman	OPT-TT7M	OPT-TCH7SS	8"	14"	20,000
Н	Flower	OPT-TT8M	OPT-TCH8SS	9"	14"	20,000
- 1	Gothic	OPT-TT9M	OPT-TCH9SS	7"	14"	20,000
J	Urn	OPT-TT10M	OPT-TCH10SS	9"	14"	20,000
K	Gothic	OPT-TT11M	OPT-TCH11SS	9"	14"	20,000
L	Tropical	OPT-TT12M	OPT-TCH12SS	3 ¾"	14"	20,000
M	Spiral	OPT-TT13M	OPT-TCH13SS	3 ¾"	14"	20,000
N	Honeycomb	OPT-TT14M	OPT-TCH14SS	3 ¾"	14"	20,000
0	Havana	OPT-TT15M	OPT-TCH15SS	3 ¾"	14"	20,000
P	Box Weave	OPT-TT16M	OPT-TCH16SS	3 ¾"	14"	20,000
Q	Coral	OPT-TT17M	OPT-TCH17SS	3 ¾"	14"	20,000
R	Diamond Plate	OPT-TT18M	OPT-TCH18SS	3 ¾"	14"	20,000
S	Cubist	OPT-TT19M	OPT-TCH19SS	3 ¾"	14"	20,000
Т	Haui	OPT-TT20M	OPT-TCH20SS	3 ¾"	14"	20,000
U	Shooting Star	OPT-TT21M	OPT-TCH21SS	3 ¾"	14"	20,000
V	Shotgun	OPT-TT22M	OPT-TCH22SS	3 ¾"	14"	20,000
W	Sunshine	OPT-TT23M	OPT-TCH23SS	3 ¾"	14"	20,000
Χ	Tangled	OPT-TT24M	OPT-TCH24SS	3 ¾"	14"	20,000
Υ	Tiki	OPT-TT25M	OPT-TCH25SS	3 ¾"	14"	20,000



Original TOP Torches: Include a barrel. Inside is a built-in needle valve for precise flame adjustment. Torches can be fitted onto any 21/2" post with hex bolts that are on the barrel. 3/8" flared gas inlet



**Top-Lite Torches:** Designed for easy and fast installation. Torches have a female ½" gas inlet. Top-Lite Torches can be fitted onto any 1/2" gas pipe with threading. No needle valve.

## **OPTIONAL ACCESSORIES**



**Deck Post OPT-TTDP** 

Deck post mounting plate.

Material: Steel Finish: Powder Coat Opening: 2 5/8" Post sold separately





#### **Torch Stand OPT-TTSTD**

Includes Torch stand, manual gas shut off valve, LP regulator

Tank Cover Sold Separately

Material: Steel Finish: Powder Coat Width: 24"

Depth: 24" Total Height: 78" Gas Connection: ¾"


#### **Propane Tank Cover** OPT-LPCOVER

Black Canvas Cover. Fits a standard 20 lbs Propane Tank

#### **In-Ground Post OPT-TTBP**

Material: Aluminum Finish: Powder Coat Diameter: 2 1/2" Total Height: 80"

- 16" Anchor Post - 68" Post





All fire towers are constructed from high grade steel, copper or corten steel. Each tower comes equipped with all components necessary for plug and play application, just provide the gas. Each unit is individually handcrafted and finish may vary slightly. Due to the natural properties of copper and corten steel, its exterior will patina and change color over time.





OPT-FTWR1 Match Lit
OPT-FTWR1EKIT Electronic Ignition

- » Dimensions: 22" X 22"
- » Height: 68"
- » Weight: 95 Lbs.
- » BTU: 40,000
- » Material: Galvanized Steel
- » Finish: Powder-Coated
- » No Fire Glass Required
- » Items Included: Burner, Key Valve, Key, Gas Hoses.
- » Propane Tank Storage: Yes



#### **Bastille Corten Tower**

OPT-FTWR2 Match Lit
OPT-FTWR2EKIT Electronic Ignition


- » Dimensions: 24" x 24"
- » Height: 87"
- » Weight: 145 Lbs.
- » BTU: 40,000
- » Material: Corten Steel
- » Finish: Weathered Corten Steel
- » No Fire Glass Required
- » Items Included: Burner, Key Valve, Key, Gas Hoses.
  - » Propane Tank Storage: Yes



#### **Bastille Copper Tower**

OPT-FTWR3 Match Lit
OPT-FTWR3EKIT Electronic Ignition

- » Dimensions: 24" x 24"
- » Height: 87"
- » Weight: 128 Lbs.
- » BTU: 40,000
- » Material: Copper
- » Finish: Hammered Patina
- » No Fire Glass Required
- » Items Included: Burner, Key Valve, Key, Gas Hoses.
  - » Propane Tank Storage: Yes



FOR MORE INFORMATION ABOUT CUSTOM UNITS, VISIT PAGE 70 OR SEND AN INQUIRY ON OUR WEBSITE AT THEOUTDOORPLUS.COM/CUSTOM

## **CORTEN STEEL PLANTERS**







## **Tuscon Planter**

SKU	DIMENSIONS	BASE	HEIGHT	SOIL USAGE
OPT-PTSS24	24" X 24"	14" X 14"	14"	3.5 ft. <sup>3</sup>
OPT-PTSS30	30" x 30"	18" x 18"	18"	6.75 ft. <sup>3</sup>

## **Rectangular Tuscon Planter**

SKU	DIMENSIONS	BASE	HEIGHT	SOIL USAGE
OPT-PTSR4824	48" X 24"	40" X 16"	24"	14.5 ft. <sup>3</sup>

# **CORTEN STEEL PLANTERS**





# **Moderna Square Planter**

SKU	DIMENSIONS	HEIGHT	SOIL USAGE
OPT-PMD2014	20" X 20"	14"	3.25 ft. <sup>3</sup>
OPT-PMD2414	24" X 24"	14"	4.75 ft. <sup>3</sup>
OPT-PMD3020	30" X 30"	20"	10.5 ft. <sup>3</sup>

# **Moderna Rectangular Planter**

SKU	DIMENSIONS	HEIGHT	SOIL USAGE
OPT-PMDR4824	48" X 24"	14"	9.25 ft. <sup>3</sup>
OPT-PMDR6024	60" X 24"	14"	11.75 ft. <sup>3</sup>



## Sierra Planter - 20" Tall

SKU	DIAMETER	BASE	HEIGHT	SOIL USAGE
OPT-PSR3020	30"	18"	20"	5.5 ft. <sup>3</sup>
OPT-PSR4820	46"	30"	20"	13.5 ft. <sup>3</sup>

Sierra Planter - 30" Tall

SKU	DIAMETER	BASE	HEIGHT	SOIL USAGE
OPT-PSR3030	30"	18"	30"	8 ft. <sup>3</sup>
OPT-PSR4830	46"	30"	30"	20 ft. <sup>3</sup>

# WOOD GRAIN FIRE PITS Custom Sizes Available







## **Coronado Fire Pit**



Match Lit **OPT-COR48EKIT** Electronic Ignition

- Dimensions: 48" x 28"
- Height: 15"
- Burning Area: 30" x 10"
- Toe Kick: 3" x 2"
- Weight: 235 lbs.
- BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- **OPT-COR60EKIT** Electronic Ignition
- Dimensions: 60" x 28"
- Height: 15"
- Burning Area: 42" x 10"
- Toe Kick: 3" x 2"
- » Weight: 375 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.

#### OPT-COR72

Match Lit OPT-COR72EKIT Electronic Ignition

- » Dimensions: 72" x 28"
- Height: 15"
- Burning Area: 54" x 10"
- Toe Kick: 3" x 2"
- Weight: 455 lbs.
- BTU: 80,000
- » Suggested Fire Glass: 75 lbs.

#### **OPT-COR84** Match Lit **OPT-COR84EKIT** Electronic Ignition

- » Dimensions: 84" x 28"
- Height: 15"
- Burning Area: 66" x 10"
- Toe Kick: 3" x 2"
- Weight: 610 lbs.
- » BTU: 100,000
- » Suggested Fire Glass: 100 lbs.

#### OPT-COR96

Match Lit **OPT-COR96EKIT** Electronic Ignition

- Dimensions: 96" x 28"
- Height: 15"
- Burning Area: 78" x 10"
- Toe Kick: 3" x 2"
- Weight: 690 lbs.
- BTU: 120,000
- Suggested Fire Glass: 100 lbs.

#### OPT-COR108 Match Lit **OPT-COR108EKIT** Electronic Ignition

- » Dimensions: 108" x 28"
- » Height: 15"
- Burning Area: 90" x 10"
- Toe Kick: 3" x 2"
- Weight: 765 lbs.
- BTU: 140,000
- Suggested Fire Glass: 125 lbs.

#### OPT-COR120 Match Lit **OPT-COR120EKIT** Electronic Ignition

- » Dimensions: 120" x 28"
- » Height: 15"
- Burning Area: 102" x 10"
- Toe Kick: 3" x 2"
- Weight: 835 lbs.
- » BTU: 160,000
- » Suggested Fire Glass: 125 lbs.

#### » Material: GFRC Concrete

- Finish: Wood Grain Texture
- All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- » Propane Tank Storage: No







#### **GFRC Wood Grain Color Options**

When ordering, specify the GFRC Wood Grain color by adding the color code to the end of the part number. (see swatches to the left) Example: Big Sur Fire Pit in Ivory = OPT-COR48-IVY





## **WOOD GRAIN FIRE PITS**







48" Oak Shown

96" Ivory Shown

## Catalina Fire Pit

OPT-CTL48 Match Lit
OPT-CTL48EKIT Electronic Ignition

- » Dimensions: 48" x 28"
- » Height: 24"
- » Burning Area: 30" x 10"
- » Toe Kick: 3" x 2"
- » Weight: 310 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.

## OPT-CTL96 Match Lit OPT-CTL96EKIT Electronic Ignition

- » Dimensions: 96" x 28"
- » Height: 24"
- » Burning Area: 78" x 12"
- » Toe Kick: 5" x 5"
- » Weight: 800 lbs.
- » BTU: 125,000
- » Suggested Fire Glass: 100 lbs.

# OPT-CTL60 Match Lit

OPT-CTL60EKIT Electronic IgnitionDimensions: 60" x 28"

- » Height: 24"
- » Burning Area: 42" x 12"
- » Toe Kick: 5" x 5"
- » Weight: 375 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.

## OPT-CTL108 Match Lit OPT-CTL108EKIT Electronic Ignition

- » Dimensions: 108" x 28"
- » Height: 24"
- » Burning Area: 90" x 12"
- » Toe Kick: 5" x 5"
- » Weight: 890 lbs.
- » BTU: 140,000
- » Suggested Fire Glass: 125 lbs.

#### OPT-CTL72 OPT-CTL72EKIT

Match Lit Electronic Ignition

- » Dimensions: 72" x 28"
- » Height: 24"
- » Burning Area: 54" x 12"
- » Toe Kick: 5" x 5"
- » Weight: 590 lbs.
- » BTU: 80,000
- » Suggested Fire Glass: 75 lbs.

## OPT-CTL120 Match Lit OPT-CTL120EKIT Electronic Ignition

- » Dimensions: 120" x 28"
- » Height: 24"
- » Burning Area: 102" x 12"
- » Toe Kick: 5" x 5"
- » Weight: 995 lbs.
- » BTU: 160,000
- » Suggested Fire Glass: 125 lbs.

## OPT-CTL84 Match Lit OPT-CTL84EKIT Electronic Ignition

- » Dimensions: 84" x 28"
- » Height: 24"
- » Burning Area: 66" x 12"
- » Toe Kick: 5" x 5"
- » Weight: 685 lbs.
- » BTU: 100,000
- » Suggested Fire Glass: 100 lbs.
- » Material: GFRC Concrete
- » Finish: Wood Grain Texture
- » All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- » Propane Tank Storage: Yes





# WOOD GRAIN FIRE PITS Custom Sizes Available





» Dimensions: 120" x 60"

» Height: 42"

Burning Area: 78" x 12

Overhang: 12"

» Weight: 1465 lbs.

BTU:120,000

» Suggested Fire Glass: 125 lbs.

- » Material: GFRC Concrete
- Finish: Wood Grain Texture
- » All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- » Propane Tank Storage: Yes

- » Dimensions: 144" x 60"
- » Height: 42"
- Burning Area: 102" x 12"
- Overhang: 12"
- » Weight: 1750 lbs.
- » BTU: 160,000
- » Suggested Fire Glass: 175 lbs.



72" Ivory Shown

#### **Big Sur Fire Pit**

OPT-BGSR60 Match Lit OPT-BGSR60EKIT Electronic Ignition OPT-BGSR72EKIT Electronic Ignition

- » Dimensions: 60" x 28"
- Height: 24"
- Burning Area: 42" x 10"
- Weight: 345 lbs.
- BTU: 65,000

The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.

- Suggested Fire Glass: 50 lbs.
- - » BTU: 65,000

OPT-BGSR72

» Height: 24"

» Weight: 425 lbs.

» Suggested Fire Glass: 75 lbs.

» Dimensions: 72" x 28"

» Burning Area: 54" x 10"

Match Lit

- Material: GFRC Concrete
- Finish: Wood Grain Texture
- All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- Propane Tank Storage: Yes

## **OUTDOOR SEATING**





#### The Grove Love Seat

#### OPT-LSWG01

- » Width: 56"
- » Depth: 30"
- » Height: 33"
- » Seating Area Width: 45 1/2"
- » Seating Area Depth: 23 ½"
- » Material: GFRC Concrete
- » Finish: Wood Grain Texture



#### The Grove Arm Chair

#### OPT-ACWG01


- » Width: 30"
- » Depth: 30"
- » Height: 33"
- » Seating Area Width: 20 ½"
- » Seating Area Depth: 23 ½"
- » Material: GFRC Concrete
- » Finish: Wood Grain Texture



#### The Grove Fire Pit

OPT-GRVWG60 Match Lit
OPT-GRVWG60EKIT Electronic Ignition

- » Dimensions: 60" x 28"
- » Height: 24"
- » Burning Area: #" x #"
- » Overhang:
- » Weight: 235 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: # lbs.
- » Material: GFRC Concrete
- » Finish: Wood Grain Texture
- » All fire pits include: Fire pan, burner, key valve, key, hoses, lava rock.
- » Propane Tank Storage: Yes







#### **GFRC Wood Grain Color Options**

When ordering, specify the GFRC Wood Grain color by adding the color code to the end of the part number. (see swatches to the left)

Example: Big Sur Fire Pit in Ivory = OPT-BGSR60-IVY





#### **Grove Flagstone Fire Pit**

**OPT-GRVFS60-SND** OPT-GRVFS60EKIT-SND

Match Lit Electronic Ignition

- » Dimensions: 60" x 28"
- Height: 24"
- Base Dimensions: 42" x 22"
- Burning Area: 30" x 10
- Weight: 235 lbs.
- » BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- Material: GFRC Concrete
- Finish: Flagstone
- All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- » Propane Tank Storage: Yes



#### **Grove Flagstone Fire Pit**

OPT-GRVFS60-TSC **OPT-GRVFS60EKIT-TSC**  Match Lit Electronic Ignition

- Dimensions: 60" x 28"
- Height: 24"
- Base Dimensions: 42" x 22"
- Burning Area: 30" x 10
- Weight: 235 lbs.
- BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- » Material: GFRC Concrete
- Finish: Flagstone
- All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- Propane Tank Storage: Yes



#### **Coronado Flagstone Fire Pit**

**OPT-CORFS48** Match Lit **OPT-CORFS48EKIT** Electronic Ignition

- Dimensions: 48" x 28"
- Height: 15"
- Base Dimensions: 38" x 18"
- Burning Area: 31" x 11"
- Weight: 235 lbs.
- BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- Material: GFRC Concrete
- Finish: Flagstone
- All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- Propane Tank Storage: Yes







#### **GFRC Flagstone Color Options**

When ordering, specify the Flagstone color by adding the color code to the end of the part number. (see swatches to the left) **Example:** Coronado Flagstone Fire Pit in Onyx = OPT-CORFS48-ONX

# FIRE PITS & FIRE TABLES



# **Newport Fire Table**

**OPT-NPTT120EKIT** Electronic Ignition

- » Dimensions: 120" x 48"
- » Height: 30"
- » Burning Area: 78" x 12
- » Overhang: 12"
- » Weight: 1465 lbs.
- » BTUs:120,000
- » Suggested Fire Glass: 125 lbs.

#### OPT-NPTT144

Match Lit

OPT-NPTT144EKIT Electronic Ignition


- » Dimensions: 144" x 48"
- » Height: 30"
- » Burning Area: 102" x 12"
- » Overhang: 12"
- » Weight: 1750 lbs.
- » BTU: 160,000
- » Suggested Fire Glass: 175 lbs.
- » Material: GFRC Concrete
- » Finish: Wood Grain Texture
- All Fire Pits Include: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock.
- » Propane Tank Storage: Yes



Metallic Finishes and Rustic Finishes are available at an extra charge

<b>Black</b>	<b>Ash</b>	Natural Gray	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	<b>Brown</b>	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY	-LIM	-CHC	-CST	-BRN	-VAN
Rustic Gray	<b>Moss Stone</b>	Rustic White	<b>Coffee</b>	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: Brown Newport Fire Table = OPT-NPTT120-BRN The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.







# Cazo Fire Pit - Wide Ledge

OPT-CZ48 OPT-CZ48EKIT Match Lit Electronic Ignition

- » Diameter: 48"
- » Height: 17"
- » Base Diameter: 20"
- » Burn Area Diameter: 29"
- » Weight: 260 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

OPT-CZ60 N

Match Lit Electronic Ignition

- » Diameter: 60"
- » Height: 20"
- » Base Diameter: 28"
- » Burn Area Diameter: 40"
- » Weight: 315 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 125 lbs.








# Cazo Fire Pit - No Ledge

OPT-CZNL48 Match Lit
OPT-CZNL48EKIT Electronic Ignition

- » Diameter: 48"
- » Height: 17"
- » Base Diameter: 20"
- » Burn Area Diameter: 40"
- Weight: 260 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 150 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: fire pan, burner, key valve,key, hoses, lava rock
- » Propane Tank Storage: No



- » Diameter: 60"
- » Height: 20"
- » Base Diameter: 28"
- » Burn Area Diameter: 50"
- » Weight: 315 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 200 lbs.



## Sonoma Fire Pit

OPT-SONMA38 Match Lit
OPT-SONMA38EKIT Electronic Ignition

- » Diameter: 38"
- Height: 25"
- Base Diameter: 17.5"
- » Burn Area Diameter: 32"
- » Weight: 285 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- Items Included: fire pan, burner, key valve, key, hoses, lava rock
- » Propane Tank Storage: No



## Tempe Fire Pit

OPT-TEM48 NOPT-TEM48EKIT

Match Lit
Electronic Ignition

- » Diameter: 48"
- » Height: 16"
- » Burn Area Diameter: 26"
- » Weight: 370 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: fire pan, burner, key valve, key, hoses, lava rock
- » Propane Tank Storage: No

Metallic Finishes and Rustic Finishes are available at an extra charge



When ordering, specify the concrete color by adding the color code to the end of the part number. Example: Vanilla Tempe Fire Pit = OPT-TEM48-VAN

The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.



Match Lit

Electronic Ignition



#### Sedona Fire Pit

Match Lit **OPT-SED48EKIT** Electronic Ignition

- » Diameter: 48"
- » Height: 15"
- Base Diameter: 27
- Burn Area Diameter: 40"
- Weight: 215 lbs.
- BTU: 65,000
- Suggested Fire Glass: 150 lbs.
- Material: GFRC Concrete
- Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock

OPT-SED60

**OPT-SED60EKIT** 

» Diameter: 60"

» Base Diameter: 38"

Weight: 300 lbs. » BTU: 65,000

Burn Area Diameter: 50"

» Suggested Fire Glass: 200 lbs.

» Height: 15"

Propane Tank Storage: No



## Sedona Fire Pit - Wide Ledge

Diameter: 48"

Base Diameter: 27

Weight: 215 lbs.

BTU: 65,000

Height: 15"

OPT-SEDWL48EKIT Electronic Ignition OPT-SEDWL60EKIT Electronic Ignition

- » Diameter: 60"
- » Height: 15"

OPT-SEDWL60

- » Base Diameter: 38"
- » Burn Area Diameter: 40"
- » Weight: 300 lbs.
- » BTU: 65,000

**OPT-LUN38** 

**OPT-LUN38EKIT** 

» Diameter: 38"

Height: 16.5"

» Weight: 285 lbs.

» BTU: 65,000

» Base Diameter: 16" » Burn Area Diameter: 30"

» Suggested Fire Glass: 75 lbs.

» Suggested Fire Glass: 150 lbs.

Match Lit

Electronic Ignition

Material: GFRC Concrete

Burn Area Diameter: 29"

Finish: Smooth Finish Concrete

Suggested Fire Glass: 100 lbs.

- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No



#### **Luna Fire Pit**

OPT-LUN30 Match Lit OPT-LUN30EKIT

Electronic Ignition

- Diameter: 30"
- Height: 14.5"
- Base Diameter: 13"
- Burn Area Diameter: 24"
- Weight: 140 lbs.
- BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- Material: GFRC Concrete
- Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

Metallic Finishes and Rustic Finishes are available at an extra charge



When ordering, specify the concrete color by adding the color code to the end of the part number. Example: Ash Luna Fire Pit = OPT-LUN30-ASH The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.





#### 42" Florence Fire Table - 24" Tall

OPT-FL4224 Match Lit
OPT-FL4224EKIT Electronic Ignition

- » Diameter: 42"
- » Height: 24"
- » Burn Area Diameter: 25"
- » Weight: 425 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 55 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes



# 42" Florence Fire Pit OPT-FL42 Match Lit

OPT-FL42 Match Lit
OPT-FL42EKIT Electronic Ignition

- » Diameter: 42"
- » Height: 12"
- » Burn Area Diameter: 25"
- » Weight: 315 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- Chestnut Finish Shown » Propane Tank Storage: No







## **Regal Fire Pit**

**OPT-RGL48** Match Lit **OPT-RGL48EKIT** Electronic Ignition

- » Dimensions: 48" x 24"
- » Height: 13"
- » Burning Area: 34" x 10" x 2"
- » Weight: 195 lbs.
- » BTU: 45,000
- » Suggested Fire Glass: 50 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

OPT-RGL54 Match Lit **OPT-RGL54EKIT** Electronic Ignition

- » Dimensions: 54" x 24"
- » Height: 13"
- » Burning Area: 40" x 10" x 2"
- » Weight: 215 lbs.
- » BTU: 65,000
- » Suggested Fire Glass 50 lbs.

OPT-RGL60 Match Lit **OPT-RGL60EKIT** Electronic Ignition

- » Dimensions: 60" x 24"
- » Height: 13"
- » Burning Area: 48" x 10" x 2"
- » Weight: 240 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.



#### **Quad Fire Pit**

OPT-QD36 Match Lit **OPT-QD36EKIT** Electronic Ignition

- » Dimensions: 36" x 36"
- » Height: 12"
- Burning Area: 28" x 28" x 2"
- » Weight: 180 lbs.
- » BTU: 65,000
- Suggested Fire Glass: 75 lbs.
- Material: GFRC Concrete
- Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

OPT-OD42 Match Lit **OPT-QD42EKIT** Electronic Ignition

- » Dimensions: 42" x 42"
- » Height: 12"
- » Burning Area: 34" x 34" x 2"
- » Weight: 215 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 125 lbs.

Metallic Finishes and Rustic Finishes are available at an extra charge

<b>Black</b>	<b>Ash</b>	Natural Gray	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	Brown	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY		-CHC	-CST	-BRN	-VAN
Rustic Gray	Moss Stone	Rustic White	<b>Coffee</b>	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: Brown Quad Fire Pit = OPT-QD42-BRN The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.

## FIRE PITS & FIRE TABLES





#### **Del Mar Fire Pit**

OPT-CORGFRC48 **OPT-CORGFRC48EKIT** Electronic Ignition

- » Height: 15"» Base Dimensions: 38" x 18"
- » Burning Area: 30" x 10"
- » Weight: 175 lbs.
- » Suggested Fire Glass: 50 lbs.

OPT-DEL8428 OPT-DEL8428EKIT Electronic Ignition

- » Height: 15"
- » Base Dimensions: 74" x 18"
- » Burning Area: 66" x 10"
- » Weight: 245 lbs.» BTU: 110,000
- » Suggested Fire Glass: 100 lbs.

OPT-DEL6028 OPT-DEL6028EKIT

- Height: 15" Base Dimensions: 50" x 18"
- » Burning Area: 42" x 10"
- » Weight: 195 lbs.
- » Suggested Fire Glass: 50 lbs.

OPT-DEL9628 OPT-DEL9628EKIT Match Lit Electronic Ignition

- Height: 15"
- Base Dimensions: 86" x 18"
- » Burning Area: 78" x 10"
- Weight: 270 lbs. BTU: 135,000
- Suggested Fire Glass: 100 lbs.

OPT-DEL7228 OPT-DEL7228EKIT

- Height: 15" Base Dimensions: 62" x 18"
- » Burning Area: 54" x 10"
- » Weight: 225 lbs.
- BTU: 65,000
- » Suggested Fire Glass: 75 lbs.

- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock » Propane Tank Storage: No



#### **Redan Fire Pit**

- » Dimensions: 36" x 36"
- » Height: 18"
- » Burning Area: 26" x 26"
- » Weight: 330 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes

OPT-RDN50 Match Lit OPT-RDN36EKIT Electronic Ignition OPT-RDN50EKIT Electronic Ignition

- » Dimensions: 50" x 50"
- » Height: 24"
- » Burning Area: 29" x 29"
- » Weight: 455 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 100 lbs.



Match Lit Electronic Ignition



#### Pismo Fire Pit

Match Lit OPT-2448EKIT Electronic Ignition

- » Dimension: 48" x 24"
- Height: 24"

**OPT-2448** 

- » Burning Area: 31" x 11" x 2"
- Toe Kick: 2" x 2"
- » Weight: 315 lbs.
- » BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- » Material: GFRC Concrete » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock

**OPT-2460** 

OPT-2460EKIT

» Height: 24"

» Toe Kick: 2" x 2"

» Weight: 395 lbs.

» BTU: 65,000

» Dimension: 60" x 24"

» Burning Area: 42" x 11" x 2"

» Suggested Fire Glass: 50 lbs.

» Propane Tank Storage: Yes



## Linear Ramona Fire Pit

OPT-RMNRT60 OPT-RMNRT60EKIT

Match Lit Electronic Ignition

- Dimensions: 60" x "24
- Height: 24"
- » Base: 54" x 18"
- » Burn Area: 48" x 12" x 2"
- » Weight: 395 lbs.
- » BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- » Material: GFRC Concrete
- Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- Propane Tank Storage: Yes



## **Square Ramona Fire Pit**

**OPT-RMNSQ36** OPT-RMNSQ36EKIT Electronic Ignition

Match Lit

- » Dimensions: 36" x 36" » Height: 24"
- » Base: 30" x 30"
- » Burn Area: 17" x 17" x 2"
- » Weight: 355 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 25 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- Propane Tank Storage: Yes





## **Angelus Fire Pit**

**OPT-AGLGF60 OPT-AGLGF60EKIT**  Match Lit Electronic Ignition

- » Dimensions: 60" x 36"
- » Height: 24"
- » Base: 50" x 24"
- Burn Area: 48" x 10" x 2"
- Weight: 395 lbs.
- » BTU: 65,000
- Suggested Fire Glass: 75 lbs.
- Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes



#### OPT-CRM5616

OPT-CRM5616EKIT Electronic Ignition

- Dimensions: 72" x 16"
- Height: 16"
- Burn Area: 54" x 8" x 2"
- Weight: 465 lbs.
- BTU: 65,000
- Suggested Fire Glass: 75 lbs.
- Material: GFRC Concrete
- Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- Propane Tank Storage: No

#### Match Lit **OPT-CRM5624EKIT** Electronic Ignition

- » Dimensions: 72" x 16"
- » Height: 24"
- » Burn Area: 54" x 8" x 2"
- » Weight: 610 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes

Metallic Finishes and Rustic Finishes are available at an extra charge



When ordering, specify the concrete color by adding the color code to the end of the part number. Example: Vanilla Carmen Fire Pit = OPT-CRM5624-VAN The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.





## Cabo Square Fire Pit

**OPT-CBSQ36** Match Lit **OPT-CBSQ36EKIT** Electronic Ignition

- Dimensions: 36" x 36"
- » Height: 16"
- » Base: 24" x 24"
- » Burn Area: 20" x 20" x 2"
- » Weight: 245 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.

**OPT-CBSQ48** Match Lit OPT-CBSQ48EKIT Electronic Ignition

- » Dimensions: 48" x "48
- » Height: 16"
- » Base: 36" x 36"
- » Burn Area: 28" x 28" x 2"
- » Weight: 355 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No



#### **Baston Fire Pillar**

#### With Access Door

OPT-BSTON20AD Match Lit OPT-BSTON20ADEKIT Electronic Ignition

#### Without Access Door

OPT-BSTON20 Match Lit **OPT-BSTON20EKIT** Electronic Ignition

- » Dimensions: 20" x 20"
- » Height: 33"
- » Base: 15" x 15"
- » Burn Area: 13" x 13" x 2"
- Weight: 145 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 25 lbs.
- » Material: GFRC Concrete
- » Finish: Smooth Finish Concrete
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes



#### Castillo Fire Pillar

#### With Access Door

OPT-CSTO22AD Match Lit **OPT-CSTO22ADEKIT** Electronic Ignition

#### Without Access Door

OPT-CSTO22 Match Lit **OPT-CSTO22EKIT** Electronic Ignition

- » Diameter: 22"
- » Height: 33"
- Base: 13"
- Burn Area Diameter: 22"
- Weight: 125 lbs.
- BTU: 65,000
- Suggested Fire Glass: 25 lbs.
- Material: GFRC Concrete
- Finish: Smooth Finish Concrete
- Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- Propane Tank Storage: Yes

Metallic Finishes and Rustic Finishes are available at an extra charge


<b>Black</b>	<b>Ash</b>	<b>Natural Gray</b>	<b>Gray</b>	White Limestone	<b>Chocolate</b>	<b>Chestnut</b>	Brown	<b>Vanilla</b>
-BLK	-ASH	-NGY	-GRY		-CHC	-CST	-BRN	-VAN
Rustic Gray	Moss Stone	Rustic White	Coffee	<b>Slate</b>	<b>Silver</b>	<b>Pearl</b>	<b>Bronze</b>	<b>Copper</b>
-RGR	-RMS	-RWH	-RCF	-MSL	-MSV	-MPR	-MBR	-MCP

When ordering, specify the concrete color by adding the color code to the end of the part number. Example: Brown Castillo Fire Pillar = OPT-CSTO22-BRN The Outdoor Plus individually handcrafts all of the products shown here. Finishes are subject to slight texture/color variations.



CUSTOM 9' STAINLESS STEEL HAY STACK SCULPTURE

# TOPRIRES



FOR MORE INFORMATION ABOUT CUSTOM UNITS, VISIT PAGE 70 OR SEND AN INQUIRY ON OUR WEBSITE AT THEOUTDOORPLUS.COM/CUSTOM





#### **Merona Fire Table**

TOP-MC4622 Match Lit
TOP-MC4622EKIT Electronic Ignition

- » Dimensions: 46" x 22"
- » Height: 24"
- » Burning Area: 30" x 8" x 2"
- » Weight: 195 Lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 25 lbs.
- » Material: Steel / Stainless Steel
- » Finish: Black Powder Coat / Brushed Stainless Steel
- » Items Included: Fire Pan, 24" Linear Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes

#### **Eaves Stainless Steel Fire Pit**

OPT-SLT60 Match Lit
OPT-SLT60EKIT Electronic Ignition

- » Dimensions: 60" x 10"
- » Height: 10"
- » Burning Area: 56" x 6" x 2"
- » Weight: 85 Lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: Stainless Steel
- » Finish: Brushed Stainless Steel
- » Items Included: Fire Pan, 48" Linear Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No





# **Eaves Powder Coated Fire Pit**

OPT-LBT60 Match Lit
OPT-LBT60EKIT Electronic Ignition

- » Dimensions: 60" x 10"
- » Height: 10"
- » Burning Area: 56" x 6" x 2"
- » Weight: 85 Lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: Steel
- » Finish: Powder coat
- » Items Included: Fire Pan, 48" Linear Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No



#### **Powder Coat Color Options**

When ordering, specify the powder coat color by adding the color code to the end of the part number. (see swatches to the left)

Example: Gray Eaves Fire Pit = OPT-LBT60-GRY





#### Cazo Stainless Steel Fire Pit - No Ledge

OPT-SS48FP OPT-SS48FPEKIT

Match Lit Electronic Ignition

- » Diameter: 48"
- » Height: 12"
- » Burning Area: 42"
- » Base Diameter: 24"
- » Weight: 155 Lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 100 lbs.
- » Material: Stainless Steel
- » Finish: Brushed Stainless Steel
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

## **Quad Copper Fire Pit**

OPT-CPRSQ36 Match Lit
OPT-CPRSQ36EKIT Electronic Ignition

- » Dimensions: 36" x 36"
- » Height: 15"
- » Burning Area: 18" x 18" x 2"
- » Weight: 90 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: Copper
- » Finish: Hammered Patina Copper
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

OPT-CPRSQ42 Match Lit
OPT-CPRSQ42EKIT Electronic Ignition

- » Dimensions: 42" x 42"
- » Height: 15"
- » Burning Area: 24" x 24" x 2"
- » Weight: 105 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- » Material: Copper
- » Finish: Hammered Patina Copper
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No





## Cazo Copper Fire Pit - No Ledge

OPT-RHC48 OPT-RHC48EKIT Match Lit Electronic Ignition

- » Diameter: 48
- » Base Diameter: 18"
- » Height: 15"
- » Burning Area: 40"
- » Weight: 185 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 150 lbs.
- » Material: Copper
- » Finish: Patina Copper
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No

## FIRE PITS & FIRE TABLES





## Vista Copper Fire Pit

OPT-FPT2500 Match Lit
OPT-FPT2500EKIT Electronic Ignition

- » Dimensions: 24" x 24"
- » Base Dimensions: 16" x 16"
- » Height: 24"
- » Burning Area: 16" x 16" x 2"
- » Weight: 165 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 25 lbs.
- » Material: Copper
- » Finish: Patina Copper
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes

## **Martillo Copper Fire Pit**

OPT-48RM OPT-48RMEKIT Match Lit Electronic Ignition

- » Diameter: 48"
- » Height: 24"
- » Base Diameter: 30"
- » Burning Area: 24"
- » Weight: 105 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: Copper
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes





## Cazo Copper Fire Pit

OPT-RS48 OPT-RS48EKIT

Match Lit Electronic Ignition

- » Diameter: 48"
- » Base Diameter: 18"
- » Height: 15"
- » Burning Area: 24"
- » Weight: 185 lbs.
- » BTU: 65,000
- » Suggested Fire Glass: 50 lbs.
- » Material: Copper
- » Finish: Patina Copper
- » Items Included: Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: No





## **Amere Fire Pit**

OPT-SQ36CPM-HAMC OPT-SQ36CPM-HAMC-EKIT Electronic Ignition

- » Dimensions: 36" x 36"
- » Height: 24"
- Base: 30" x 30" Burning Area: 20" x 20" x 2" Weight: 120 lbs.
- BTU: 65,000
- Suggested Fire Glass: 50 lbs.
- » Material: Copper
- Finish: Hammered Copper
- Items Included: Fire pan, burner, key valve, key, hoses, lava rock. Propane Tank Storage: Yes

OPT-SQ48CPM-HAMC OPT-SQ48CPM-HAMC-EKIT Electronic Ignition

- » Dimensions: 48" x 48"
- » Height: 24"
- Base: 36" x 36" Burning Area: 24" x 24" x 2" Weight: 155 lbs.
- BTU: 65,000
- » Suggested Fire Glass: 75 lbs.
- Material: Copper
- Finish: Hammered Copper Items Included: Fire pan, burner, key valve, key, hoses, lava rock.

  » Propane Tank Storage: Yes







Corten Steel

Stainless Steel



#### **Mesa Collection**

- **OPT-CPRTT4824** Hammered Copper B. OPT-CSTT4824
- OPT-SSTT4824 D. OPT-PCTT4824
- Corten Steel Stainless Steel Powder-coat Steel
  - » Dimensions: 48" x 24"
  - » Height: 24"
  - » Base: 36" x 18"
  - » Burning Area: 36" x 12" x 2"
  - » Weight: 120 lbs.
  - » BTU: 45,000
  - » Suggested Fire Glass: 50 lbs.
  - » Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes

- A. OPT-CPRTT6024 Hammered Copper B. OPT-CSTT6024
- OPT-SSTT6024 D. OPT-PCTT6024
- Powder-coat Steel
  - » Dimensions: 60" x 24"
  - » Height: 24"
  - » Base: 48" x 18"
  - Burning Area: 48" x 12" x 2"
  - » Weight: 150 lbs.
  - » BTU: 65,000
  - » Suggested Fire Glass: 75 lbs.
  - Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes

- A. OPT-CPRTT7224 Hammered Copper
- B. OPT-CSTT7224
- C. OPT-SSTT7224
- D. OPT-PCTT7224
- - Corten Steel
  - Stainless Steel
  - Powder-coat Steel
  - » Dimensions: 72" x 24"
  - » Height: 24"
  - » Base: 60" x 18"
  - » Burning Area: 60" x 12" x 2"
  - » Weight: 180 lbs.
  - » BTU: 80,000
  - » Suggested Fire Glass: 75 lbs.
  - » Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes

## FIRE PITS & FIRE TABLES











## **Pismo Collection**

- A. OPT-CPRT4824 Hammered Copper
  B. OPT-R4824CS Corten Steel
  C OPT-R4824CS Staipless Steel
- C. OPT-R4824SS Stainless SteelD. OPT-R4824PCR Powder-coat Steel
  - » Dimensions: 48" x 24"
  - » Height: 24"
  - » Burning Area: 36" x 12" x 2"
  - » Weight: 135 lbs.
  - » BTU: 65,000
  - » Suggested Fire Glass: 50 lbs.
  - » Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes

- A. OPT-CPRT6024 Hammered Copper
- B. **OPT-R6024CS** Corten Steel
- C. OPT-R6024SS Stainless Steel
- D. **OPT-R6024PCR** Powder-coat Steel
  - » Dimensions: 60" x 24"
  - » Height: 24"
  - » Burning Area: 48" x 12" x 2"
  - » Weight: 180 lbs.
  - » BTU: 65,000
  - » Suggested Fire Glass: 75 lbs.
  - » Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes

- A. OPT-CPRT7224 Hammered Copper
- B. OPT-R7224CS Corten Steel
- C. OPT-R7224SS Stainless Steel
- D. OPT-R7224PCR Powder-coat Steel
  - » Dimensions: 72" x 24"
  - » Height: 24"
  - » Burning Area: 60" x 12" x 2"
  - » Weight: 215 lbs.
  - » BTU: 80,000
  - » Suggested Fire Glass: 75 lbs.
  - » Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes

- A. **OPT-CPRT8424** Hammered Copper
- B. OPT-R8424CS Corten Steel
- C. OPT-R8424SS Stainless Steel
- D. OPT-R8424PCR Powder-coat Steel

  - » Dimensions: 84" x 24"
  - » Height: 24"
  - » Burning Area: 72" x 12" x 2"
  - » Weight: 260 lbs.
  - » BTU: 100,000
  - » Suggested Fire Glass: 100 lbs.
  - » Items Included: Fire pan, burner, key valve, key, hoses, lava rock.
  - » Propane Tank Storage: Yes







## **Coronado Collection**

OPT-CORCPR48 B. OPT-CORCS48

**OPT-CORSS48** D. OPT-CORPC48 Hammered Copper Corten Steel Stainless Steel

Powder-coat Steel

» Dimensions: 48" x 28"

Height: 15"

Burning Area: 30" x 10" x 2"

Weight: 175 lbs.

» BTU: 45,000

» Suggested Fire Glass: 50 lbs.

A. OPT-CORCPR60 Hammered Copper **OPT-CORCS60** Corten Steel OPT-CORSS60 Stainless Steel D. OPT-CORPC60 Powder-coat Steel

» Dimensions: 60" x 28"

» Height: 15"

Burning Area: 42" x 10" x 2"

Weight: 195 lbs.

» BTU: 65,000

» Suggested Fire Glass: 50 lbs.



Hammered Copper A. OPT-CORCPR72 B. OPT-CORCS72 Corten Steel **OPT-CORSS72** Stainless Steel

D. OPT-CORPC72 Powder-coat Steel

» Dimensions: 72" x 28"

Height: 15"

Burning Area: 54" x 10" x 2"

Weight: 220 lbs.

BTU: 80,000

» Suggested Fire Glass: 75 lbs.

A. OPT-CORCPR84 Hammered Copper **OPT-CORCS84** Corten Steel **OPT-CORSS84** Stainless Steel D. OPT-CORPC84 Powder-coat Steel

» Dimensions: 84" x 28"

» Height: 15"

» Burning Area: 66" x 10" x 2"

» Weight: 245 lbs.

» BTU: 110,000

» Suggested Fire Glass: 75 lbs.



A. OPT-CORCPR96

B. OPT-CORCS96 OPT-CORSS96

D. OPT-CORPC96

Hammered Copper Corten Steel Stainless Steel Powder-coat Steel

» Dimensions: 96" x 28"

» Height: 15"

Burning Area: 78" x 10" x 2"

Weight: 270 lbs.

BTU: 135,000

» Suggested Fire Glass: 100 lbs.

#### **ALL FIRE PITS INCLUDE**

» Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock

» Propane Tank Storage: No








White

#### **Powder Coat Color Options**

When ordering, specify the powder coat color by adding the color code to the end of the part number. (see swatches to the left) **Example:** Black Coronado Fire Pit = OPT-CORPC48-BLK







#### **Forma Collection**

A. **OPT-3030SQCPR** Hammered Copper B. **OPT-3030SQCS** Corten Steel

C. **OPT-3030SQSS** Stainless Steel
D. **OPT-30PCSQ** Powder-coat Steel

» Dimensions: 30" x 30"

» Height: 24"

» Burning Area: 18" x 18" x 2"

» Weight: 70 lbs.» BTU: 65,000

» Suggested Fire Glass: 25 lbs.

A. OPT-3636SQCPR Hammered Copper
B. OPT-3636SQCS Corten Steel
C. OPT-3636SQSS Stainless Steel
D. OPT-36PCSQ Powder-coat Steel

» Dimensions: 36" x 36"

» Height: 24"

» Burning Area: 24" x 24" x 2"

» Weight: 90 lbs.

» BTU: 65,000

» Suggested Fire Glass: 50 lbs.



C.

D.

A. **OPT-4242SQCPR** Hammered Copper B. **OPT-4242SQCS** Corten Steel

C. **OPT-4242SQSS** Stainless Steel
D. **OPT-42PCSQ** Powder-coat Steel

» Dimensions: 42" x 42"

» Height: 24"

» Burning Area: 30" x 30" x 2"

» Weight: 105 lbs.

» BTU: 90,000

» Suggested Fire Glass: 100 lbs.

A. OPT-4848SQCPR Hammered Copper
B. OPT-4848SQCS Corten Steel
C. OPT-4848SQSS Stainless Steel
D. OPT-48PCSQ Powder-coat Steel

» Dimensions: 48" x 48"

» Height: 24"

» Burning Area: 36" x 36" x 2"

» Weight: 155 lbs.

» BTU: 90,000

» Suggested Fire Glass: 125 lbs.



A. **OPT-6060SQCPR** Hammered Copper

B. OPT-6060SQCS Corten Steel
C. OPT-6060SQSS Stainless Steel

D. **OPT-60PCSQ** Powder-coat Steel

» Dimensions: 60" x 60"

» Height: 24"

» Burning Area: 48" x 48" x 2"

» Weight: 215 lbs.

» BTU: 90,000

» Suggested Fire Glass: 225 lbs.

#### **ALL FIRE PITS INCLUDE**

» Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock

» Propane Tank Storage: No











**Beverly Collection** 

Corten Steel

Stainless Steel

Hammered Copper

Powder-coat Steel

- A. OPT-30RRCPR
- **OPT-30RRCS**
- **OPT-30RRSS**
- D. OPT-30PCB
- - » Diameter: 30" » Height: 24"
  - » Burning Area: 18"
  - » Weight: 105 lbs.
  - » BTU: 50,000
  - » Suggested Fire Glass: 50 lbs.

#### **ALL FIRE PITS INCLUDE**

- » Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes

- A. OPT-36RRCPR Hammered Copper
- B. OPT-36RRCS
- C. OPT-36RRSS
- D. OPT-36PCB
  - » Diameter: 36"
  - » Height: 24"
  - » Burning Area: 24"
  - » Weight: 150 lbs.
  - » BTU: 75,000
  - » Suggested Fire Glass: 50 lbs.

Corten Steel

Stainless Steel

Powder-coat Steel

- A. OPT-42RRCPR
- B. OPT-42RRCS C. OPT-42RRSS
- D. OPT-42PCB
- Corten Steel
- Stainless Steel Powder-coat Steel

Hammered Copper

- » Diameter: 42"
- » Height: 24"
- » Burning Area: 30"
- » Weight: 185 lbs.
- » BTU: 90,000
- » Suggested Fire Glass: 75 lbs.





- A. OPT-BLWSS60 **OPT-BLWCS60**
- **OPT-BLWPC60**

Stainless Steel Corten Steel Powder-coat Steel

- A. OPT-BLWSS72
- B. OPT-BLWCS72 C. OPT-BLWPC72

Stainless Steel Corten Steel Powder-coat Steel

- » Dimensions: 60" x 24"
- » Height: 24"
- » Burning Area: 48" x 12" x 2"
- » Weight: 195 lbs.
- » BTU: 75,000
- » Suggested Fire Glass: 50 lbs. **ALL FIRE PITS INCLUDE**
- » Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- » Propane Tank Storage: Yes



60" Copper Vein

- » Dimensions: 72" x 24"
- » Height: 24"
- » Burning Area: 60" x 12" x 2"
- » Weight: 230 lbs.
- » BTU: 90,000
- » Suggested Fire Glass: 75 lbs.



## FIRE PITS & FIRE TABLES



# Unity Fire Pit - 24" Tall

Hammered Copper OPT-RCRTN48 Corten Steel **OPT-UNYSS48** Stainless Steel **OPT-UNYPC48** Powder-coat Steel

Diameter: 48" Height: 24"

Burning Area: 24" Weight: 155 lbs. BTU: 65,000

Suggested Fire Glass: 50 lbs.

#### **ALL FIRE PITS INCLUDE**

- Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
- Propane Tank Storage: Yes

OPT-UNYCP60 Hammered Copper OPT-RCRTN60 Corten Steel **OPT-UNYSS60** Stainless Steel Powder-coat Steel OPT-UNYPC60 Diameter: 60" Height: 24" Burning Area: 36" Weight: 205 lbs. BTU: 95,000

- Suggested Fire Glass: 100 lbs.

**OPT-UNYCP72** Hammered Copper Corten Steel OPT-RCRTN72 **OPT-UNYSS72** Stainless Steel Powder-coat Steel **OPT-UNTPC72** 

- Diameter: 72" Height: 24" Burning Area: 48" Weight: 270 lbs. BTU: 175,000

- Suggested Fire Glass: 200 lbs.

# <u> Unity Fire Pit - 18" Tall</u>

OPT-UNYCP4818 Hammered Copper OPT-RCRTN4818 Corten Steel **OPT-UNYSS4818** Stainless Steel OPT-UNYPC4818 Powder-coat Steel

- Diameter: 48"

- Height: 18" Burning Area: 24" Weight: 140 lbs. BTU: 65,000 Suggested Fire Glass: 50 lbs.

#### **ALL FIRE PITS INCLUDE**

- » Fire Pan, Burner, Key Valve, Key, Hoses, Lava Rock
   » Propane Tank Storage: Yes

**OPT-UNYCP6018** Hammered Copper OPT-RCRTN6018 Corten Steel
OPT-UNYSS6018 Stainless Steel
OPT-UNYPC6018 Powder-coat Steel

- Diameter: 60"
- Height: 18" Burning Area: 36" Weight: 185 lbs. BTU: 95,000

- Suggested Fire Glass: 100 lbs.

OPT-UNYCP7218 Hammered Copper OPT-RCRTN7218 Corten Steel OPT-UNYSS7218 Stainless Steel
OPT-UNYPC7218 Powder-coat Steel

- Diameter: 72"

- Height: 18"
  Burning Area: 48"
  Weight: 245 lbs.
  BTU: 175,000
  Suggested Fire Glass: 200 lbs.







#### **Electronic Ignition Kit Install**



Add "-EKIT" To The End Of The Fire Pit SKU

- » Electronic Ignition Kit Installed Onto Any Fire Pit Of Your Choice
- » Add-on ONLY
- » Includes the cost of the components and installation.
- » Includes: Electronic Valve (12VAC), 12VAC Pilot Igniter, Transformer.



#### **Key Valve Install (Bowls Only)**

Add "-KVI" To The End Of The Fire Pit SKU

- » Key Valve installed onto the side of a bowl
- » Add-on ONLY, cannot be bought separately.
- » No Assembly Required
- » No need to add onto fire pits as all fire pits come with a key valve
- » Includes: Key Valve, Key Valve Bracket, Key, Stainless Steel Gas Hose (2x)



#### **Dial Timer Panel**

Add "-DTMP" To The End Of The Fire Pit SKU

- » Stainless Steel panel installed onto any fire pit of your choice.
- » No Assembly Required
- » Add-on ONLY, cannot be bought separately.
- » NOT Compatible With Match Lit Units
- » Fire Pit MUST Have Electronic Ignition
- » Includes: Dial Timer (110V), Key Valve, Key, Stainless Steel Gas Lines, Panel



#### **Push Button Spark Ignition Panel**

Add "-PBSIP" To The End Of The Fire Pit SKU

- » Stainless Steel panel installed onto the side of any fire pit of your choice.
- » No Assembly Required
- » Add-on ONLY, cannot be bought separately.
- » Battery Powered
- » Includes: Stainless Steel Panel, Key Valve, Key, Push Button Igniter, Electrode, Stainless Steel Gas Lines



#### **Push Button Ignition With Flame Sense**

Add "-FSPAN" To The End Of The Fire Pit SKU

- » Stainless Steel panel installed onto the side of any fire pit of your choice.
- » No Assembly Required
- » Add-on ONLY, cannot be bought separately.
- » Battery Powered
- » Includes: Flame Sense Control Panel, Electrode, Stainless Steel Gas Lines

#### SMART WEATHER ELECTRONIC IGNITION SYSTEM





## TOP-500EIS-100-12

- » Maximum Gas Output: 190K BTU/hr
- » Inlet Gas Pressure Limit: ½ PSI
- » Inlet / Outlet Size: 1/2" FIP
- » Electrical Rating: 12VAC
- » Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » LED Diagnostics
- » -20° 175° Temp Range
- » Includes: Electronic Valve, Pilot Igniter, 12VAC Transformer, Installation Manual



# Standard Capacity System TOP-500EIS-200-12

- » Maximum Gas Output: 290K BTU/hr
- » Inlet Gas Pressure Limit: ½ PSI
- » Inlet / Outlet Size: 1/2" FIP
- » Electrical Rating: 12VAC
- » Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » LED Diagnostics
- » -20° 175° Temp Range
- » Includes: Electronic Valve, Pilot Igniter, 12VAC Transformer, Installation Manual



# High Capacity System TOP-500EIS-300-12

- » Maximum Gas Output: 510K BTU/hr
- » Inlet Gas Pressure Limit: ½ PSI
- » Inlet / Outlet Size: 3/4" FIP
- » Electrical Rating: 12VAC
- Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » LED Diagnostics
- » -20° 175° Temp Range
- » Includes: Electronic Valve, Pilot Igniter, 12VAC Transformer, Installation Manual

#### Plug & Play Smart Weather Electronic Ignition System

These systems are ready for plug & play application. All you need to do is plug it into any 110V Three Prong Outlet. Do not use in applications within 10ft of a body of water such as a pool, fountain, pond or spa. Integrated Transformer



# Mini Capacity System TOP-500EIS-100-110

- » Max Gas Output: 190K BTU/hr
- » Max Inlet Gas Pressure: ½ PSI
- » Inlet / Outlet Size: ½" FIP
- » Electrical Rating: 110VAC
- » Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » LED Diagnostics
- » -20° 175° Temp Range
- » Integrated Transformer
- » 110V 3-prong Plug
- » Includes: Electronic Valve, Pilot Igniter & Installation Manual

# Standard Capacity System TOP-500EIS-200-110

- » Max Gas Output: 290K BTU/hr
- » Max Inlet Gas Pressure: ½ PSI
- » Inlet / Outlet Size: 1/2" FIP
- » Electrical Rating: 110VAC
- » Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » LED Diagnostics
- » -20° 175° Temp Range
- » Integrated Transformer
- » 110V 3-prong Plug
- » Includes: Electronic Valve, Pilot Igniter & Installation Manual

# High Capacity System TOP-500EIS-300-110

- » Max Gas Output: 510K BTU/hr
- » Max Inlet Gas Pressure: ½ PSI
- » Inlet / Outlet Size: 3/4" FIP
- » Electrical Rating: 110VAC
- » Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » LED Diagnostics
- » -20° 175° Temp Range
- » Integrated Transformer
- » 110V 3-prong Plug
- » Includes: Electronic Valve, Pilot Igniter & Installation Manual



# Pilot Igniter

- » Length: 19"
- » Stainless Steel / Brass Construction
- » Hot Surface Igniter (HSI)
- » Thermocouple Flame Sensor
- » Heat/Weather Resistant Sleeve



# 12V Control Panel

- » 300 Watt
- » Input Voltage: 110/120 VAC
- » Output Voltage: 12/13/14VAC
- » Suitable for Swimming Pools, Spas & Fountains
- » Removable Mounting Brackets
- » Total of 10 Knock Out Locations



## Bluetooth Electronic Adapter

- » Provides you with bluetooth control for all electronic ignition systems
- » Suitable for 110VAC Only
- » Supports iOS and Android
- » Free Smart Phone app available





# **Emergency Stop Button OPT-ESTOP**

- » Outdoor Rated Electrical Box And Cover
- » 2x Cable Entries (½")
- » Suited For 110V Only
- » Not Compatible With Match Lit Systems



# Remote Control System OPT-400-XREMOTE

- » Outdoor Rated Box
- » Suited for 110V 12V ONLY
- » Includes Remote, Receiver, Transformer & On/Off Switch
- » Not Compatible With Match Lit Systems

# Wireless Remote Replacement OPT-XRM



# Electrical Dial Timer OPT-DTM

- » 1-Hour Timer
- » Outdoor Rated Electrical Box And Cover
- » Suited For 110V Only
- » Not Compatible With Match Lit Systems



# Emergency Stop Button with Key OPT-ESTOPKEY

- » Outdoor Rated
- » 2X Cable Entrys (1/2")
- » Includes Two Keys
- » Suited For 110V Only
- » Not Compatible With Match Lit Systems



# Emergency Stop Button & 1-hour Timer OPT-ESTOPKEY

- » Outdoor Rated
- » 4X Gas Entrys (1/2")



# **Installation Bracket OPT-INBR**

- » 100% Stainless Steel
- » For mounting of any bowl
- » Provides proper ventilation



# 1 Hour Gas Timer OPT-TO

- » Includes: Timer and (2) nipples
- » ½" Female Inlets
- » Max BTU: 100,000
- » Max Temp: 125°



# 1 Hour Gas Timer ℰ Mounting Plate OPT-TP

- » Includes: (2) M to F 90° elbows
- » ½" Female Inlets
- » Max BTU: 100,000
- » Max Temp: 125°



# 1 Hour Gas Timer & Lock Box OPT-TBL


- » Includes: (2) M to F 90° elbows
- » ½" Female Inlets
- » Max BTU: 100,000
- » Max Temp: 125°
- » Key and Lock Box

## **BURN MEDIA SELECTION**



The Outdoor Plus' selection of burning media is perfect for any fire pit, fire bowl or fireplace. All glass comes in 25lb bags. Lava chunks come in 1 cubic foot quantities and polished lava comes in ½ cubic foot quantities. All options are suitable for any type of fire. We suggest covering the burner a maximum of 1 inch,

**Note**: using media that is not fire rated can be hazardous. Using media that is not sufficiently porous may retain moisture. This moisture can expand with head and pieces can pop and be hazardous. Fire media is not intended for units used for cooking or grilling.



Black ½"-¾" OPT-701



Turquoise ½"-¾'




Blue 1/2"-3/4" OPT-702



**Amber ½"-¾"**OPT-708



**Lava Chunks - 1"** OPT-150-50



**%" Black Reflective**OPT-144BL



**¼" Copper Reflective**OPT-138C



**1/4" Gold Reflective**OPT-144GL



**%" Cobalt Reflective**OPT-144CB



Polished Lava 2"-3" OPT-PL-50

#### How Much Glass Do I Need?

Use this table to decide how much glass you will need for your fire feature. These amounts are for units with a burning area depth of 2".

**ROUND - 2" DEEP** 

Diameter	Amount
13"	15 lbs.
19"	30 lbs.
25"	50 lbs.
31"	80 lbs.
37"	125 lbs.
43"	160 lbs.

**SQUARE- 2" DEEP** 

•	
Size	Amount
16.5"	15 lbs.
18"	30 lbs.
24"	50 lbs.
30"	80 lbs.
36"	125 lbs.
48"	160 lbs.

<b>RECTANGULAR - 2" DEEP</b>					
Width	Amount				
6"	17 lbs.				
6"	21 lbs.				
6"	25 lbs.				
6"	29 lbs.				
6"	34 lbs.				
6"	42 lbs.				
6"	50 lbs.				
6"	59 lbs.				
6"	67 lbs.				
12"	34 lbs.				
12"	42 lbs.				
12"	50 lbs.				
12"	58 lbs.				
12"	68 lbs.				
12"	84 lbs.				
12"	100 lbs.				
12"	118 lbs.				
12"	134 lbs.				
18"	50 lbs.				
18"	63 lbs.				
18"	76 lbs.				
18"	88 lbs.				
18"	100 lbs.				
18"	126 lbs.				
18"	151 lbs.				
18"	177 lbs.				
18"	200 lbs.				
	Width 6" 6" 6" 6" 6" 6" 6" 12" 12" 12" 12" 12" 12" 18" 18" 18" 18" 18" 18" 18"				





# FLAME GUARDS & COVERS Custom Sizes Available





Includes: 1/4" Tempered Glass, 90° Connectors, Screws for 90° Connectors & Instructions. Only available in Square or Rectangular forms.

BURN AREA →	WIND GUARD SIZE	SKU	HEIGHT				
12" x 12"	14" x 14" x 8"	OPT-WG-1414	6"	BURN AREA →	WIND GUARD SIZE	SKU	HEIGHT
20" x 20"	22" x 22" x 8"	OPT-WG-2222	6"	30" x 10"	32" x 12" x 8"	OPT-WG-3212	6"
24" x 24"	26" x 26" x 8"	OPT-WG-2626	6"	2411 4411	2211 4211 011	ODT W.C 2242	C.II
28" x 28"	30" x 30" x 8"	OPT-WG-3030	6"	31" x 11"	33" x 13" x 8"	OPT-WG-3313	6"
30" x 30"	32" x 32" x 8"	OPT-WG-3232	6"	36" x 12"	38" x 14" x 8"	OPT-WG-3814	6"
38" x 38"	38" x 38" x 8"	OPT-WG-3838	6"	42" x 10"	44" x 12" x 8"	OPT-WG-4412	6"
48" x 48"	50" x 50" x 8"	OPT-WG-5050	6"	4011 4011	FOII 1 4II OII	ODT W.C. 504.4	CII
				48" x 12"	50" x 14" x 8"	OPT-WG-5014	6"
BURN AREA →	WIND GUARD SIZE	SKU	HEIGHT	54" x 10"	56" x 12" x 8"	OPT-WG-5612	6"
18"-22"	23" Round	OPT-WG-23	6"	60" x 12"	62" x 14" x 8"	OPT-WG-6214	6"
23"-29"	30" Round	OPT-WG-30	6"	66" x 10"	68" x 12" x 8"	OPT-WG-6812	6"
30"-37"	38" Round	OPT-WG-38	6"	7211 4.011	00   12   0	ODT W.C 0042	CII
38"-47"	48" Round	OPT-WG-48	6"	72" x 10"	80" x 12" x 8"	OPT-WG-8012	6"



## **FLAME GUARDS & COVERS**



#### **Canvas Cover**

 $Make sure your fire \ pit \ is \ protected \ from \ the \ elements \ by \ acquiring \ a \ durable \ and \ long-lasting \ canvas \ cover. \ These \ covers \ are \ tougher \ and \ more$ resistant than traditional canvas covers

**Includes:** Canvas Cover with pull cord for a secure fit

#### **Square Fire Pit Covers**

SIZE	SKU
24" x 24"	OPT-CVR-2448
30" x 30"	OPT-CVR-3030
36" x 36"	OPT-CVR-3636
42" x 42"	OPT-CVR-4242
48" x 48"	OPT-CVR-4848
50" x 50"	OPT-CVR-5050

#### **Round Fire Pit Covers**

SIZE	SKU
30" Round	OPT-CVR-30R
36" Round	OPT-CVR-36R
38" Round	OPT-CVR-38R
42" Round	OPT-CVR-42R
48" Round	OPT-CVR-48R
54" Round	OPT-CVR-54R
60" Round	OPT-CVR-60R
72" Round	OPT-CVR-72R

#### **Rectangular Fire Pit Covers**

SIZE	SKU
60" x 10"	OPT-CVR-6010
46" x 22"	OPT-CVR-4622
48" x 24"	OPT-CVR-4824
54" x 24"	OPT-CVR-5424
60" x 24"	OPT-CVR-6024
72" x 24"	OPT-CVR-7224
84" x 24"	OPT-CVR-8424
48" x 28"	OPT-CVR-4828
60" x 28"	OPT-CVR-6028
72" x 28"	OPT-CVR-7228
84" x 28"	OPT-CVR-8428
96" x 28"	OPT-CVR-9628

<b>Bowl Covers</b>		
SIZE	SKU	
24" Round	OPT-BCVR-24R	
27" Round	OPT-BCVR-27R	
30" Round	OPT-BCVR-30R	
31" Round	OPT-BCVR-31R	
33" Round	OPT-BCVR-33R	
36" Round	OPT-BCVR-36R	
24" Square	OPT-BCVR-2424	
30" Square	OPT-BCVR-3030	
36" Square	OPT-BCVR-3636	
48" Square	OPT-BCVR-4848	






# **Stainless Steel** Flame Guard

**Includes:** Stainless Steel Flame Guard

The Stainless Steel Flame Guards are made to order.

# Steel Flame Guard Includes: Mild Steel Flame Guard

The Steel Flame Guards are made to order.



# **CUSTOM FIRE & WATER FEATURES**




The Outdoor Plus prides itself in manufacturing everything you see here. With a fully operational manufacturing facility, we are able to custom make practically any fire pit, fire tower, scuppers, pans, burners and more. Whether its a fire pit that needs a few inches adjusted or a completely original product, the possibilities are endless. Our experienced staff and array of machinery can manufacture what you truly desire.

To inquire, send an email to sales@theoutdoorplus.com or go to theoutdoorplus.com/custom











# **CUSTOM FIRE & WATER FEATURES**















# **GAS AND ELECTRICAL LINE DIAGRAMS**



These diagrams shown are for informational purposes only.


It is required that the proper installation manuals should be read prior to installing the unit.


Installations of all of fire & water units should be performed by a licensed professional.


Gas and Electrical lines shown are the same on fire pits & fire tables


Hoses, valves and gas kits shown are sold separately.


KEY VALVES RECOMMENDED IN ALL APPLICATIONS




















# CLEARANCE FROM COMBUSTIBLES REQUIREMENTS



#### Installation


We suggest that our products be installed by professionals that are locally licensed by the authority having jurisdiction in gas piping.

#### Service

We suggest that our products be serviced by a professional certified in the US by the National Fireplace Institute (NFI) as NFI Gas Speciatlists

#### **Flooring**

All fire pits and fire features must be installed on non-combustible flooring. If the fire feature is installed on a combustible floor, such as wood decking, a non combustible floor paneling MUST be properly installed underneath.



## WARRANTY AND RETURN POLICY



#### **PRODUCT WARRANTY**

The Outdoor Plus Company (TOP) warranties fire pits against manufacturing defects that prevent safe and correct function as follows:

- » Warranty periods are as follows:
  - » Electronics, Gas Valves, & Pilot Assembly: Residential 1 Year; Commercial 6 Months
  - » Stainless Steel Pan, Fire Ring, & Valve Box: Commercial 1 year; Residential 3 years
- » This commences from the date of original sale / shipment from The Outdoor Plus
- » The warranty on parts and in-house labor will apply only to claims presented to us by our original customer and is in lieu of all other warranties expressed or implied.
- » The defective product must be sent back to TOP with a Return Merchandise Authorization (RMA) issued by TOP for that specific product which states the nature of the defect or warranty claim. The original purchase information will be required.
- » Product to be returned should be packed carefully. The Outdoor Plus is not responsible for shipping damage on returned items.
- » RMA's are only valid for 30 days which states the nature of the defect or warranty claim after the expiration date.
- » The RMA number must be indicated on the outside of the return package and a copy of the RMA should be placed in the package with product.
- » TOP is not responsible for damaged caused by overheating, modification, abuse, improper storage, installation, or maintenance.
- » TOP is not responsible for the actions including negligence of the installer.
- » Any labor involving installation or maintenance with the unit is not covered.
- » This warranty excludes claims for incidental or consequential damage and indirect collateral expenses arising from product defects or warranty recovery. Product manufactured by TOP including cLCus, UL, or CSA Certified models, cannot be altered or modified in any way.
- » The Outdoor Plus is not responsible for local codes and will not accept a return on any product that is not approved for installation. Please check with your local authorities or governing agencies for proper approvals before purchasing.

#### **PRODUCT RETURN POLICY**

No returns on made-to-order goods.

No returns on custom features, NO EXCEPTIONS.

If a product is delivered incorrectly, it is the recipients responsibility to notify TOP within 48 hours. TOP is not responsible for incorrect or damaged packages and shipments 48 hours after they have been received.

#### **PRODUCT TESTING PROGRAM**

If you believe a unit or component you received is defective, The Outdoor Plus will gladly test any component at our facility. TOP will cover shipping back to you.

DEFECTIVE: If an item is found to be defective it will be repaired or replaced at our discretion. TOP will absorb all costs of outgoing freight and replacement costs if product is in warranty.

NON-DEFECTIVE: If the product is found to be non-defective it will be returned to the customer - no credit will be given.

TOP ERROR: If a return is needed due to a mistake on our part, we will issue a RMA and Return Services Label. When products are received at TOP, credit will be issued for the products and the outgoing freight on the original invoice.

CUSTOMER ERROR: If an RMA is asked for and covers current new products in the original package, we will authorize the return. The customer is responsible for the return shipping. When products are received we will issue credit for the original customer cost less a 25% restocking charge.

Custom orders do not apply.

#### THE OUTDOOR PLUS PHOTOGRAPHY PROGRAM

Here at The Outdoor Plus we are always looking for the best images and photography that represents our products and the lifestyle around it. Finished an installation that uses our products that you are proud of? Send us your images! Most DSLR cameras or high end smart phones will work! (Samsung Galaxy S or newer. iPhone 6 or newer)

Images requirements: Must be larger than 2000 x 2000 pixels. Must be high resolution.

Not sure if your photos meet these requirements? Send them to us and our in house media advisor will advise you. If your images are approved, you will receive \$100 - \$150 credit for any future purchases. Send Pictures with: Your name, company name, phone number, Sales Order # to SALES@THEOUTDOORPLUS.COM Help us promote your work with our amazing products. We look forward to your submissions.

#### **FREIGHT POLICY**

All orders will be shipped FOB Ontario, California, with a standard shipping carrier selected by TOP unless customer specifically requests their own carrier and account. A freight quote may be requested in advance. TOP works diligently with standard carriers to achieve the best discounts available.

## MINIMUM ADVERTISED PRICING POLICY



#### MINIMUM ADVERTISED PRICING POLICY

The Outdoor Plus Inc. unilaterally applies this Minimum Advertised Pricing Policy. This Policy is subject to change at any time by the Company at its sole discretion.

- 1. PURPOSE: The purpose of this policy is to protect the value of the Company's trademarks and brand names and to attract and retain reputable, customer-friendly vendors, brick & mortar and online.
- 2. SCOPE: This Policy is applicable to all sellers of the Company's products who advertise or sell Products on any Internet platform and to distributors that sell to such resellers. This Policy applies to all products of TOP. The Policy applies only to prices advertised anywhere on the Internet or by means of the Internet (including but not limited to websites, social media, direct e-mail advertising, and related materials that are accessible through the Internet platform by means of a hyperlink). The Policy does not apply to print advertising or in-store advertising for products to be sold at a physical store but does apply to all advertising for sales to be made over or by means of the Internet. This policy does not apply to the price at which the products are actually sold. Nothing in the Policy or other agreement with the Company will constitute an agreement on the price or price levels at which Resellers or Distributors actually sell any Product.
- 3. INTERNET MINIMUM ADVERTISED PRICE: The Internet advertised price of a Product means the net price advertised on the Internet after all discounts, rebates, gifts or promotional items. The Internet Minimum Advertised Price ("MAP") shall be set by the Company from time to time in its sole discretion and shall be communicated by the Company to the Resellers from time to time. If the Company makes the MAP available on a website accessible to the Reseller and informs Reseller of this, it is the responsibility of the Reseller to maintain current knowledge of the MAP.
- 4. POLICY ON INTERNET PRICE ADVERTISING: It is the policy of the Company that Resellers shall not advertise any Company Product on the Internet at prices below the MAP for that product established by the Company. This policy is not violated by Reseller advertising a higher price. Also, this policy is not violated by communication by email or telephone to an individual customer in response to a telephone or email inquiry from the customer. Statements on a website such as "call for pricing" for a product do not violate the policy as long as a price for the Product is provided on the same website and that price is equal to or exceeds the MAP. It is a violation of this Policy for the Reseller to characterize or disclose any pricing as the Internet minimum advertised price or that such minimum is based on the Company's policies. Resellers and Distributors have not agreed to this unilateral Policy and the Company is not seeking any such agreement. However, if a Reseller or a Distributor violates this Policy, the Company's policy is to take certain unilateral actions.
- 5. ACTIONS BY THE COMPANY: The Company has the right to sell Products to each Reseller or Distributor or to refrain or stop from doing in its discretion for any reason or for no reason. Under this Policy, if Reseller advertises Products on the Internet below the MAP or otherwise violates this Policy, the Company may cease selling or shipping Products to Reseller or its customers and/or cease taking orders from Reseller for a temporary or permanent period in the Company's discretion, which may take into account circumstances such as the number of violations or the repetition of violations. Also, if a Distributor sells Product to any Reseller that violates 'this Policy, the Distributor will be in violation of the Policy and the Company may cease selling or shipping Products to that Distributor or its customers and/or cease taking orders from that Distributor for a temporary or permanent period in the Company's discretion, which may take into account circumstances such as the number of violations or the repetition of violations. The Company will take these actions unilaterally and will not seek or accept any agreement by a Reseller or a Distributor or any assurance of future compliance by that Reseller or Distributor.
- 6. CONTACT INFORMATION: Company sales personnel have no authority to modify or grant exceptions to this Policy. All questions or comments regarding this Policy should be directed to the policy administrator at sales@theoutdoorplus.com

