


## CONSTANT VOLTAGE



## 25W

- 12V
- Pri: 220-240V~50/60Hz 0.48A
  - Sec: 12V, 2.1A
  - Operating Temp: -10°~+60°C
  - Thermal Cut out: 85°C
  - Class I
  - IP20

- 24V
- Pri: 220-240V~50/60Hz 0.22A
  - Sec: 24V, 1A
  - Operating Temp: -10°~+80°C
  - Thermal Cut out: 105°C
  - Class I
  - IP20




CODE	DESCRIPTION	PACKAGING
7315.12.025	25W/12V	100 pcs/ctn
7315.24.025	25W/24V	100 pcs/ctn



## 50W

- 12V
- Pri: 220-240V~50/60Hz 0.25A
  - Sec: 12V, 4.16A
  - Operating Temp: -10°~+60°C
  - Thermal Cut out: 85°C
  - Class I
  - IP20

- 24V
- Pri: 220-240V~50/60Hz 0.45A
  - Sec: 24V, 2.1A
  - Operating Temp: -10°~+80°C
  - Thermal Cut out: 105°C
  - Class I
  - IP20




CODE	DESCRIPTION	PACKAGING
7315.12.050	50W/12V	100 pcs/ctn
7315.24.050	50W/24V	100 pcs/ctn



## 75W

- Pri: 220-240V~50/60Hz 1A
- Sec: 12V, 6.25A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP20




CODE	DESCRIPTION	PACKAGING
7315.12.075	75W/12V	50 pcs/ctn



## 120W

- 12V
- Pri: 220-240V~50/60Hz 1A
  - Sec: 12V, 10A
  - Operating Temp: -10°~+60°C
  - Thermal Cut out: 85°C
  - Class I
  - IP20

- 24V
- Pri: 220-240V~50/60Hz 1.09A
  - Sec: 24V, 5A
  - Operating Temp: -10°~+80°C
  - Thermal Cut out: 105°C
  - Class I
  - IP20




CODE	DESCRIPTION	PACKAGING
7315.12.120	120W/12V	50 pcs/ctn
7315.24.120	120W/24V	50 pcs/ctn



## 150W

- Pri: 220-240V~50/60Hz 0.6A
- Sec: 12V, 12.5A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP20




CODE	DESCRIPTION	PACKAGING
7315.12.150	150W/12V	36 pcs/ctn
7315.12.150.D	150W/12V Dimmable	36 pcs/ctn



### 200W

- Pri: 220-240V~50/60Hz 0.6A
- Sec: 12V, 16.7A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP20




CODE	DESCRIPTION	PACKAGING
7315.12.200	200W/12V	36 pcs/ctn
7315.12.200.D	200W/12V Dimmable	36 pcs/ctn



### 250W

- Pri: 220-240V~50/60Hz 0.6A
- Sec: 12V, 20A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP20




CODE	DESCRIPTION	PACKAGING
7315.12.250	250W/12V	36 pcs/ctn



### 300W

- Pri: 220-240V~50/60Hz 0.6A
- Sec: 12V, 25A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP20




CODE	DESCRIPTION	PACKAGING
7315.12.300	300W/12V	36 pcs/ctn



### 100W W/PROOF

- Pri: 220-240V~50/60Hz 0.77A
- Sec: 12V, 8.4A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP67




CODE	DESCRIPTION	PACKAGING
7315.12.100.W	100W/12V	50 pcs/ctn



### 200W W/PROOF

- Pri: 220-240V~50/60Hz 2.4-1.0A
- Sec: 12V, 16.7A
- Operating Temp: -10°~+60°C
- Thermal Cut out: 85°C
- Class I
- IP67



CODE	DESCRIPTION	PACKAGING
7315.12.200.W	200W/12V	36 pcs/ctn

## CONSTANT VOLTAGE



## 4W

- Pri: 220-240V~50/60Hz 0.1A
- Sec: 24V, 0.17A
- Operating Temp: -20°~+50°C
- Thermal Cut out: 80°C
- Class II
- IP65

EXTERIOR IP65



CODE	DESCRIPTION	PACKAGING
7315.24.004.W	4W/24V	100 pcs/ctn



## 30W

- Pri: 220-240V~50Hz 0.27A
- Sec: 12VDC, 2.5A, 30W
- Operating Temp: -10°~+50°C
- Thermal Cut out: 80°C
- Class II
- IP20

- Pri: 220-240V~50Hz 0.27A
- Sec: 24VDC, 1.25A, 30W
- Operating Temp: -10°~+50°C
- Thermal Cut out: 80°C
- Class II
- IP20




CODE	DESCRIPTION	PACKAGING
7319.12.030	30W/12V	100 pcs/ctn
7319.24.030	30W/24V	100 pcs/ctn



## 45W

- Pri: 220-240V~50Hz
- Sec: 12VDC, 3.75A, 45W
- Operating Temp: -10°~+45°C
- Thermal Cut out: 80°C
- Class II
- IP20




CODE	DESCRIPTION	PACKAGING
7316.12.045	45W/12V	1 pc/ctn



## 60W + 72W

- Pri: 220-240V~50Hz 0.55A
- Sec: 12VDC, 5A, 60W
- Operating Temp: -10°~+40°C
- Class II
- IP20

- Pri: 220-240V~50Hz 0.65A
- Sec: 12VDC, 3A, 72W
- Operating Temp: -10°~+40°C
- Class II
- IP20




CODE	DESCRIPTION	PACKAGING
7316.12.060	60W/12V	200 pcs/ctn
7316.24.072	72W/24V	200 pcs/ctn



## 8W

- Pri: 220-240V~50/60Hz 0.17A
- Sec: 24V - 350mA
- Operating Temp: -25°~+50°C
- Thermal Cut out: 75°C
- Class II
- IP20

DUAL PURPOSE



CODE	DESCRIPTION	PACKAGING
TC/122598	8W/24V or 350mA	75 pcs/ctn