


PERFORMANCE CURVES  
SANITARY CENTRIFUGAL "Sani-C" SERIES

**Model CSC-216**  
**2 X 1 1/2 - 6**  
3500 RPM, 60 Hz



**NOTES**

- ① Impeller diameters available in 1/8-inch increments
- ② NPSHR is shown for maximum impeller diameter


**COMMON CONVERSIONS**

- ③  $PSI = \frac{\text{Head in Feet} \times \text{Specific Gravity}}{2.3}$
- ④  $Kg/cm^2 = \frac{\text{Head in Meters} \times \text{Specific Gravity}}{10}$
- ⑤  $HP \times 0.746 = Kw$

PERFORMANCE CURVES  
SANITARY CENTRIFUGAL "Sani-C" SERIES

**Model CSC-216**

**2 X 1 1/2 - 6**  
1750 RPM, 60 Hz



**NOTES**

- ① Impeller diameters available in 1/8-inch increments
- ② NPSHR is shown for maximum impeller diameter

**COMMON CONVERSIONS**

- ③  $PSI = \frac{\text{Head in Feet} \times \text{Specific Gravity}}{2.3}$
- ④  $Kg/cm^2 = \frac{\text{Head in Meters} \times \text{Specific Gravity}}{10}$
- ⑤  $HP \times 0.746 = Kw$