























# Universal Display Mounting Solutions Product Reference Guide




























# Universal Mounts

DISPLAY MOUNTS




















| Product Type    | Display Size Range | Model(s)         | Picture   | Max Load  | Mounting Pattern (W x H)  | Distance From the Wall  | Tilt Range                                     | Metal Stud Accessory                           | Single/ Double Stud Mounting |                 |                 |
|-----------------|--------------------|------------------|-----------|---|---|---|--|--|------------------------------|-----------------|-----------------|
| Flat Mounts     | SMARTMOUNT         | 10"-29"          | SF630(P)  |    | 80lb (36kg)   | VESA® 75 and 100mm  | 0.96" (24mm)                                   | N/A  | ACC215                       | Single          |                 |
|                 |                    | 22"-40"          | SF632(P)  |    | 115lb (52kg)  | VESA® 75, 100, 200 x 100 and 200 x 200mm  | 1.02" (26mm)                                   | N/A  | ACC215                       | Single          |                 |
|                 |                    | 32"-50"          | SF640(P)  |    | 150lb (68kg)  | 450 x 405mm (17.72" x 15.95")   | 1.20" (30mm)                                   | N/A  | ACC415                       | Single / Double |                 |
|                 |                    | 39"-75"          | SF650(P)  |    | 175lb (79kg)  | 742 x 405mm (29.21" x 15.95")   | 1.20" (30mm)                                   | N/A  | ACC415                       | Double          |                 |
|                 |                    | 39"-80"          | SF660(P)  |    | 200lb (91kg)  | 824 x 405mm (32.44" x 15.95")   | 1.20" (30mm)                                   | N/A  | ACC415                       | Double          |                 |
|                 |                    | 46"-90"          | SF670(P)  |    | 250lb (113kg)   | 895 x 450mm (35.25" x 17.72")   | 1.73" (44mm)                                   | N/A  | ACC615                       | Double / Triple |                 |
|                 |                    | 60"-98"          | SF680(P)  |    | 350lb (158kg)   | 1100 x 650mm (43.29" x 25.59")  | 1.73" (44mm)                                   | N/A  | ACC615                       | Triple          |                 |
|                 |                    | 46"-90"          | SFP680    |    | 350lb (158kg)   | 494 x 650mm (19.45" x 25.59")   | 1.70" (43mm)                                   | N/A  | ACC615                       | Triple          |                 |
|                 |                    | 55"-98"          | SF680-HUB |    | 300lb (136.1kg)   | 1216 x 608mm (47.89" x 23.94")  | 2.13" (54mm)                                   | N/A  | ACC615                       | Double          |                 |
|                 |                    | 55" Samsung Flip | RMI3-FLIP |    | 70lb (31.8kg)   | 400 x 400mm (15.75" x 15.75")   | 3.43" (87mm)                                   | -4.5°  | ACC415                       | Double          |                 |
|                 |                    | Flat Mounts      | PARAMOUNT | 10"-29"   | PF630   |  | 50lb (23kg)                                    | VESA® 75 and 100mm                             | 0.64" (16mm)                 | N/A             | ACC215          |
| 22"-40"         | PF632              |                  |           |  | 80lb (36kg)   | VESA® 100, 200 x 100 and 200 x 200mm  | 0.64" (16mm)                                   | N/A  | ACC215                       | Single          |                 |
| 32"-46"         | PF640              |                  |           |  | 100lb (45kg)  | 450 x 305mm (17.72" x 12.01")   | 1.26" (32mm)                                   | N/A  | ACC415                       | Double          |                 |
| 39"-75"         | PF650              |                  |           |  | 150lb (68kg)  | 742 x 405mm (29.23" x 15.95")   | 1.26" (32mm)                                   | N/A  | ACC415                       | Double          |                 |
| 39"-90"         | PF660              |                  |           |  | 200lb (91kg)  | 825 x 405mm (32.48" x 15.95")   | 1.26" (32mm)                                   | N/A  | ACC415                       | Double          |                 |
| Designer Series | 37"-50"            |                  |           | SUF640P   |  | 150lb (68kg)  | 450 x 402mm (17.73" x 15.82")                  | 0.33" (8mm)                                    | N/A                          | ACC215          | Double          |
|                 | 37"-75"            |                  |           | SUF650P   |  | 150lb (68kg)  | 742 x 449mm (29.23" x 17.67")                  | 0.33" (8mm)                                    | N/A                          | ACC415          | Double          |
|                 | 40"-80"            |                  |           | SUF660P   |  | 150lb (68kg)  | 825 x 449mm (32.48" x 17.67")                  | 0.33" (8mm)                                    | N/A                          | ACC415 / ACC615 | Double / Triple |
|                 | 24"-50"            |                  |           | SUF641  |  | 150lb (68kg)  | 75 to 425mm (in 25mm increments)               | 0.19" (5mm)                                    | N/A                          | N/A             | Double          |
|                 | 37"-75"            |                  |           | SUF651  |  | 150lb (68kg)  | 150 to 400 & 550 to 700mm (in 25mm increments) | 0.19" (5mm)                                    | N/A                          | N/A             | Double          |
| Flat Locking    |                    |                  |           | 40"-80"   | SUF661  |  | 150lb (68kg)                                   | 150 to 400 & 550 to 800mm (in 25mm increments) | 0.19" (5mm)                  | N/A             | N/A             |
|                 |                    | 40"-55"          | HF642-003 |  | 100lb (45kg)  | VESA® 400 x 400mm   | 0.75" (19mm) from wall                         | N/A  | N/A                          | Double          |                 |

\* Designed for use with displays that are less than 3" (75mm) deep























| Product Type                  | Display Size Range                       | Model(s)        | Picture   | Max Load  | Mounting Pattern (W x H)  | Distance From the Wall                     | Tilt Range                                  | Metal Stud Accessory      | Single/ Double Stud Mounting |                 |
|-------------------------------|--|-----------------|---|---|---|--|---|---------------------------|------------------------------|-----------------|
| Tilt Mounts                   | SMARTMOUNT                               | 10"-29"         | ST630(P)  |    | 80lb (36kg)   | VESA®<br>75 and 100mm                      | 1.58"-2.23"<br>(40-57mm)                    | +15°/-5°                  | ACC215                       | Single          |
|                               |  | 22"-40"         | ST632(P)  |    | 115lb (52kg)  | VESA® 75, 100, 200 x 100 and 200 x 200mm   | 1.65"-2.82"<br>(42-72mm)                    | +15°/-5°                  | ACC215                       | Single          |
|                               |  | 32"-50"         | ST640(P)  |    | 150lb (68kg)  | 458 x 405mm<br>(18.02" x 15.95")           | 2.62"-5.40"<br>(67-137mm)                   | +15°/-5°                  | ACC415                       | Single / Double |
|                               |  | 39"-75"         | ST650(P)  |    | 175lb (79kg)  | 742 x 405mm<br>(29.21" x 15.95")           | 2.62"-5.40"<br>(67-137mm)                   | +15°/-5°                  | ACC415                       | Double          |
|                               |  | 39"-80"         | ST660(P)  |    | 200lb (91kg)  | 824 x 405mm<br>(32.44" x 15.95")           | 2.62"-5.40"<br>(67-137mm)                   | +15°/-5°                  | ACC415                       | Double          |
|                               |  | 46"-90"         | ST670(P)  |    | 250lb (113kg)   | 895 x 450mm<br>(35.25" x 17.72")           | 3.00"-6.63"<br>(76-168mm)                   | +15°/-5°                  | ACC615                       | Double / Triple |
|                               |  | 60"-98"         | ST680(P)  |    | 350lb (158kg)   | 1061 x 650mm<br>(41.76" x 25.59")          | 3.38"-10.58"<br>(86-269mm)                  | +15°/-5°                  | ACC615                       | Triple          |
|                               |  | 46"-90"         | STP680  |    | 350lb (158kg)   | 450 x 650mm<br>(17.72" x 25.59")           | 3.04"-8.77"<br>(77-223mm)                   | +15°/-5°                  | ACC615                       | Triple          |
|                               | PARAMOUNT                                | 10"-29"         | PT630   |    | 50lb (23kg)   | VESA®<br>75 and 100mm                      | 2.01"-2.98"<br>(51-76mm)                    | +15°/-5°                  | ACC215                       | Single          |
|                               |  | 22"-40"         | PT632   |    | 80lb (36kg)   | VESA® 100, 200 x 100, and 200 x 200mm      | 2.01"-3.78"<br>(51-96mm)                    | +15°/-5°                  | ACC215                       | Single          |
|                               |  | 32"-46"         | PT640   |    | 100lb (45kg)  | 450 x 305mm<br>(17.72" x 12.01")           | 2.63"-4.74"<br>(67-120mm)                   | +15°/-5°                  | ACC415                       | Double          |
|                               |  | 39"-75"         | PT650   |  | 150lb (68kg)  | 750 x 405mm<br>(29.52" x 15.95")           | 2.63"-5.50"<br>(67-139mm)                   | +15°/-5°                  | ACC415                       | Double          |
|                               |  | 39"-90"         | PT660   |  | 200lb (91kg)  | 832 x 405mm<br>(32.75" x 15.95")           | 2.63"-5.50"<br>(67-139mm)                   | +15°/-5°                  | ACC415                       | Double          |
|                               |  | Designer Series | 32"-50"<br>for Ultra-thin displays only*  | SUT646P   |  | 70lb (32kg)                                | 485 x 307-411mm<br>(19.10" x 12.08"-16.17") | 1.00"-4.30"<br>(25-109mm) | ±10°                         | ACC415          |
|                               | 32"-80"<br>for Ultra-thin displays only* | SUT670P         |  | 125lb (57kg)  | 685 x 307-411mm<br>(26.97" x 12.08"-16.17")   | 1.00"-4.30"<br>(25-109mm)                  | ±10°  | ACC415                    | Double                       |                 |
| Tilt Locking/ Security Mounts | 32"-50"                                  | HT642-002       |  | 75lb (34kg)   | VESA® 200 x 100, 200 x 200 and 400 x 200mm  | 2.14"<br>(54mm) from wall                  | +5°/-1°                                     | N/A                       | Double                       |                 |
|                               | 37"-55"                                  | HT642-003       |  | 100lb (45kg)  | VESA®<br>400 x 400mm  | 2.69"<br>(68mm) from wall                  | +5°/-1°                                     | N/A                       | Double                       |                 |
|                               | 26"-32"                                  | LT-320          |  | 80lb (36.3kg)   | VESA®<br>200 x 100mm  | 2.53"<br>(64mm) from wall                  | +10°/-2°                                    | N/A                       | Single/Double                |                 |
| Pivot Mounts                  | PARAMOUNT                                | 10"-29"         | SP730P  |  | 25lb (11kg)   | VESA®<br>75 x 75, 100 x 100mm              | 2.77"-9.88"<br>(70-251mm)                   | ±35°                      | WSP700/701                   | Single          |
|                               |  | 22"-40"         | SP740P  |  | 80lb (36kg)   | VESA® 100 x 100, 100 x 200 and 200 x 200mm | 3.03"-12.41"<br>(77-315mm)                  | +15°/-5°                  | WSP700/701                   | Single          |
|                               |  | 32"-50"         | SP746PU   |  | 80lb (36kg)   | 400 x 400mm<br>(15.75" x 15.75")           | 3.46"-12.84"<br>(88-326mm)                  | +15°/-5°                  | WSP700/701                   | Single          |
|                               |  | 10"-29"         | PP730   |  | 25lb (11kg)   | VESA®<br>75 and 100mm                      | 2.75"-7.40"<br>(70-188mm)                   | ±15°                      | WSP700/701                   | Single          |
|                               |  | 22"-40"         | PP740   |  | 80lb (36kg)   | VESA® 100, 200 x 100 and 200 x 200mm       | 2.78"-7.43"<br>(70-189mm)                   | +15°/-5°                  | WSP700/701                   | Single          |

# Universal Mounts

DISPLAY MOUNTS
























| Product Type                             | Display Size Range                       | Model(s)  | Picture   | Max Load                         | Mounting Pattern (W x H)   | Distance From the Wall      | Tilt Range               | Metal Stud Accessory | Single/Double Stud Mounting |
|--|--|---|---|----------------------------------|--|-----------------------------|--------------------------|----------------------|-----------------------------|
| Pull-Out Pivot Mounts                    | 32"-55"                                  | HPF650  |    | 60lb<br>(27kg)                   | 400 x 400mm<br>(15.75" x 15.75")   | 2.32"-11.29"<br>(59-287mm)  | N/A                      | N/A                  | Double                      |
|  | 32"-55"                                  | SP840   |    | 60lb<br>(27kg)                   | 400 x 400mm<br>(15.75" x 15.95")   | 2.64"-11.55"<br>(67-293mm)  | 0°, 3.3°,<br>6.6° or 10° | N/A                  | Double                      |
|  | 32"-80"                                  | SP850-UNL(P)  |    | 150lb<br>(68kg)                  | 600 x 400mm<br>(23.62" x 15.75")   | 2.73"-11.18"<br>(69-284mm)  | 0°, 5°, 10°              | N/A                  | Double                      |
| Articulating Mounts                      | 10"-29"                                  | SA730P  |    | 25lb<br>(11kg)                   | VESA®<br>75 x 75, 100 x 100mm  | 2.77"-16.99"<br>(70-432mm)  | ±35°                     | WSP700/701           | Single                      |
|  | 22"-40"                                  | SA740P  |    | 80lb<br>(36kg)                   | VESA® 100 x 100,<br>200 x 100 and 200 x 200mm  | 3.03"-21.80"<br>(77-554mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|  | 32"-50"                                  | SA746PU   |    | 80lb<br>(36kg)                   | 400 x 400mm<br>(15.75" x 15.75")   | 3.46"-22.22"<br>(88-564mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|  | 43"-55"                                  | HA746-STB   |    | 80lb<br>(36kg)                   | 400 x 400mm<br>(15.75" x 15.75")   | 3.97"-22.22"<br>(100-564mm) | +15°/-5°                 | N/A                  | Single/Double               |
|  | 37"-55"                                  | SA752PU   |    | 90lb<br>(42kg)                   | 600 x 400mm<br>(23.62" x 15.75")   | 2.97"-26.47"<br>(75-672mm)  | +15°/-5°                 | WSP756               | Single                      |
|  | 39"-75"                                  | SA761PU   |    | 125lb<br>(57kg)                  | 600 x 400mm<br>(23.62" x 15.75")   | 3.10"-26.60"<br>(79-676mm)  | +15°/-5°                 | WSP756               | Double                      |
|  | 46"-90"                                  | SA771PU   |  | 150lb<br>(68kg)                  | 800 x 400mm<br>(31.50" x 15.75")   | 3.10"-26.60"<br>(79-676mm)  | +15°/-5°                 | WSP756               | Double                      |
|  | 10"-29"                                  | PA730   |  | 25lb<br>(11kg)                   | VESA®<br>75 and 100mm  | 2.73"-14.85"<br>(69-377mm)  | ±15°                     | WSP700/701           | Single                      |
|  | 22"-40"                                  | PA740   |  | 80lb<br>(36kg)                   | VESA® 100, 200 x 100<br>and 200 x 200mm  | 2.80"-14.91"<br>(71-379mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|  | 32"-50"                                  | PA746   |  | 80lb<br>(36kg)                   | VESA® 100, 200 x 100,<br>200 x 200, 300 x 200, 300 x 300,<br>400 x 300 and 400 x 400mm | 2.81"-15.08"<br>(71-383mm)  | +15°/-5°                 | WSP700/701           | Single                      |
|  | 39"-75"                                  | PA750   |  | 100lb<br>(45kg)                  | 600 x 400mm<br>(23.62" x 15.75")   | 3.00"-21.35"<br>(76-542mm)  | +15°/-5°                 | N/A                  | Double                      |
|  | 39"-90"                                  | PA762   |  | 150lb<br>(68kg)                  | 600 x 400mm<br>(23.62" x 15.75")   | 3.00"-21.23"<br>(76-539mm)  | +15°/-5°                 | N/A                  | Double                      |
|  | 32"-40"<br>for Ultra-thin displays only* | SUA740  |  | 60lb<br>(27kg)                   | VESA® 200 x 100<br>and 200 x 200mm   | 1.74"-24.74"<br>(44-628mm)  | +15°/-5°                 | WSP756               | Single                      |
|  | 32"-50"<br>for Ultra-thin displays only* | SUA747PU  |  | 60lb<br>(27kg)                   | 400 x 400mm<br>(15.75" x 15.75")   | 1.85"-24.85"<br>(47-631mm)  | +15°/-5°                 | WSP756               | Single                      |
|  | 37"-65"<br>for Ultra-thin displays only* | SUA761PU  |  | 100lb<br>(45kg)                  | 600 x 400mm<br>(23.62" x 15.75")   | 1.85"-24.85"<br>(47-631mm)  | +15°/-5°                 | WSP756               | Double                      |
| 42"-90"<br>for Ultra-thin displays only* | SUA771PU                                 |  | 125lb<br>(57kg)   | 800 x 400mm<br>(31.50" x 15.75") | 1.85"-24.85"<br>(47-631mm)   | +15°/-5°                    | WSP756                   | Double               |                             |

\* Designed for use with displays that are less than 3" (75mm) deep

| Product Type   | Display Size Range | Model(s)          | Picture   | Max Load      | Mounting Pattern (W x H)   | Distance From the Wall or Ceiling         | Tilt Range | Metal Stud Accessory | Single/ Double Stud Mounting |
|--|--------------------|-------------------|---|---------------|--|---|------------|----------------------|------------------------------|
| <b>Media Storage, Multi-Display &amp; Ceiling Mounts</b> | 26"-60"            | DST360            |                  | 150lb (68kg)  | VESA®<br>100 x 100 up to 300 x 300mm                                 | 4.28"<br>(109mm) from wall                | +20°/-0°   | N/A                  | Single/Double                |
|  | 40"-70"            | DST970X2          |                  | 250lb (113kg) | 600 x 400mm<br>(23.62" x 15.75")                                     | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                          |
|  | 37"-80"            | DST980-3          |                  | 495lb (225kg) | 730 x 405mm<br>(28.75" x 15.95")                                     | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                          |
|  | 37"-75"            | DST975-4          |                  | 500lb (227kg) | 730 x 405mm<br>(28.75" x 15.95")                                     | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                          |
|  | 37"-42"            | DST942-6          |                  | 480lb (218kg) | 730 x 405mm<br>(28.75" x 15.95")                                     | Varies depending on extension column used | 0°-20°     | N/A                  | N/A                          |
|  | 40"-60"            | DST660            |                  | 125lb (57kg)  | VESA®<br>200 x 100 up to 400 x 400mm                                 | 2.83"<br>(72mm) from wall                 | +10°/-0°   | N/A                  | Double                       |
|  | 40"-95"            | DST995            |                  | 225lb (102kg) | VESA®<br>200 x 200, 300 x 300, 400 x 200, 400 x 300, and 400 x 400mm | Varies depending on extension column used | 0°-15°     | N/A                  | N/A                          |
|  | 40"-65"            | DST965            |                  | 300lb (136kg) | 730 x 405mm<br>(28.75" x 15.95")                                     | Varies depending on extension column used | 20° fixed  | N/A                  | N/A                          |
|  | 32"-90"            | PLCM-UNL          |                  | 150lb (68kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 43.23"<br>(1098mm) from ceiling           | +20°/-5°   | N/A                  | N/A                          |
|  | 32"-90"            | PLCM-UNL-CP       |                | 150lb (68kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 44.23"<br>(1123mm) from ceiling           | +20°/-5°   | N/A                  | N/A                          |
|  | 32"-90"            | PLCM-2-UNL        |                | 150lb (68kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | Varies depending on extension column used | +20°/-5°   | N/A                  | N/A                          |
|  | Up to 90"          | PLCK-UNL          |                | 150lb (68kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 25.82"<br>(656mm) from ceiling            | +20°/-5°   | N/A                  | N/A                          |
| <b>Floor to Ceiling Cable</b>                            | 46"-65"            | DSF265L           |                | 65lb (29.5kg) | VESA® 600, 400, 300 and 200mm  | N/A                                       | N/A        | N/A                  | N/A                          |
|  | 46"-65"            | DSF265P           |  DSF265P shown | 65lb (29.5kg) | VESA® 600, 400, 300 and 200mm  | N/A                                       | N/A        | N/A                  | N/A                          |
| <b>Modular Mounts</b>                                    | Up to 75"          | MOD-FPSKIT100(B)  |                | 132lb (60kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 38.47"<br>(977mm) from ceiling            | +20°/-5°   | N/A                  | N/A                          |
|  | Up to 75"          | MOD-FPSKIT150(B)  |                | 132lb (60kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 57.76"<br>(1467mm) from ceiling           | +20°/-5°   | N/A                  | N/A                          |
|  | Up to 75"          | MOD-FCSKIT300(B)  |                | 132lb (60kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 120.11"<br>(3051mm) floor-to-ceiling      | +5°/-5°    | N/A                  | N/A                          |
|  | 46"-90"            | MOD-FPS2KIT150(B) |                | 211lb (96kg)  | 600 x 400mm<br>(23.62" x 15.75")                                     | 59"<br>(1.5m) from ceiling                | +20°/-5°   | N/A                  | N/A                          |
|  | 46"-90"            | MOD-FCS2KIT300(B) |                | 422lb (192kg) | 600 x 400mm<br>(23.62" x 15.75")                                     | 118"<br>(3m) floor-to-ceiling             | +20°/-5°   | N/A                  | N/A                          |
|  | 46"-90"            | MOD-FW2KIT300(B)  |                | 422lb (192kg) | 600 x 400mm<br>(23.62" x 15.75")                                     | 118"<br>(3m) floor-to-wall                | +20°/-5°   | N/A                  | N/A                          |
|  | 46"-90"            | MOD-FPP2KIT200(B) |                | 422lb (192kg) | 600 x 400mm<br>(23.62" x 15.75")                                     | 78"<br>(2m) from floor                    | +20°/-5°   | N/A                  | N/A                          |
| <b>Truss mount</b>                                       | 40"-90"            | DSF290            |                | 175lb (79kg)  | VESA®<br>100, 200, 300 and 400mm                                     | N/A                                       | N/A        | N/A                  | N/A                          |

# Universal Mounts

DISPLAY MOUNTS



| Product Type                            | Display Size Range                 | Model(s)         | Picture   | Max Load  | Mounting Pattern (W x H)                                 | Distance From the Wall, Base or Floor         | Tilt Range                    | Metal Stud Accessory | Single/ Double Stud Mounting |     |
|---|------------------------------------|------------------|---|---|--|---|-------------------------------|----------------------|------------------------------|-----|
| <b>Carts</b>                            | <b>SMARTMOUNT.</b>                 | 42"-86"          | SR598ML3  |    | 280lb<br>(127kg) display                                 | VESA® 200 x 200<br>up to 600 x 400mm          | 68.73"<br>(1746mm) from floor | -5°, +1°             | N/A                          | N/A |
|   |                                    | 55" Samsung Flip | SR560-FLIP  |    | 70lb<br>(31.8kg) display                                 | 400 x 400mm<br>(15.75" x 15.75")              | 64.23"<br>(1632mm) from floor | -4.5°                | N/A                          | N/A |
|   |                                    | 32"-75"          | SR560M  |    | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm          | 68.38"<br>(1736mm) from floor | -5°, 0°              | N/A                          | N/A |
|   |                                    | 32"-75"          | SR575M  |    | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm          | 68.38"<br>(1736mm) from floor | -5°, 0°              | N/A                          | N/A |
|   |                                    | 32"-75"          | SR575K  |    | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm          | 46.12"<br>(1172mm) from floor | 0°, +90°             | N/A                          | N/A |
|   |                                    | 55"-98"          | SR598   |    | 300lb<br>(136.1kg) display                               | VESA® 200 x 200<br>up to 900 x 600mm          | 68.38"<br>(1736mm) from floor | -5°, 0°              | N/A                          | N/A |
|   |                                    | 55"-98"          | SR598-HUB   |    | 300lb<br>(136.1kg) display                               | VESA® 200 x 200<br>up to 1256 x 608mm         | 72.44"<br>(1840mm) from floor | -5°, 0°              | N/A                          | N/A |
|   |                                    | 40"-55"          | SR555M  |    | 75lb<br>(43.1kg) display                                 | VESA® 200 x 200<br>up to 400 x 400mm          | 78.10"<br>(1983mm) from floor | -5°, 0°              | N/A                          | N/A |
|   |                                    | 40"-55"          | SR555E  |    | 75lb<br>(43.1kg) display                                 | VESA® 200 x 200<br>up to 400 x 400mm          | 78.10"<br>(1983mm) from floor | N/A                  | N/A                          | N/A |
|   |                                    | 32"-75"          | SR575E  |    | 150lb<br>(68.2kg) display                                | VESA® 200 x 200<br>up to 600 x 400mm          | 78.10"<br>(1983mm) from floor | N/A                  | N/A                          | N/A |
| <b>Stands</b>                           | 55"-80"                            | VCM580           |   | 335lb<br>(152kg)  | VESA®<br>up to 600 x 400mm                               | 18.39"-15.39"<br>(67-391mm) from wall         | N/A                           | N/A                  | N/A                          |     |
|   | 32"-75"                            | SS575K           |  | 150lb<br>(68.2kg) display   | VESA® 200 x 200<br>up to 600 x 400mm                     | 46.12"<br>(1172mm) from floor                 | 0°, +90°                      | N/A                  | N/A                          |     |
|   | up to 75"                          | FPZ-600          |  | 200lb<br>(90.7kg) per display   | VESA® 100, 200 x 100<br>and 200 x 200mm                  | 72.33"<br>(1837mm) from floor                 | N/A                           | N/A                  | N/A                          |     |
|   | up to 90"                          | FPZ-670          |  | 200lb<br>(90.7kg) per display   | VESA®<br>200 x 200mm                                     | 72.33"<br>(1837mm) from floor                 | N/A                           | N/A                  | N/A                          |     |
|   | <b>Desktop &amp; Tablet Mounts</b> | 26"-37"          | HP432-002   |  | 80lb<br>(36.4kg)   | VESA® 100 x 100,<br>200 x 100 and 200 x 200mm | see drawings                  | N/A                  | N/A                          | N/A |
| 32"-47"                                 |                                    | HP447            |  | 75lb<br>(34.1kg)  | VESA®<br>200 x 100, 200 x 200mm                          | see drawings                                  | N/A                           | N/A                  | N/A                          |     |
| 49"-55"                                 |                                    | HP455            |  | 75lb<br>(34.1kg)  | VESA® 200 x 200, 200 x 400,<br>300 x 300 and 400 x 400mm | see drawings                                  | N/A                           | N/A                  | N/A                          |     |
| for Tablets less than 0.75" (19mm) deep |                                    | PTM200           |  | 5lb<br>(2.3kg)  | VESA®<br>75 x 75mm                                       | N/A   | N/A                           | N/A                  | N/A                          |     |
| for Tablets less than 0.75" (19mm) deep |                                    | PTM400           |  | 5lb<br>(2.3kg)  | N/A  | N/A   | ±30°                          | N/A                  | N/A                          |     |
| up to 29" monitors                      |                                    | LCT100S          |  | 20lb<br>(9kg)   | VESA®<br>75 and 100mm                                    | see drawings                                  | ±40°                          | N/A                  | N/A                          |     |
| up to 29" monitors                      |                                    | LCT620A(-G)      |  | 8.4-17.8lb<br>(3.8-8.1kg) per arm   | VESA®<br>75 and 100mm                                    | see drawings                                  | +45°/-90°                     | N/A                  | N/A                          |     |
| up to 29" monitors                      |                                    | LCT620AD(-G)     |  | 8.4-17.8lb<br>(3.8-8.1kg) per arm   | VESA®<br>75 and 100mm                                    | see drawings                                  | +45°/-90°                     | N/A                  | N/A                          |     |
| up to 29" monitors                      |                                    | LCW620A          |  | 8.4-17.8lb<br>(3.8-8.1kg) per arm   | VESA®<br>75 and 100mm                                    | see drawings                                  | +45°/-90°                     | N/A                  | Single                       |     |



For over 75 years, passion and innovation continue to drive Peerless-AV® forward.

We proudly design and manufacture the highest quality products, ranging from outdoor displays to complete kiosk solutions, digital signage mounts to wireless systems. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit [peerless-av.com](http://peerless-av.com).

 [peerless-av.com](http://peerless-av.com)  
 800-865-2112