

PX International LLC

Las Vegas, NV 89103 support@pharmaxtracts.com (702) 420-7676 Lic. #CBD

Certificate of Analysis Powered by Confident Cannabis

Sample: 2301DBL0033.0056

METRC Sample: Lot #: BB.1.V.TD

Strain: 10mg CBD

Ordered: 01/10/2023; Sampled: 01/10/2023; Completed: 01/11/2023

Mango Gummies

Ingestible, Soft Chew





Cannabinoids

3.738 mg/unit

8.376 mg/unit

 $\Delta 9$ -THC + $\Delta 8$ -THC

CBD


12.114 mg/unit

NT

Total Cannabinoids

Moisture

1 Unit = Mango Gummies, 5.0538333333



Cannabinoid	Mass	Mass	LOQ
1/	mg/unit	mg/g	mg/unit
CBC	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBCa	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBD	8.376	1.657	0.200
CBDa	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBDV	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBDVa	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBG	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBGa	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBL	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
CBN	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
Δ8-ΤΗС	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
Δ9-ΤΗС	3.738	0.740	0.200
THCa	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
THCV	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
THCVa	<loq< td=""><td><loq< td=""><td>0.200</td></loq<></td></loq<>	<loq< td=""><td>0.200</td></loq<>	0.200
Total THC	3.738	0.740	
Total CBD	8.376	1.657	
Total	12.114	2.397	





Glen Marquez Laboratory Director



Sherri Defreece Quality Control

