

ASSEMBLY INSTRUCTIONS

PLEASE KEEP THIS FOR FUTURE REFERENCE

MODEL : SIRIUS 1600 HYBRID MEDIA UNIT


1.0 hr

APPROXIMATE ASSEMBLY TIME




2 PERSON ASSEMBLY

FLOOR AREA
2.0M X2.0M



REQUIRED ASSEMBLY SPACE

ASSEMBLED DIMENSIONS



HYBRID

S Y S T E M C O M P A T I B L E

AFTER SALES SERVICE

In the unlikely event of any problems with assembly, faulty or damaged parts
PLEASE DO NOT RETURN THE PRODUCT TO THE RETAILER
email us below for a prompt service.

service@mda-designs.co.uk



MDA
DESIGNS














BRINGING DESIGN TO LIFE

www.mda-designs.co.uk


















MODEL : SIRIUS 1600 HYBRID MEDIA UNIT

Parts List

- | | | | | | |
|---|---|-------------------------|---|--|---|
| ① |  | Base Panel x 1 | ⑦ |  | Walnut Front Profile x 2
(Depending on specific model) |
| ② |  | Top Panel x 1 | ⑧ |  | Oak Front Profile x 2
(Depending on specific model) |
| ③ |  | Top Glass Panel x 1 | ⑨ |  | Gloss Black Profile x 2
(Depending on specific model) |
| ④ |  | Glass Shelf x 2 | ⑩ |  | Inner Side Panel x 2 |
| ⑤ |  | Flexible Side Panel x 2 | ⑪ |  | Rearoveranel x 1 |
| ⑥ |  | Glass Door x 2 | ⑫ |  | Inner Side Panel x 1 |
| | | | ⑬ |  | Inner Side Panel x 2 |

Fixings Identification

- | | | | | | |
|---|---|----------------------|---|---|-------------------------------------|
| Ⓐ |  | Screw (49mm) x 20 | Ⓘ |  | Door Hinge Plate x 5
(1 x Spare) |
| Ⓑ |  | Steel Dowel x 4 | ⓵ |  | Shelf Peg x 8 |
| Ⓒ |  | Steel Cam x 4 | ⓶ |  | 5mm Allen Key x 1 |
| Ⓓ |  | Double Mag Catch x 1 | ⓷ |  | 4mm Allen Key x 1 |
| Ⓔ |  | Screw (M3 x16mm) x 4 | ⓸ |  | M6 x 50mm Bolt x 2 |
| Ⓕ |  | Screw (M3 x14mm) x 8 | ⓹ |  | Washer x 2 |
| Ⓖ |  | Foot x 6 | ⓺ |  | Cable Cover x 1 |
| Ⓗ |  | Grub Screw x 8 | | | |

MODEL : SIRIUS 1600 HYBRID

MEDIA UNIT

Top Tips before you start!



1. Please check that all parts are present before you start the assembly of your furniture.
2. For ease and speed of assembly, we recommend that before you commence each step of the assembly, that you identify all the parts required for that step.
3. For larger items, please ensure that you have sufficient space and people (as indicated on page 1) to assemble your product safely
4. We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
5. For the protection of your furniture, particularly items of high gloss finish, we recommend that the product is placed on a protected surface during assembly to prevent any damage.
6. During assembly please take care not to over-tighten any fittings, as this may damage the product.

Care and Maintenance of your Furniture



- Please periodically check all fittings and re-tighten as necessary.
- Please do not sit or stand on this item.
- Never allow any kind of liquid to remain on your furniture, Absorption can cause wood to warp or finishes to de-laminate
- Please do not drag and pull your furniture.
- If the glass is chipped or broken, stop using the product and consult the manufacturer or supplier.
- Please do not place very hot or very cold items on the glass surface, unless adequately thick table mats are used to prevent such items from coming into contact with the glass.
- Please do not use the glass as a chopping surface. Do not strike the glass with hard or pointed items.
- When cleaning glass panels use a damp cloth or leather with washing up liquid or soft soap if necessary, do not use washing powders or any other substances containing abrasives since these substances scratch glass.
- The glass used in this product is toughened and complies with BS EN 12150-1:2000, clauses 8.3 & 8.4

MODEL : SIRIUS 1600 HYBRID MEDIA UNIT

STEP 1




STEP 2




MODEL : SIRIUS 1600 HYBRID MEDIA UNIT

STEP 3



STEP 4




MODEL : SIRIUS 1600 HYBRID MEDIA UNIT


STEP 5




4x
C




Ensure Cam locks are fully tightened by turning clockwise



STEP 6




8x
J



**MODEL : SIRIUS 1600 HYBRID
MEDIA UNIT**


STEP 7







MODEL : SIRIUS 1600 HYBRID MEDIA UNIT

STEP 8

Front left hand view




Front right hand view



NOTE : DOOR ALIGNMENT CAN BE ADJUSTED BY LOOSENING SCREWS (H) & RE-POSITIONING BEFORE TIGHTENING SCREWS


MODEL : SIRIUS 1600 HYBRID MEDIA UNIT

STEP 9



locate edge of flexible side panel (5) into groove on front profile

STEP 10



1x
O



8x
F

MODEL : SIRIUS 1600 HYBRID MEDIA UNIT

STEP 11

FITTING THE HYBRID SCREEN MOUNTING SYSTEM
(SOLD / SUPPLIED SEPERATELY)

