

MSDS
MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

PRODUCT NAME: Thermoset Polyurethane Elastomer

PHONE NUMBERS:

PRODUCT INFORMATION: 1-814-474-5561

CHEMTREC: 1-800-424-9300

II. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Molded parts or sheets

ODOR: Slight odor

PERCENT VOLATILES: None

MELTING POINT: N/A

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 1.1 – 1.2

III. STABILITY AND REACTIVITY

STABILITY: Stable at ambient temperatures and pressures

CONDITIONS TO AVOID: None known

IV. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION:

Local exhaust at processing equipment. Grinding and machining of parts should be reviewed to assure that particulate levels are kept below recommended standards.

PROTECTIVE EQUIPMENT

SKIN: Protective gloves, long sleeve cotton shirt and long pants are required when handling molten material.

EYE: Safety glasses are recommended to prevent particulate from entering eyes while grinding or machining.

RESPIRATOR: None under normal processing, if ventilation is adequate

V. HEALTH HAZARDS IDENTIFICATION**ACUTE OR IMMEDIATE EFFECTS**

SKIN: Molten material may cause thermal burns

INHALATION: Shapes are not considered an inhalation hazard

INGESTION: Not a probable route of exposure

LONG TERM DELAYED EFFECTS: None known

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

CHRONIC EFFECTS:

As with most high molecular weight polymer, this material is considered inert.

VI. FIRST AID MEASURES

SKIN: If molten polymer contacts skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burns.

EYES: In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician if symptoms persist.

INHALATION: If exposure to fumes from overheating, move to fresh air. Consult a physician if symptoms persist.

VII. TOXICOLOGICAL INFORMATION

CHRONIC TOXICITY: Harmless

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE:
No information available

VIII. FIRE FIGHTING MEASURES

AUTOIGNITION TEMPERATURE:
N/A

HAZARDOUS PRODUCTS OF COMBUSTION:
Oxides of carbon, water and smoke under burning conditions. Other combustion products are hydrogen cyanide, aromatic and aliphatic hydrocarbons.

IX. ACCIDENTAL RELEASE MEASURES

SPILL OR RELEASE: N/A

X. HANDLING AND STORAGE

HANDLING: Open containers only in well-ventilated area

STORAGE: Store away from sources of direct heat

XI. DISPOSAL CONSIDERATIONS

DISPOSAL: Treatment and disposal must be in accordance with federal, state, provincial and local regulations.

XII. DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information presented in the Material Safety Data Sheet is based on data believed to be accurate as of the date this Material Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.