

SIGNATURE SERIES SPEAKER COMPARISON



SG-FL88SPW



SG-FL88SPC



SG-CL77SPW



SG-CL77SPC



SG-C77W



SG-CL65SPW



SG-CL65SPC



SG-C65W

SPECIFICATIONS

| | | | | | | | | |
|----------------------------------|-----------------|-----------------|---------------|---------------|---------------|----------------|----------------|----------------|
| SPEAKER SIZE | 8.8" | 8.8" | 7.7" | 7.7" | 7.7" | 6.5" | 6.5" | 6.5" |
| PEAK POWER (WATTS) | 330 | 330 | 280 | 280 | 280 | 230 | 230 | 230 |
| RMS POWER RATING (WATTS) | 130 | 130 | 100 | 100 | 100 | 75 | 75 | 75 |
| EFFICIENCY (1W/1M) | 91dB | 91dB | 91dB | 91dB | 91dB | 90dB | 90dB | 90dB |
| FREQUENCY RESPONSE | 50Hz – 20kHz | 50Hz – 20kHz | 60Hz-22KHz | 60Hz-22KHz | 60Hz-22KHz | 70Hz-22KHz | 70Hz-22KHz | 70Hz-22KHz |
| IMPEDANCE | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms |
| TWEETER TYPE | Silk Dome | Silk Dome | Silk Dome | Silk Dome | Silk Dome | Silk Dome | Silk Dome | Silk Dome |
| CONE MATERIAL | CURV | CURV | CURV | CURV | CURV | CURV | CURV | CURV |
| VOICE COIL DIAMETER | 1.5" | 1.5" | 1.5" | 1.5" | 1.5" | 1.3" | 1.3" | 1.3" |
| MOUNTING DIAMETER/ DIMENSIONS | 185mm [7-7/25"] | 185mm [7-7/25"] | 153mm [6"] | 153mm [6"] | 153mm [6"] | 133mm [5-1/4"] | 133mm [5-1/4"] | 133mm [5-1/4"] |
| MOUNTING DEPTH | 103mm [4-1/25"] | 103mm [4-1/25"] | 83mm [3-1/4"] | 83mm [3-1/4"] | 83mm [3-1/4"] | 76mm [3"] | 76mm [3"] | 76mm [3"] |
| LED LIGHTING | White / Blue | White / Blue | White / Blue | White / Blue | No | White / Blue | White / Blue | No |
| WARRANTY | 3 Years | 3 Years | 3 Years | 3 Years | 3 Years | 3 Years | 3 Years | 3 Years |

FOR MORE INFORMATION VISIT: FUSIONENTERTAINMENT.COM

FUSION®

FR SERIES SPEAKER / SOUND-PANEL COMPARISON



MS-FR7021 | MS-FR7022



MS-FR602 | MS-FR6022



MS-FR4021



RV-FS402W



RV-FS402B

SPECIFICATIONS

| | | | | | |
|--------------------|-------------------|-------------------|-----------------|------------------------------------|------------------------------------|
| SPEAKER SIZE | 7" | 6" | 4" | 471mm x 211mm [18-1/16" x 8-5/16"] | 471mm x 211mm [18-1/16" x 8-5/16"] |
| PEAK POWER (WATTS) | 260 | 200 | 120 | 100 | 100 |
| EFFICIENCY (1W/1M) | 91dB | 90dB | 87dB | 87dB | 87dB |
| FREQUENCY RESPONSE | 60Hz-22kHz | 70Hz-22kHz | 90Hz-22kHz | 67Hz - 20kHz | 67Hz - 20kHz |
| IMPEDANCE | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms |
| TWEETER TYPE | Titanium Dome | Titanium Dome | Titanium Dome | Soft dome | Soft dome |
| CONE MATERIAL | CURV | CURV | CURV | Polypropylene | Polypropylene |
| MOUNTING DIAMETER | 156.5mm [6-3/16"] | 130.5mm [5-1/8"] | 98.5mm [3-7/8"] | 431mm x 171mm [17" x 6-3/4"] | 431mm x 171mm [17" x 6-3/4"] |
| MOUNTING DEPTH | 78mm [3-1/16"] | 71.5mm [2-13/16"] | 54mm [2-1/8"] | 41 mm [1-5/8"] | 41 mm [1-5/8"] |
| LED LIGHTING | No | No | No | No | No |
| WARRANTY | 3 Years | 3 Years | 3 Years | 1 Year | 1 Year |

FOR MORE INFORMATION VISIT: FUSIONENTERTAINMENT.COM

FUSION[®]

SPEAKER COMPARISON



MS-CL602



MS-EL602



MS-OS420



MS-BX3020



MS-BX402

SPECIFICATIONS

| | | | | | |
|----------------------------------|----------------------------------------|-----------------|---------------------------------|-------------------------------------|-----------------------------------|
| SPEAKER SIZE | 6" | 6" | 4" | 3" | 4" |
| PEAK POWER (WATTS) | 120 | 150 | 100 | 100 | 120 |
| EFFICIENCY (1W/1M) | 89dB | 85dB | 86dB | 85db | 87dB |
| FREQUENCY RESPONSE | (-10dB/-3dB) 50Hz - 20kHz/85Hz - 20kHz | 41Hz-24kHz | 80Hz-20Hz | 200Hz-20KHz | 90Hz-22kHz |
| IMPEDANCE | 6 Ohms | 4 Ohms | 4 Ohms | 4 Ohms | 4 Ohms |
| TWEETER TYPE | Silk Dome | PEI | PEI | Fabric Dome | Titanium Dome |
| CONE MATERIAL | Polypropylene | Polypropylene | Polypropylene | Waterproof Paper | CURV |
| MOUNTING DIAMETER/ DIMENSIONS | 205.5mm [8-1/16"] | 129mm [5-1/16"] | 200mm x 137mm [7-7/8" x 5-3/8"] | 164mm x 90mm [6-7/16" x 3-9/16"] | 180mm x 180mm [7-1/16" x 7-1/16"] |
| MOUNTING DEPTH | 77.6mm [3-1/16"] | 42mm [1-5/8"] | 163mm [6-7/16"] | 112mm [4-13/32"] | 142mm [5-9/16"] |
| LED LIGHTING | No | No | No | No | No |
| WARRANTY | 1 Year | 1 Year | 1 Year | 3 Years | 3 Years |

FOR MORE INFORMATION VISIT: FUSIONENTERTAINMENT.COM

FUSION[®]