



Universal Projector Ceiling Mount

Aluminum; Extension Rod with Tilt, Swivel and Height Adjustments; 20 kg (44 lbs.); for Sloped and Flat Ceilings, Silver

Part No.: [424851](#)

EAN-13: 0766623424851 | UPC: 766623424851

Projector mount for sloped and flat ceilings - see things in a better light

Easily put a projector in place and keep it in prime position. Manhattan Universal Projector Ceiling Mounts hold projectors stable and steady with precise tilt, 360° swivel and height adjustments that keep images clear, sharp and defined. Constructed of lightweight, quality aluminum materials, Manhattan Universal Projector Ceiling Mounts fit a range of models with a secure, confident and balanced overhead installation. The ceiling plate fits a range of ceiling slopes. Internal cable management helps conceal unsightly cords and connections for a professional, finished appearance. Ideal for home theater, auditorium, office, retail, classroom, video conferencing and other commercial applications, Manhattan Universal Projector Ceiling Mounts help focus attention where it matters most.

Features:

- Securely holds most projectors up to 20 kg (44 lbs.)
- Optimize views with $\pm 20^\circ$ tilt and 360° swivel adjustments
- Ceiling plate with $\pm 40^\circ$ adjustment to suit sloped and flat ceilings

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Easy installation ideal for home, office and commercial applications
- Lifetime Warranty

Specifications:

- Weight capacity: up to 20 kg (44 lbs.)
- Adjustable ceiling plate
- Unit weight: 2.8 kg (6.2 lbs.)
- Extension rod: adjusts 57.5 to 82.5 cm (22.6 to 32.5 in.)

Package Contents

- Universal Projector Full-Motion Ceiling Mount
- Installation hardware with instructions



