



Edge Pro Series

Power Protection from 1000VA to 2000VA

IDEALLY SUITED FOR:
Networking equipment
Network closets
VOIP and Telecom
Security recording devices



KEY FEATURES

LCD display includes battery capacity indicator, voltage, and much more

Pure sine wave output at all times

Easy change user replaceable batteries

Stay informed with Free monitoring Software or optional SNMP management


Advanced line interactive design

Boost / Buck AVR Voltage regulation

37 Month Standard Warranty covers electronics and batteries

Lifetime \$ 150,000 Equipment Protection Policy





Clean Power Quality

Ensure your sensitive equipment lasts longer and is more reliable by supplying it with quality power. The Edge Pro uses AVR to provide regulated voltage and outputs a pure sine wave.



Advanced Communications

Edge Pro features advanced SNMP communications. SNMP monitoring includes voltage in/out, battery capacity remaining, power logs, UPS specific information, and remote outlet control. Receive alerts via text or email for the following: on battery, battery fail, battery change due, and more.



LCD Display

State of the Art LCD display provides real time status information and allows configuration of ups setup parameters. LCD display reports Volts in, Volts out, battery capacity, load level, and more.



Hot Swappable Batteries

Maintenance is easy and inexpensive with user replaceable, hot-swappable battery trays. Save money on maintenance by using in-house personnel to change batteries when necessary.

Edge Pro Series

Power Protection from 1000VA to 2000VA



Edge Pro Series Runtime Chart

	Load (watts) / Time in minutes					
Model	100	250	500	750	1000	1200
EP700R	34	9.5	N/A	N/A	N/A	N/A
EP1000R	63	19	10	N/A	N/A	N/A
EP1500R	84	25	9	5	N/A	N/A
EP2000R	84	25	9	5	3	2


Specifications

Model	700	1000	1500	2000
Capacity (VA)	700VA	1000VA	1440VA	1920VA
Capacity (Watts)	420W	600W	900W	1200W
Input				
Input Voltage Range	82V~148V			
Frequency Range	60Hz +/- 5 Hz			
Input Cord and Plug	7 foot line cord with 5-15P (1000VA and 1500VA) or 5-20P (2000VA)			
Output				
On Battery Output Voltage	Sine Wave at 100-127Vac +/-10%			
On Battery Output Frequency	60Hz +/-1%			
Overload Protection	Yes			
AVR Function				
Boost Function	Yes			
Buck Function	Yes			
Physical				
Total # of UPS Receptacles	Nema 5-15R *8			
Maximum Dimensions (H x D x W)	3.5 in x 16.9 in x 17.25 in			
Battery				
Sealed Maintenance Free Lead Acid Battery	12Vdc	24Vdc		
Typical Recharge Time	8 Hours			
Warning Diagnostics				
Indicators	LCD			
Communication				
Communication port	HID USB/RS232			
SNMP Management Options	External SNMP Adapter, External Temp Probe			
Environmental				
Operating Temperature	32°F to 122°F (0°C to 40°C)			
Operating Relative Humidity	0 to 90% NON-CONDENSING			
Management				
Auto-Charger	Yes			
Auto-Restart	Yes			



Orion Power Systems manufactures ups systems from 625va to 120kVA along with power strips, surge suppression, and communication accessories. Professionals in the IT , security, and telecommunications industries count on Orion Power Systems to provide power protection that is reliable and on budget.

If you rely on clean power
you can rely on Orion....
Just like these clients



VyStar
Credit Union



Depend On Us For Life™



Orion Power Systems, Inc.
2939 West Beaver Street
Jacksonville, FL 32254

Toll-Free: 877.385.1654 Fax: 877.659.8638
<http://www.orionpowersystems.com>