

DOWNLOAD ENHANCED INSTALL MANUALS AT dieselperformance.com



BD Steering Box Support (SBS)

1032002	1994-2002 2500-3500 2WD		
	1994-2001	1500 2WD	
1032004	1994-2002	2500-3500 4WD	
	1994-2001	1500 4WD	
1032005	2003-2008	2500-3500 4WD	
1032003		(Small Steering Box)	
1032006	2009-2012	2500-3500 4WD	
1032007	2003-2008	2500-3500 4WD	
1032001		(Upgraded Large Steering Box)	
1032008	2013-2015	2500-3500 4WD	
1032009 2003-2008	2500-3500 4WD		
	2003-2008	(Borgeson Steering Box)	

PLEASE READ ALL INSTRUCTIONS BEFORE INSTALLATION


Some 2wd drive application utilize a solid axle, for these applications please use the 4wd SBS unit Part# 1032004, 1032005, 1032006, 1032007

BD Engine Brake Inc. Plant Address: 33541 MacLure Rd. Abbotsford, BC, Canada V2S 7W2 U.S. Shipping Address: 88-446 Harrison St, Sumas, WA 98295 U.S. Mailing Address: P.O. Box 231, Sumas, WA 98295 Phone: 604-853-6096 | Fax: 604-853-8749 | Internet: www.bd-power.com

94-2013 (SBS) Dodge Steering Box Support (I-00199)

<u>KIT CONTENTS:</u>

Please check to make sure that you have all the parts listed in this kit **before** you start the disassembly of your truck.



BD Engine Brake Inc. Plant Address: 33541 MacLure Rd. Abbotsford, BC, Canada V2S 7W2 U.S. Shipping Address: 88-446 Harrison St, Sumas, WA 98295 U.S. Mailing Address: P.O. Box 231, Sumas, WA 98295 Phone: 604-853-6096 | Fax: 604-853-8749 | Internet: www.bd-power.com

3 October 2016 94-2013 (SBS) Dodge Steering Box Support (I-00199)					
DODGE 2009	DODGE 2009+ STEERING BOX SUPPORT (SBS) (BD# 1032006)				
1302005			1302070Z		
Steerin	g Box Support		Sector	Shaft Bolt	
	Qty: 1		Q	ty: 1	
1302017	1040150		1040153	1040152	
	T		0	0	
Bearing Assembly	1/2" x 1-1/2" Capscrew		Flat Washer	Lock Washer	
Qty: 1	Qty: 2		Qty: 2	Qty: 2	
1040151	1302020		1302028	1452815	
	Sint Sint Sint Sint Sint Sint Sint Sint				
1⁄2" Nut	Thread Lock		Frame Bolt x 1.5" x 35mm	Frame Washer (M10)	
Qty: 2	Qty: 1		Qty: 4	Qty: 4	

NOTE: For this kit you will require a 1-1/2" socket as the kit utilizes a large sector shaft nut.

DODGE 2003-2008 STEERING BOX SUPPORT (SBS) (BD# 1032007)				
1	1302007		1302070Z	
Steerin	g Box Support		Sector Shaft Bolt	
Qty: 1		Qty: 1		
1302017	1040150	1040150		1040152
	T		0	0
Bearing Assembly	½" x 1-½" Capscrew		Flat Washer	Lock Washer
Qty: 1	Qty: 2		Qty: 2	Qty: 2
1040151	1302020	1302028		1452815
	A read			0
½" Nut	Thread Lock	Frame Bolt M10 x 1.5" x 35mm		Frame Washer (M10)
Qty: 2	Qty: 1		Qty: 4	Qty: 4

3 October 2016

DODGE 2013-2015 STEERING BOX SUPPORT (SBS) (BD# 1032008)				
1302008			1302070Z	
Steering Box Support			Sector Shaft Bolt	
Qty: 1		Qty: 1		
			1040153	
1302017	1040150	1040150		1040152
	T		0	0
Bearing Assembly	1/2" x 1-1/2" Capscrew		Flat Washer	Lock Washer
Qty: 1	Qty: 2		Qty: 2	Qty: 2
1040151	1302020	1302028		1452815
				0
1⁄2" Nut	Thread Lock	Frame Bolt M10 x 1.5" x 35mm		Frame Washer (M10)
Qty: 2	Qty: 1		Qty: 4	Qty: 4

NOTE: For this kit you will require a 1-1/2" socket as the kit utilizes a large sector shaft nut.

DODGE 2003-2008 Borgeson Steering Box (SBS) (BD# 1032009)				
1302007			1302010	
Steering	g Box Support		Sector	Shaft Bolt
	Qty: 1		Q	ty: 1
1302017	1040150		1040153	1040152
	T		0	0
Bearing Assembly	1⁄2" x 1-1⁄2" Capscrew		Flat Washer	Lock Washer
Qty: 1	Qty: 2		Qty: 2	Qty: 2
1040151	1302020		1302028	1452815
	A real and a read and			0
1⁄2" Nut	Thread Lock		Frame Bolt x 1.5" x 35mm	Frame Washer (M10)
Qty: 2	Qty: 1		Qty: 4	Qty: 4

Welcome

Thank you for purchasing a BD Steering Box Support. This manual is divided into different areas to assist you with your installation and operation of your steering box support system.

This product is not a replacement for a new steering box and/or ball joints, but it will aid in reducing the stress placed on the steering box and associated wear. All steering components should be checked and replaced if necessary prior to addition of the steering box support.

Installation should occur on a vehicle properly secured to prevent rolling.

Application of lubrication at regular chassis lube intervals will promote bearing life.



THIS PRODUCT IS <u>NOT</u> SAFE TO USE AS A TOWING OR WINCHING ATTACHMENT POINT.



1032005 Compatibility Note

1032005 is not compatible with Dodge's new larger 6 bolt steering box. Please use kit number *1032007* if you have this steering box.



To identify this steering box, look at the top of the steering box, the old compatible unit will have four bolts fastening the top cover in place. While the newer steering box will have six. Also the sector shaft on the old compatible unit will be 7/8 thread, while the newer unit will be M30.

Required Tools

- 15mm, 17mm & 19mm Socket / Wrench
- (*BD* # 1032006 only) 1-1/2" Socket
- 1-5/16" and 1-1/4" Socket/Wrench
- 3/32" Allen wrench
- Torque Wrench (40-180 lbs-ft).
- Never seize

Maintenance

Grease bearings at regular oil change intervals for optimal protection of bearing from wear and contamination due to environment.

94-2013 (SBS) Dodge Steering Box Support (I-00199)


3 October 2016 INSTALLATION



Hold onto or otherwise support the sway bar.

Remove the four mounting bolts (**15mm**) that secure the sway bar to the frame.





onto the steering linkage.

A **1-5/16**" **socket** will be required to remove the steering box sector shaft bolt with lock washer. Retain the lock washer for re-installation with the new nut.

Note: If the vehicle is a 2009-2012 model a **46mm** socket will be required to remove the stock sector shaft bolt. If a 46mm socket is not available a **1 13/16**" socket may be used instead.



A **1-1/4**" deep socket (**180 lbs-ft**) should be used to install the new sector shaft nut, re-using the stock lock washer.

NOTE: If installing a *1032006* kit you will need a **1-1/2**" deep socket (**180 lbs-ft**).



Slide the support bar into place, where the mounting feet are positioned in between the sway bar mounting and the frame.

When the sway bar is moved into place, the large diameter hole on the bearing plate will be approximately centered on the sector shaft nut.



3 October 2016

Apply Loctite. Install (**snug, not tight**) four of the supplied **17mm** bolts with washers to re-secure the sway bar and SBS to the frame, while allowing for final mounting position to be fine tuned.


The bracket is aligned when the sector shaft nut is centered in the hole.

*** It may be necessary to loosen the sway bar end link bolts to ease this process. (**15mm**)




Install two bolts through the small holes in bearing mounting area, so that the threads are hanging through the bracket.

NOTE: Before installing the bearing assembly, apply some Anti-seize to the sector shaft to help assist future removal.




Install the bearing assembly over the sector shaft nut until the bearing block comes to rest on the support bracket (noting that the block may not be flat to the mount at this point).

Install the lock washer and nut to the two bolts protruding through the bearing assembly (snug but do not tighten).






Tighten the four sway bar mounting bolts (**17mm**) to **40 lbs-ft.** (as per Dodge's specification).



Tighten the bearing lock washers and nuts (**19mm**).





Remove the set screws and apply LocTite.

Install and tighten the set screws (3/32" **Allen wrench**).

* Check that the zerk grease fitting is tight.

* Use a standard grease gun to apply grease to the bearing.

If you have any technical difficulties, concerns, comments, or complaints, please phone our Technical Support hotline at (800) 887-5030 between 8:30am-5:00pm PST (Pacific Standard Time) Monday to Friday.