MSDS# 626213LU Version 1.0 Effective Date 09/08/2008 nication Standard, 29 CFR

Material Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

1. MATERIAL AND COMPANY IDENTIFICATION

Material Name : Rain-X Windshield Washer Fluid All Season with Bug

Remover

Uses : Windshield washer

Manufacturer/Supplier : SOPUS Products

PO BOX 4427

Houston, TX 77210-4427

USA

MSDS Request : 877-276-7285

Emergency Telephone Number

Spill Information : 877-242-7400 **Health Information** : 877-504-9351

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical IdentityCAS No.ConcentrationMethanol67-56-130.00 - 60.00 %

A mixture of water, alcohols and additives.

3. HAZARDS IDENTIFICATION

Emergency Overview

Appearance and Odour : Orange. Liquid. Alcohol-like.

Health Hazards : Harmful in contact with skin. Harmful if swallowed. Harmful by

inhalation

Environmental Hazards : Not classified as dangerous for the environment.

Health Hazards

Inhalation: Harmful: possible risk of irreversible effects through inhalation.Skin Contact: Harmful: possible risk of irreversible effects in contact with skin.

Eye Contact : No specific hazards under normal use conditions.

Ingestion : Harmful: possible risk of irreversible effects in contact with skin

and if swallowed.

Other Information : Possibility of organ or organ system damage from prolonged

exposure; see Chapter 11 for details. Target organ(s):

Central nervous system (CNS).

Visual system.

Intentional abuse or misuse may cause organ damage or death.

: Acute methanol toxicity may progress as follows: drowsiness or

Signs and Symptoms

: Acute methanol toxicity may progress as follows: drowsiness or fatigue, and mild irritation of the eyes and mucous membranes; this may be followed (in about 18 to 24 hours and in some

this may be followed (in about 18 to 24 hours and in some cases up to 72 hours) by more severe central nervous system (CNS) effects and visual disturbances including diminished

MSDS# 626213LU Version 1.0 Effective Date 09/08/2008

Material Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

eyesight or blindness, metabolic acidosis (metabolism to formic

acid) and deep respirations.

Aggravated Medical Condition

Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Eyes. Visual system. Central nervous system (CNS).

Environmental Hazards Additional Information

: No specific hazards under normal use conditions.

Under normal conditions of use or in a foreseeable emergency, this product meets the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

4. FIRST AID MEASURES

General Information

Inhalation

: Keep victim calm. Obtain medical treatment immediately.

Remove to fresh air. If rapid recovery does not occur, transport to nearest medical facility for additional treatment. Inhalation of

vapours requires immediate medical attention.

Skin Contact : If persistent irritation occurs, obtain medical attention. Remove

contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow by washing with soap and water if available. If redness, swelling, pain and/or blisters occur, transport to the nearest medical

facility for additional treatment.

Eye Contact Ingestion

Flush eye with copious quantities of water.

DO NOT DELAY. If swallowed, do not induce vomiting: transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to

prevent aspiration.

Advice to Physician : Consult a Poison Control Centre for guidance. IMMEDIATE

TREATMENT IS EXTREMELY IMPORTANT!

5. FIRE FIGHTING MEASURES

Flash point : $34 \, ^{\circ}\text{C} / 93 \, ^{\circ}\text{F}$

Specific Hazards : This product is a mixture of water and a water miscible alcohol,

and does not present a significant flammability hazard when

used by consumers.

Suitable Extinguishing

Media

Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable Extinguishing

Media

Do not use water in a jet.

Protective Equipment for

Firefighters

Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space.

6. ACCIDENTAL RELEASE MEASURES

Ventilate contaminated area thoroughly.

Protective measures : Not applicable. No specific measures.

Clean Up Methods : Not applicable.

2/7
Print Date 10/22/2008 MSDS_US

MSDS# 626213LU Version 1.0 Effective Date 09/08/2008

1910.1200

According to OSHA Hazard Communication Standard, 29 CFR

Material Safety Data Sheet

Additional Advice : Observe all relevant local and international regulations.

7. HANDLING AND STORAGE

Handling Use only in well-ventilated areas. No special storage requirements. **Storage**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Material	Source	Туре	ppm	mg/m3	Notation
Methanol	ACGIH	TWA	200 ppm		
Methanol	ACGIH	STEL	250 ppm		
Methanol	ACGIH	SKIN_DES			Can be absorbed through the skin.
Methanol	OSHA Z1	PEL	200 ppm	260 mg/m3	
Methanol	OSHA Z1A	TWA	200 ppm	260 mg/m3	
Methanol	OSHA Z1A	STEL	250 ppm	325 mg/m3	
Methanol	OSHA Z1A	SKIN_FINAL			Can be absorbed through the skin.

Additional Information Adequate ventilation to control airborne concentrations below

the exposure guidelines/limits.

Exposure Controls : Adequate ventilation to control airborne concentrations below

the exposure guidelines/limits.

: Personal protective equipment (PPE) should meet **Personal Protective**

Equipment recommended national standards. Check with PPE suppliers.

Respiratory Protection : Check with respiratory protective equipment suppliers.

Hand Protection : PVC, neoprene or nitrile rubber gloves. **Eve Protection** Safety spectacles (safety glasses). **Environmental Exposure** : Use only in well-ventilated areas.

: 70 °C / 158 °F

Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Orange. Liquid. Odour : Alcohol-like. : 5.5 - 8 pН

Initial Boiling Point and

Boiling Range

Flash point : 34 °C / 93 °F

Specific gravity : 0.96 Water solubility : Soluble. Volatile organic carbon : 23 %

content

3/7 Print Date 10/22/2008 MSDS_US

MSDS# 626213LU Version 1.0 Effective Date 09/08/2008

Material Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

10. STABILITY AND REACTIVITY

Stability : Stable under normal conditions of use.

Conditions to Avoid : Not applicable.

Materials to Avoid : Not applicable.

Hazardous Decomposition

Products

Hazardous Polymerisation : No **Sensitivity to Mechanical** : No

Impact

11. TOXICOLOGICAL INFORMATION

Basis for Assessment : Information given is based on data from components.

Acute Oral Toxicity : May be harmful if swallowed. LD50 > 2000 - <= 5000 mg/kg,

: None expected under normal use conditions.

Rat

Note: There is a marked difference in acute oral toxicity between animals and man, man being more susceptible than animals. The estimated fatal dose for man is 100 millilitres.

Acute Dermal Toxicity : May be harmful in contact with skin. LD50 > 2000 - <= 5000

mg/kg, Rabbit

Acute Inhalation Toxicity : May be harmful if inhaled. Rat

Skin Irritation: Expected to be slightly irritating.Eye Irritation: Expected to be slightly irritating.Respiratory Irritation: Not expected to be a respiratory irritant.

Sensitisation : Not a skin sensitiser.

Repeated Dose Toxicity : Visual system: may cause marked impairment of vision or

blindness.

Mutagenicity: No evidence of mutagenic activity.

Carcinogenicity : Not a carcinogen.

Reproductive and : Causes adverse effects on the foetus based on animal studies.

Developmental Toxicity Does not impair fertility.

12. ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products.

Mobility: Disperses in water.Persistence/degradability: Data not availableBioaccumulation: Data not available

Other Adverse Effects : Not expected to have ozone depletion potential, photochemical

ozone creation potential or global warming potential.

13. DISPOSAL CONSIDERATIONS

Material Disposal : Recover or recycle if possible. It is the responsibility of the

waste generator to determine the toxicity and physical

MSDS# 626213LU Version 1.0

Effective Date 09/08/2008

According to OSHA Hazard Communication Standard, 29 CFR **Material Safety Data Sheet**

1910.1200

properties of the material generated to determine the proper waste classification and disposal methods in compliance with

applicable regulations.

Dispose in accordance with prevailing regulations, preferably **Container Disposal**

to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

Local Legislation Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

14. TRANSPORT INFORMATION

Additional Information US Department of Transportation Classification (49CFR):

Proper Shipping Name - Consumer Commodity, Class/Division

- ORM-D.

IMDG

Identification number UN 1987

Proper shipping name ALCOHOLS, N.O.S. Technical name (Methyl alcohol)

Class / Division 3 Packing group Ш Marine pollutant: No

IATA (Country variations may apply)

Identification number ID 8000

Proper shipping name **Consumer Commodity**

Class / Division

15. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Federal Regulatory Status

Notification Status

EINECS All components listed or

polymer exempt.

TSCA All components listed. DSL All components listed.

Comprehensive Environmental Release, Compensation & Liability Act (CERCLA)

Rain-X Windshield Washer Fluid All Reportable quantity: 16667 lbs

Season with Bug Remover ()

Methanol (67-56-1) Reportable quantity: 5000 lbs

Print Date 10/22/2008 MSDS_US

MSDS# 626213LU Version 1.0 Effective Date 09/08/2008

1910.1200

According to OSHA Hazard Communication Standard, 29 CFR

Material Safety Data Sheet

SARA Toxic Release Inventory (TRI) (313)

Methanol (67-56-1) 22.375%

State Regulatory Status

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

This material does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

New Jersey Right-To-Know Chemical List

Methanol (67-56-1) Listed.

Pennsylvannia Right-To-Know Chemical List

Methanol (67-56-1) Environmental hazard.

Listed.

16. OTHER INFORMATION

NFPA Rating (Health, : 1, 2, 0 Fire, Reactivity)

MSDS Version Number : 1.0

MSDS Effective Date : 09/08/2008

MSDS Revisions : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

MSDS Regulation : The content and format of this MSDS is in accordance with the

OSHA Hazard Communication Standard, 29 CFR 1910.1200.

MSDS Distribution : The information in this document should be made available to

all who may handle the product.

Disclaimer : The information contained herein is based on our current

knowledge of the underlying data and is intended to describe the product for the purpose of health, safety and environmental requirements only. No warranty or guarantee is expressed or implied regarding the accuracy of these data or the results to

be obtained from the use of the product.

Print Date 10/22/2008 MSDS_US

Remover MSDS# 626213LU Version 1.0 Effective Date 09/08/2008 According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Material Safety Data Sheet

7/7 Print Date 10/22/2008 MSDS_US