

2014 PRODUCT CATALOG

	8
AR SERIES	18
F SERIES	26
Z SERIES	34
ZW SERIES	42
TT/TRI SERIES	54
TRACK SERIES	

	58
CROSS SERIES	66
EDICT NINE SERIES	72
VIRTUE NINE SERIES	78
COMPULSION SERIES	82
NINE SERIES	90
7 SERIES	94
Q SERIES	96
PARTS & ACCESSORIES	110
APPAREL	118
SPECIFICATIONS & GEOMETRY CHART	

AR SERIES

The all-new 2014 Felt AR redefines aerodynamics for road bikes.


Five years in the making, it is the most aerodynamic road bike in the world. No other road bike comes close. Evolved from the original, already best in class Felt AR, the all-new 2014 Felt AR Series adds new meaning to the term "aero."

Every available technical resource, including the latest computational fluid dynamics, rapid prototyping, wind tunnel testing and real world testing was used to develop a road bike with drag numbers previously seen only on TT/Tri bikes. Without exaggeration, it is a bike that will change every aspect of road cycling.

How much more aerodynamic is the new Felt AR? Neutral wind tunnel testing proves that the 2014 AR is 14.7% faster than the previous Felt AR and 28.7-31.1% faster (contingent on front brake selection) than a round tube, baseline road bike. That is a quantifiable energy savings and time advantage that no other road bike can match.

The new Felt AR has all the superb ride characteristics desired in a road bike; optimized geometry, stiff, lively responsiveness out of the saddle with rail-like cornering and descending. With the new Felt AR you do not have to sacrifice weight, stiffness or ride quality to gain an aerodynamic advantage. Superior, world-class ride quality is combined with a previously unavailable aerodynamic advantage.

As you would expect with any Felt, each AR is outfitted with a full complement of race-ready components, all designed to deliver your best performance ever.



ARFRD

Aero Road UHC Ultimate + TeXtreme® MMC carbon frame and fork

Shimano Dura-Ace Di2 11-speed 53/39T x 12-25T w/ sprint shifters

VariMount Aero Road flip position carbon seatpost

Zipp 404 Firecrest wheels, Vittoria Diamante Pro Light tires

3T TornoVA LTD carbon handlebar, 3T Integra LTD carbon stem

COLOR // **MATTE CARBON**



AR2

Aero Road UHC Advanced MMC carbon frame,
UHC Ultimate + Nano fork

Shimano Ultegra Di2 11-speed 52/36T x 11-25T
w/ sprint shifters

Vibration Reducing Aero Road flip position UHC carbon
seatpost w/ 3T DiffLock™ Comfort Module internals

3T Accelero 40 Team Stealth wheels,
Vittoria Diamante Pro Light tires

3T Tornova Team Stealth carbon handlebar,
3T ARX II Team Stealth stem

COLOR // **MATTE CARBON**



AR3

Aero Road UHC Advanced MMC carbon frame,
UHC Ultimate + Nano fork

Campagnolo Athena EPS 11-speed 52/36T x 12-27T

Vibration Reducing Aero Road flip position UHC
carbon seatpost w/ 3T DiffLock™
Comfort Module internals

Campagnolo Scirocco 35 wheels,
Vittoria Rubino Pro Slick tires

3T Tornova handlebar, 3T ARX II stem

COLOR // **MATTE CARBON**



AR4

Aero Road UHC Performance
MMC carbon frame and fork

Shimano Ultegra 11-speed 52/36T x 11-25T

Shimano Ultegra dual pivot brakes

Shimano RS31 wheels,
Vittoria Rubino Pro Slick tires

COLOR // GLOSS CARBON



ARFRD

Aero Road UHC Ultimate + TeXtreme®
MMC carbon frame and fork

COLOR // MATTE CARBON



AR5

Aero Road UHC Performance
MMC carbon frame and fork

FSA Omega 10-speed 50/34T x
Shimano 11-25T

Shimano 105 dual pivot brakes

Aero R3 wheels,
Vittoria Rubino Pro Slick tires

COLOR // MATTE CARBON



AR1

Aero Road UHC Advanced MMC carbon frame
and UHC Ultimate carbon fork

COLOR // MATTE CARBON



F SERIES


The F Series is Felt's lightest and stiffest road bike family. From the Grand Tours to World Championships, mountaintop finishes to high-speed bunch sprints, Felt's performance F Series road bikes are engineered to win and have the race history to prove it. Whether it is the carbon fiber F1 raced by Marcel Kittel, John Degenkolb and Team Argos-Shimano or a quick, agile aluminum version, an F Series bike promises unmatched speed and world-class performance.

The Felt F Series features real world classic racing geometry; horizontal top tube, low head tube, sharp trail and tight wheelbase. Every dimension is optimized to produce race

performance body positioning. Every F Series rider, no matter the price point, enjoys the same race-tuned responsiveness in and out of the saddle, climbing, cornering and sprinting.

Each F Series bike is equipped with carefully selected components designed to optimize performance while maintaining the pure race bred heritage these bikes have built their reputation on.

Get more acquainted with the podium this year. Get on a Felt F Series, and get used to winning.



F2

Race Road UHC Advanced MMC carbon frame and fork

Shimano Ultegra Di2 11-speed 52/36T x 11-25T w/ sprint shifters

Shimano Ultegra dual pivot brakes

Shimano RS61 tubeless wheels, Vittoria Diamante Pro Light tires

3T Ergosum Team Stealth carbon handlebar, 3T AXR II Team Stealth stem, 3T Stylus 25 Team Stealth seatpost

COLOR // **MATTE CARBON**



F4

Race Road UHC Performance MMC carbon frame and UHC Advanced carbon fork

Shimano Ultegra 11-speed 52/36T x 11-25T

Shimano Ultegra dual pivot brakes

Shimano RS21 wheels,
Vittoria Rubino Pro Slick tires

COLOR // MATTE CARBON



F75

Race Road SuperLite Custom Butted Dynaform aluminum frame and UHC Advanced carbon fork

FSA Omega 10-speed 50/34T x Shimano 11-25T

Shimano dual pivot brakes

Mavic CXP-22 rims,
Vittoria Rubino Slick tires

COLOR // MATTE BLACK



F5

Race Road UHC Performance MMC carbon frame and fork

FSA Omega 10-speed 50/34T x Shimano 11-25T

Shimano dual pivot brakes

Mavic CXP-22 rims, Mavic Aksion tires

COLOR // MATTE CARBON



F4130 ATHENA

Classic Road Columbus Custom Butted premium Cr-Mo frame and UHC Performance carbon fork

Campagnolo Athena 11-speed 50/34T x 12-27T

Campagnolo Ultra-Torque BB30 Crankset

Campagnolo dual pivot brakes

COLOR // BELLA D'AVORIO



F95 JR

Race Road FLite Custom Butted Dynaform aluminum frame and UHC Performance carbon fork

Custom microSHIFT Road Short Reach shifters

Shimano Sora 9-speed 50/34T x 12-25T

Vittoria Rubino tires, 650 x 23c

COLOR // MATTE BLACK



FFRD

Race Road UHC Ultimate + TeXtreme® MMC carbon frame and UHC Ultimate + Nano carbon fork

COLOR // MATTE CARBON



F24

Race Road FLite Custom Butted aluminum frame and UHC Performance carbon fork

Custom microSHIFT Road Short Reach shifters

Shimano Claris 8-speed 50/36T x 12-25T

Kenda Konzept tires

COLOR // MATTE BLACK



FC

Race Road UHC Performance MMC carbon frame and UHC Advanced carbon fork

COLOR // MATTE CARBON





Z SERIES

The Z Series is Felt's most versatile road bike family. Whether tackling a Gran Fondo or the Tour de France, the perfect bicycle is one that delivers quick, agile performance at any speed, and provides the compliance and fit necessary to make even the longest ride enjoyable. The 2014 Z Series is specifically designed to deliver just that: meld top-tier handling with all-day capability.

Felt Z frames use a slightly taller head tube for greater flexibility in stem and bar position, as well as overall rider compartment. They feature sloping top tubes for increased stand over clearance, and benefit from improved vertical compliance from an enhanced cockpit layout. The Felt Z uses a slightly longer wheelbase for confident handling at any speed. Design goals of the Z were simple: make a race ready bike without limiting rider position or all-day capability.

Whether you choose a Z model built from any of our premium-grade carbon fiber lay ups, or one of the lightweight aluminum models, you'll get the same proven handling and confidence inspiring performance.

The proven Felt Z will inspire and deliver you to new heights.

Z1

Endurance Road UHC Ultimate + Nano MMC carbon frame and fork

Shimano Dura-Ace Di2 11-speed, FSA K-Force Light 53/39T x 11-25T w/ climbing shifter

Shimano Dura-Ace dual pivot brakes

Shimano RS81 wheels, Vittoria Diamante Pro Light tires

3T Ergonova Team Stealth carbon handlebar, 3T AXR II Team Stealth stem, 3T DORICO Team Stealth carbon seatpost

COLOR // **MATTE CARBON**



Z2

Endurance Road UHC Advanced MMC carbon frame and fork

SRAM 11-speed 50/34T x 11-32T

SRAM RED Hydro Rim brakes

Fulcrum Racing 5 Dark Label wheels, Vittoria Diamante Pro Light tires

3T Ergonova Team carbon handlebar, 3T AXR II Team stem

3T DORICO Team carbon seatpost

COLOR // **MATTE CARBON**



Z3

Endurance Road UHC Performance MMC carbon frame and fork

FSA Energy 11-speed 50/34T x Shimano 11-25T

FSA Energy dual pivot brakes

Shimano RS11 wheels, Vittoria Zaffiro Pro Slick tires

VariableAngle stem

COLOR // **GLOSS WHITE**



Z4

Endurance Road UHC Performance MMC carbon frame and fork

SRAM Rival 10-speed 50/34T x 12-32T

SRAM dual pivot brakes

Mavic CXP-22 rims, Mavic Aksion tires

VariableAngle stem

COLOR // **GLOSS CARBON**



Z5

Endurance Road UHC Performance
MMC carbon frame and fork

FSA Omega 10-speed 50/34T x
Shimano 11-32T

Mavic CXP-22 rims, Mavic Aksion tires

VariableAngle stem

COLOR // GLOSS CARBON



Z95

Endurance Road SuperLite Custom
Butted Hydroform aluminum frame
and UHC Performance carbon fork

FSA Tempo 9-speed 50/34T x
Shimano 11-32T

VariableAngle stem

COLOR // MATTE BLACK



Z85

Endurance Road SuperLite Custom
Butted Hydroform aluminum frame
and UHC Performance carbon fork

FSA Omega 10-speed 50/34T x
Shimano 12-32T

Mavic CXP-22 rims, Mavic Aksion tires

VariableAngle stem

COLOR // MATTE BLACK



Z100

Endurance Road FLite Custom
Butted Hydroform aluminum frame
and UHC Performance carbon fork

Felt Road 8-speed 50/34T x 11-32T

VariableAngle stem

COLOR // GLOSS ANTHRACITE



ZW SERIES


The ZW Series is a genuine woman-specific road bike series. As with all of our Fit Woman® products, the goal of Felt's ZW was to address the specific needs of female cyclists from both an engineering and anatomical perspective, along with improving performance. Many manufacturers introduce women's bikes by changing components and graphics to visually distinguish them from men's models. Felt started the entire engineering process from scratch on the ZW series, from the carbon lay-up on up.

The ZW features a longer wheelbase for enhanced stability. There are more cockpit positioning choices. The sloping top tube provides superior stand-over clearance for climbing and sprinting with improved vertical compliance.

Those design features contribute to the ZW's overall ride quality, but to truly optimize a bike for women, and to address every anatomical detail, every angle and dimension of the frame was scrutinized. Because a woman's body has distinctly different proportions than a man's, simply making a smaller frame is not an effective solution. Essentially, Felt reverse-engineered the geometry to achieve the desired fit. The ZW material lay-up is customized to improve performance and features such women-specific qualities as smaller diameter tubing, thinner tube walls and shorter frame intersections.

As with everything that Felt engineers, the ZW is focused on performance. Over the last three years, the ExergyTWENTY16 Pro Women's Cycling Team has ridden the ZW to numerous victories in some of the most prestigious races in the world. The ZW is stiff enough for unfettered performance; light enough to fly over hills, and compliant enough to ride all day.

Finally there is a bike you can call your own: The Felt ZW Series.



ZW2

Fit Woman UHC Performance MMC carbon frame
and UHC Advanced carbon fork

Shimano Ultegra Di2 11-speed 50/34T x 11-28T w/ climbing shifter

Shimano Ultegra dual pivot brakes

Fulcrum Racing 5 Dark Label wheels, Vittoria Diamante Pro Light tires

3T Ergonova Team Stealth carbon handlebar,
3T Stylus 25 Team Stealth seatpost

COLOR // **MATTE CARBON**



ZW3

Fit Woman UHC Performance MMC carbon frame and fork
FSA Energy 11-speed 50/34T x Shimano 11-32T
Shimano Ultegra dual pivot brakes
Shimano RS11 wheels, Vittoria Rubino Pro Tech tires
Fit Woman SuperLite handlebar
and Fit Woman SuperLite stem

COLOR // **MATTE CARBON**



ZW4

Fit Woman UHC Performance MMC carbon frame and fork
SRAM Rival 10-speed 50/34T x 12-32T
SRAM dual pivot brakes
Fulcrum Racing Sport wheels, Vittoria Zaffiro Pro tires
Fit Woman SuperLite handlebar, Fit Woman SuperLite stem
and UHC Performance seatpost

COLOR // **GLOSS WHITE**



ZW5

Fit Woman UHC Performance
MMC carbon frame and carbon fork

FSA Omega 10-speed 50/34T x
Shimano 11-32T

Shimano R501 wheels, Vittoria Zaffiro tires

Fit Woman SuperLite handlebar
and Fit Woman SuperLite stem

COLOR // MATTE CARBON



ZW95

Fit Woman FLite Custom Butted
Hydroform aluminum frame and
Fit Woman UHC Performance carbon fork

FSA Vero 9-speed 50/34T x
Shimano 11-32T

Fit Woman SuperLite handlebar
and Fit Woman SuperLite stem

COLOR // PEARL WHITE



ZW100

Fit Woman FLite Custom Butted
Hydroform aluminum frame and
Fit Woman UHC Performance carbon fork

FSA Tempo 8-speed 50/34T x
Shimano 11-32T

Fit Woman SuperLite handlebar
and Fit Woman SuperLite stem

COLOR // GLOSS ANTHRACITE



ZW85

Fit Woman SuperLite Custom Butted
Hydroform aluminum frame and
Fit Woman UHC Performance carbon fork

FSA Omega 10-speed 50/34T x
Shimano 11-32T

Mavic Open Sport rims, Mavic Aksion tires

Fit Woman SuperLite handlebar
and Fit Woman SuperLite stem

COLOR // GLOSS HEATHER GREY




ZW1

Fit Woman Road UHC Ultimate + Nano
MMC carbon frame and fork

COLOR // MATTE CARBON





Since our first Ironman victory over two decades ago, Felt has been developing innovative, aerodynamic, solo effort bikes. We have continually brought new ideas to rider positioning, efficiency and, above all, aerodynamics. From Champion triathletes like Mirinda Carfrae and Andi Boecherer, to Olympic and World Time Trial Champion Kristin Armstrong, they all rely on Felt time trial and triathlon bikes.

2014 marks a quantum leap in Felt's TT/Tri offerings. With the addition of the new game-changing Felt IA—by far the fastest tri bike ever developed—Felt adds yet another chapter to its rich triathlon heritage. Built as a dedicated triathlon bike, unbound by road federation design limitations, the IA is a multisport purebred that includes every aerodynamic and mechanical advantage for tomorrow's triathlete, today.

The IA joins the Olympic gold medal proven, UCI-approved, Felt DA with its new, quicker and more versatile Bayonet 4 steering system. The DA is one of the most successful triathlon and time trial bikes in history with an unrivaled winning record. The Felt TT/Tri family is rounded out by our very popular Felt B and S Series bikes. Together they are the most complete triathlon bike line offered by anyone.

The 2014 TT/Triathlon line is the result of our never-ending commitment to design improvement. These bikes are our fastest and most advanced TT/Tri bikes ever. Each bike incorporates engineered tube shapes, highly advanced materials, and a host of revolutionary technology and design practices. Our engineering team uses powerful computational fluid dynamic software to develop designs in the virtual environment. From there we move to rapid prototyping, wind tunnel development, pre-production prototyping, and finally, real world testing. If at any point in the engineering process a new concept is not proven, we return to the previous step.

The genuine strength of Felt's TT/Tri Series is not just wind tunnel data. In addition to the verified lowest drag coefficients in the sport, our bikes have superior ride quality and handling. No matter what the terrain or course pavement is like, Felt's TT and triathlon bikes provide a performance advantage with better frame stiffness and ride comfort.

Every Felt TT/Tri bike is outfitted with meticulously selected components, each chosen to offer the best performing, most aerodynamic bike in the world. On a Felt TT/Tri bike your bicycle is no longer an excuse; it's an advantage.

TT/TRI SERIES

IAFRD LTD

Integrated Aero UHC Ultimate + TeXtreme® MMC carbon frame and Dagger UHC Ultimate + TeXtreme® carbon fork

Shimano Dura-Ace Di2 11-speed 52/36T x 11-25T

Mavic Cosmic CXR80 WTS wheels, Mavic tires w/ CX01 WTS blade

Dagger UHC Ultimate + Nano base bar w/ *f*-bend carbon extensions

COLOR // MATTE CARBON



IAFRD

Integrated Aero UHC Ultimate + TeXtreme®
MMC carbon frame and Dagger UHC
Ultimate + TeXtreme® carbon fork

Vision TriMax Carbon TT 53/39T x
Shimano 11-25T

TTR1 wheels, TTR1 tires

Dagger UHC Ultimate + Nano base
bar, f-bend extensions

COLOR // MATTE CARBON



IAFRD

Integrated Aero UHC Ultimate + TeXtreme®
MMC carbon frame and Dagger UHC
Ultimate + TeXtreme® carbon fork

COLOR // MATTE CARBON



DA2

Dual Aero UHC Advanced MMC carbon frame
and Bayonet 4 UHC Ultimate + Nano carbon fork

Vision TriMax Carbon TT 11-speed 53/39T x
Shimano 11-25T

TTR1 by Reynolds wheels, TTR1 tires

Devon Bayonet 3 UHC Ultimate + Nano base bar,
f-bend extensions

COLOR // GLOSS CHARCOAL

DA3

Dual Aero UHC Advanced MMC carbon frame and Bayonet 3 UHC Advanced carbon fork

Shimano Dura-Ace 11-speed 52/36T x 11-25T

TTR1 by Reynolds wheels, TTR1 tires

Devox Bayonet 3 UHC Ultimate + Nano base bar, f-bend extensions

COLOR // GLOSS WHITE



DA4

Dual Aero UHC Advanced MMC carbon frame and Bayonet 3 UHC Advanced carbon fork

Vision TriMax Pro TT 11-speed 52/38T x Shimano 11-25T

TTR3 wheels, TTR2 tires

Bayonet 3 base bar, f-bend extensions

COLOR // MATTE CARBON



B12

Dual Aero UHC Performance MMC carbon frame and Aero UHC Performance carbon fork

Vision TriMax Pro TT 11-speed 52/38T x Shimano 11-25T

TTR3 wheels, TTR2 tires

Bayonet 3 base bar, f-bend extensions

COLOR // MATTE CARBON



B14

Dual Aero UHC Performance MMC carbon frame and Aero UHC Performance carbon fork

SRAM Rival 10-speed 52/36T x 11-28T

TTR4 wheels, Vittoria Zaffiro Slick tires

Felt Aero base bar, *f*-bend extensions

COLOR // MATTE BLACK



B16

Aero UHC Performance MMC carbon frame and Aero UHC Performance carbon fork

FSA Vero 10-speed 52/36T x 11-28T

TTR4 wheels, Vittoria Zaffiro Slick tires

Felt Aero base bar, *f*-bend extensions

COLOR // MATTE BLACK



B14 W

Fit Woman Dual Aero UHC Performance MMC carbon frame and Fit Woman Aero UHC Performance carbon fork

SRAM Rival 10-speed 52/36T x 11-28T

TTR4 wheels, Vittoria Zaffiro Slick tires

Felt Aero base bar, *f*-bend extensions

COLOR // GHOST



S32

AeroLite Custom Butted Dynaform aluminum frame and Aero UHC Performance carbon fork

FSA Tempo 10-speed 52/34T x 11-28T

TTR4 wheels, Vittoria Zaffiro Slick tires

Felt Aero base bar, *f*-bend extensions

COLOR // MATTE BLACK



TRACKSERIES

In the purest of all cycling disciplines, Felt track bikes stand tall and alone. Ask 6x World Track Cycling Champion, Sarah Hammer and her teammates on the 2012 London Olympic medal-winning Team Pursuit squad. In the seven years since its introduction to the international racing community, Felt has become the most successful, most coveted track name available.

Just like our TT/Tri and AR lines, the category-leading Tk1 was engineered using powerful Computational Fluid Dynamic (CFD) software and extensive aerodynamic analysis. Once the materials were chosen, Felt engineers applied proven geometry to give the bike precise, track-specific handling. And, like all of our performance products, it is elite level athletes and competition that ultimately validate the final design.

Building a bike that can take the power output of a world-class sprinter and deliver the stability to handle G-forces from maintaining 40 MPH on a 45-degree bank requires the right engineering. That engineering is built into each Felt Tk bike.

Whether selecting from one of our two marquee Tk1 offerings—Sprint or Endurance—or our proprietary aluminum models, the proven, predictable race handling are all guaranteed. All Felt track bikes come ready to hit the banks with the right blend of components. Each features quality manufacturing like CNC machined dropouts and internally machined bottom bracket shells.

Find out why Felt track bikes have earned such a devoted following among a wide variety of fixed gear riders. Whether a World Champion or a Wednesday night local, Felt track bikes are the fastest way to slingshot to the finish.



Tk1

Aero Track UHC Advanced MMC carbon frame and UHC Ultimate + Nano carbon fork

Campagnolo Record Pista 49T x 15T

TKR1 by Reynolds wheels, Vittoria Pista EVO CS tires

3T SPHINX LTD carbon handlebar, 3T ARX II Pro stem

COLOR // MATTE CARBON



Tk2

Aero Track UltraLite Custom Butted aluminum and UHC Performance carbon fork

TruVativ Omnium GXP 48T x 15T

TkR2 wheels, Vittoria Diamonte Pro Pista tires

3T SPHINX LTD carbon handlebar, 3T ARX II Pro stem

COLOR // MATTE BLACK



Tk3

Aero Track UltraLite Custom Butted aluminum and UHC Performance carbon fork

TkR4 wheels, Vittoria Rubino Slick tires

COLOR // MATTE BLACK



Tk1

Aero Track UHC Ultimate + Nano MMC carbon frame and Bayonet 2 UHC Ultimate carbon fork

COLOR // MATTE CARBON





CROSS SERIES

Felt's Fx line represents the pinnacle of cyclocross bicycle design.

The unpredictable and constantly changing terrain in cyclocross puts a rider's skills and their bike to the ultimate test. This unique sport requires a lightweight, high performance bike that stands up to the elements, no matter what they are, and excels in all punishing terrains.

The prerequisites to a superior 'cross bike are well defined: it must handle with complete confidence in dirt, sand, mud and snow; it has to be a climbing lightweight; it must be capable of quick dismounts and remounts. It must also be as fast and agile as a road bike, and robust enough to handle the demands and abuse which comes with the sport.

The Fx line was built for the rigors of elite level cyclocross racing. All Felt cyclocross bikes benefit from the advanced engineering, materials and manufacturing processes of Felt's latest generation road bikes. Top models feature full carbon fiber construction and blend the latest technologies with cyclocross-specific geometry. Their design details include optimized front and rear mud clearance, curved seatstays for additional ride comfort, and a flattened top tube underside for more comfortable shouldering during dismounts and run-ups. A BB30 bottom bracket, tapered headtube and full disc brake compatibility are details you find on this premium product line.

Whether you are shooting for a national title or just dabbling in 'cross to improve your fitness, or even if you need a fast, quick-handling and durable bike for rides that take you off the pavement—there is a Felt Fx just for you.

F2x

Cyclocross UHC Performance MMC carbon frame w/ shoulder friendly top tube and UHC Advanced carbon fork

SRAM RED 22 Hydro disc 11-speed 46/36T x 11-28T

CxR1 Tubeless Disc wheels, Vittoria Cross XL Pro TNT tubeless tires

3T Ergoterra Pro handlebar, 3T ARX II Pro stem, 3T IONIC 25 Pro seatpost

COLOR // MATTE CARBON



F3x

Cyclocross UHC Performance MMC carbon frame w/ shoulder friendly top tube and UHC Advanced carbon fork

FSA Energy 11-speed 46/36T x Shimano 11-28T

TRP Hy/Rd hydraulic disc brakes w/ superlight ASHIMA rotors

CxR1 Tubeless Disc wheels, Vittoria Cross XL Pro TNT tubeless tires

COLOR // **MATTE CARBON**



F5x

Cyclocross UHC Performance MMC carbon frame w/ shoulder friendly top tube and UHC Advanced carbon fork

SRAM Rival 10-speed 46/36T x 11-28T

Avid BB5 disc brakes w/ superlight ASHIMA rotors

CxR2 wheels, Vittoria Cross XL Pro tires

COLOR // **MATTE CARBON**



F65x

Cyclocross UltraLite Custom Butted Dynaform aluminum frame w/ shoulder friendly top tube and UHC Advanced carbon fork

SRAM Rival 10-speed 46/36T x 11-28T

Avid BB5 disc brakes w/ superlight ASHIMA rotors

CxR3 wheels, Vittoria Cross XL Pro tires

COLOR // MATTE BLACK



F24x

Cyclocross FLite Custom Butted Dynaform aluminum frame w/ shoulder friendly top tube and Cyclocross aluminum fork

Custom microSHIFT Road Short Reach shifters

Felt CxR:K Road 9-speed 40/28T x 11-32T

Kenda Happy Medium tires

COLOR // MATTE BLACK



Breed

Cyclocross SuperLite Custom Butted Dynaform aluminum frame w/ shoulder friendly top tube and UHC Advanced carbon fork

SRAM S350 crankset 36T x 16T

Avid Shorty 4 cantilever brakes

CxRSS wheels, Vittoria Cross XL Pro tires

COLOR // GLOSS BLOOD RED



F75x

Cyclocross UltraLite Custom Butted Dynaform aluminum frame w/ shoulder friendly top tube and UHC Advanced carbon fork

FSA Omega 10-speed 46/36T x Shimano 12-30T

Tektro Cantilever brakes

CxR3 wheels, Vittoria Cross XL Pro tires

COLOR // GLOSS WHITE



F1x

Cyclocross UHC Advanced MMC carbon frame and 3T LUTEUS carbon fork

COLOR // MATTE CARBON




EDICT NINE SERIES

The 100mm travel Edict Nine is a MTB cross-country purebred.

The Edict Nine is designed to tear through the toughest XC World Cup circuits and tame the most grueling marathon and XTERRA courses. The all-new 2014 Edict Nine Series brings a new level of performance to the gritty, unpredictable world of off-road riding and racing. Built with the World Championship proven Felt Active Stay Technology (FAST) and with efficient, stable 29" wheels, the carbon fiber Edict Nine is the new generation of XC racing. It is the favorite of the Kenda/Felt Pro MTB Team, Feenstra/Felt p/b Kenda Pro MTB Team and Josiah Middaugh, US National XTERRA Champion and silver medalist in the 2012 World XTERRA Championships.

The Edict Nine offers 100mm (4") of smooth, predictable travel and delivers unequaled suspension performance in a lightweight, race ready package. The genius behind FAST is its simplicity. The FAST seat stays and chain stays work as a single unit, offering just enough flex to optimize rear suspension activity. The whole rear end is custom engineered to provide both a stable pedaling platform and smooth trail feel. It keeps your tires on the ground when climbing and pedaling through stutter bumps. FAST suspension adds just the right amount of shock absorption and compliance to reduce fatigue even on your toughest rides.

All Edict models are lightweight, quick handling and stable. Now you can have the same off-road advantage our pros do: the Edict Nine.



Edict NineFRD

MTB UHC Ultimate + TeXtreme® DMC carbon FAST
100mm Suspension frame

RockShox SID XX World Cup Solo Air 100mm X Lock Full Sprint remote

SRAM XX1 11-speed Grip Shift 32 x 10-42T

SRAM XX Disc brakes 180/160

Easton EC90 Carbon (142 x 12)

COLOR // **MATTE CARBON**



Edict Nine1

MTB UHC Performance DMC carbon FAST
100mm Suspension frame

RockShox SID RL 100mm PushLoc Remote,
15mm Maxle

Shimano XT 10-speed 38/24 x 11-36T

Shimano XT Disc brakes 180/160

Shimano XT wheels (142 x 12)

COLOR // MATTE CARBON



Edict Nine3

MTB UHC Performance DMC carbon FAST
100mm Suspension frame

RockShox Recon Gold Solo Air 100mm
PushLoc Remote, 15mm Maxle

SRAM X9/X7 10-speed 38/24 x 11-36T

Magura MT2 Disc brakes 180/160

WTB Speed Disc i23 wheels (142 x 12)

COLOR // GLOSS CARBON



FELT BICYCLES // 72

Edict Nine50

MTB 7005 double butted aluminum FAST
100mm Suspension frame

RockShox Recon Gold Solo Air 100mm
PushLoc Remote, 15mm Maxle

Shimano SLX/Deore 10-speed
38/24 x 11-36T

Avid DB-3 Hydraulic Disc brakes 180/160

WTB Speed Disc i23 wheels (142 x 12)

COLOR // MATTE GUNMETAL



Edict Nine60

MTB 7005 double butted aluminum FAST
100mm Suspension frame

RockShox XC32 Solo Air 100mm
Turnkey lockout

SRAM X7/X5 10-speed 38/24 x 11-36T

Tektro HDC Hydraulic Disc brakes 180/160

WTB Speed Disc i23 wheels (142x12)

COLOR // MATTE BLACK



Edict NineFRD

MTB UHC Ultimate + TeXtreme® DMC carbon
FAST 100mm Suspension frame and RockShox
Monarch XX w/ custom tune, XLoc Sprint remote
lockout (165 x 38mm)

COLOR // BLACKOUT



FELT BICYCLES // 73



VIRTUE NINE SERIES

The new 2014 Virtue Nine Series combines the agility and performance of a cross-country bike with the stability and control of an aggressive trail bike. The 130mm travel Virtue, now on 29" wheels, is a blend of versatility and performance unmatched in the industry.

The Virtue is a mainstay in the Felt line-up. It is built around Felt's award winning Equilink suspension system. Equilink provides optimal pedaling efficiency uphill and unmatched ride quality going down. The unique and patented suspension system affords full-range travel independent of drivetrain or braking influence. With the elimination of pedal feedback over stutter bumps your wheels stay fully engaged at all times. Even hard braking is optimized. Virtue Nine is a nimble design that will change the way you think of full suspension.

Each Virtue is built as light and torsionally stiff as possible while delivering precise and confident handling. All models use optimized rear shocks to keep the suspension lively and active. They are combined with the highest quality bearings, bushings and hardware. The result is a bike unmatched in the industry. The Virtue is simply one of the most confident and capable trail bikes ever.

With several all-new Virtue Nine models to choose from, including full carbon fiber and aluminum, there is an option for every rider and pocket book. Now you can ride any trail with more speed, confidence and efficiency than you have ever dreamed possible.

Ride Virtue Nine.

Virtue Nine1

Trail UHC Advanced MMC Equilink 130mm Suspension frame

RockShox Revelation RLT Solo Air 140mm PushLoc lockout, 15mm Maxle

SRAM XO1 11-speed 30 x 10-42T

Avid XO Trail disc brakes 180/180, RS Reverb Stealth Dropper Post

Easton Haven Tubeless (142 x 12)

COLOR // MATTE CARBON



Virtue Nine3

Trail UHC Performance MMC Equilink
130mm Suspension frame

RockShox Sektor Gold 140mm PushLoc
remote lockout, 15mm Maxle

SRAM X9/X7, SRAM S1000 crankset
38/24 x 11-36T

Magura MT2 Disc brakes 180/180,
KS eTen Dropper Post

WTB Speed Disc i23 wheels (142 x 12)

COLOR // **MATTE CARBON**



Virtue Nine50

Trail 6061 Double-butted Aluminum Equilink
130mm Suspension frame

RockShox Sektor Silver 140mm w/ lockout,
15mm Maxle

Shimano SLX/Deore 10-speed
44/32/24 x 11-36T

Avid DB-1 Hydraulic Disc brakes 180/180,
KS eTen Dropper Post

WTB Speed Disc i23 (142 x 12)

COLOR // **GLOSS WHITE**



Virtue Nine60

Trail 6061 Double-butted Aluminum Equilink
130mm Suspension frame

Suntour Epicon TR 130mm Hydraulic Speed
Lockout, 15mm thru axle

SRAM X7/X5 10-speed, SRAM S1000 crankset
44/32/24 x 11-36T

Tektro Hydraulic Disc brakes 180/180

WTB Speed Disc i23 (142 x 12)

COLOR // **MATTE BLACK**



Virtue Nine20

Trail 6061 Double-butted Aluminum Equilink
130mm Suspension frame

RockShox Revelation RL Solo Air 140mm
PushLoc lockout, 15mm Maxle

Shimano XT 10-speed 38/24 x 11-36T

Shimano XT Disc brakes 180/180,
KS LEV Dropper Post

DT Swiss 533D/XT (142 x 12)

COLOR // **FOOLS GOLD**



Virtue Nine1

Trail Full Suspension UHC Advanced MMC
carbon frame, RockShox Monarch RT3
w/ custom tune (200 x 57mm)

COLOR // **MATTE CARBON**



The Compulsion is the pinnacle of performance. Built around the patented and proven Equilink suspension, and 150-160mm of fully active adjustable travel, the Compulsion is an all-mountain masterpiece. On Compulsion, anything is possible: tackle all the steep stuff, up and down, like you never thought possible.

At the heart of the Compulsion is Felt's Equilink suspension. The unique and patented Equilink system provides full-range travel independent of drivetrain and braking influence. Just like the Virtue, pedal jack is a thing of the past. Your wheels stay fully engaged even over stutter bumps. You'll never have to feather the brakes so your suspension can work. The Equilink neutralizes negative forces so your suspension is in constant operation. Equilink eliminates the need for excessive compression damping that some bike makers use to mask their own suspension inefficiency. The result is uncompromising performance on an uncompromised bike.

With two models to choose from in 2014, one carbon fiber and one aluminum, the Compulsion is lighter, stronger and stiffer than ever. It is robust enough to take big hits, and agile enough to deliver high speed, rail-like performance. The Compulsion features premium quality links and hardware, honed pivot placement and workload-specific tube shapes with optimized geometry. Cartridge bearings ensure butter smooth suspension travel. Precision pivot axles provide necessary durability and strength.

Whether its chairlift runs, enduros or a little of everything, Compulsion puts the "all" in all-mountain.

COMPLUSION SERIES



Compulsion LT3

All Mountain UHC Performance MMC carbon / aluminum 160mm Equilink frame

RockShox Pike RC Solo Air 160mm, 15mm Maxle

SRAM X9/X7 10-speed 36/22 x 11-36T

Magura MT2 Disc brakes 200/180, KS eTen Dropper Post

WTB Speed Disc i23 (142 x 12)

COLOR // MATTE BLACK



Compulsion LT50

All Mountain 6061 DB Hydroform aluminum 160mm Equilink Suspension frame

RockShox Domain R 160mm, 20mm Maxle

SRAM X7/X5 10-speed 36/22 x 11-36T

Avid DB-3 Hydraulic Disc brakes 200/180, KS eTen Dropper Post

WTB Speed Disc i23 (142 x 12)

COLOR // BRUSHBRITE





NINE SERIES

With cutting-edge frame technology and superior ride quality that has won over Felt's professional cross-country racers, Felt's Nine Series blends the surefooted handling characteristics of 29" wheels with race-bred performance. The Nine is our ultimate racing lightweight.

Since first introducing the Nine hardtails over six years ago, Felt has earned the reputation for "getting it right" among the most elite mountain bike riders. Getting the characteristics of a 29" hardtail exactly right in rider cockpit, weight distribution and center of gravity is difficult with bigger wheels and on smaller frames. This is where the Nine excels. Felt Nine provides no-compromise fit and performance, no matter which Nine model you are on.

Our Nine design criteria has remained clear: from geometry, to tube shapes, to rear triangle design, the Nine emerges in 2014 faster and more efficient than ever. Available in five sizes, the Nine is now a bike that fits one of the widest ranges of riders.

Top Nine models use Felt's proprietary Modular Monocoque Construction (MMC) carbon fiber for world-class ride quality and performance. These models provide the perfect blend of lightweight liveliness and durability. Our aluminum models have the same quick handling and compliant ride. They are built to climb and handle just like their carbon fiber counterparts.

So whether a World Cup XC pro or XTERRA devotee, a Marathon specialist or a recreational rider, there is a 2014 Felt Nine that is just right for you.

Nine1

XC UHC Advanced MMC carbon frame

RockShox SID RL 100mm PushLoc remote lockout, 15mm Maxle

Shimano XTR/XT 10-speed 38/24 x 11-36T

Shimano XT Disc brakes 180/160

Shimano XT tubeless wheels

COLOR // MATTE CARBON



Nine3

XC UHC Performance MMC carbon frame

RockShox Recon Gold Solo Air 100mm
PushLoc Lockout, 15mm Maxle

SRAM X9/X7 10-speed, SRAM S1000
crankset 38/24 x 11-36T

Magura MT2 Disc brakes 180/160

WTB Speed Disc i23 rims

COLOR // GLOSS WHITE



Nine5

XC UHC Performance MMC carbon frame

RockShox XC32 Solo Air 100mm
PopLoc Remote Lockout

SRAM X7/X5 10-speed, SRAM S1000
crankset 38/24 x 11-36T

Tektro HDC Hydraulic Disc brakes 180/160

WTB SX 17 rims

COLOR // MATTE CARBON



Nine50

XC 6061 Double Butted Hydroform aluminum frame

RockShox XC32 Solo Air 100mm PopLoc Remote Lockout

Shimano Deore 10-speed 42/32/24 x 11-34T

Avid DB-1 Hydralulic Disc brakes 180/160

WTB Speed Disc i23 rims

COLOR // **MATTE GALACTIC BLACK**



Nine80

XC 6061 Butted Dynaform aluminum frame

Suntour XCT 100mm

SRAM X4 8-speed, Suntour XCT crankset 42/32/22 x 11-34T

Tektro Novella Disc brakes 180/160

COLOR // **BLACK**



Nine60

XC 6061 Double Butted Hydroform aluminum frame

RockShox XC30 100mm turnkey lockout

Shimano Deore/Acera 9-speed, Suntour XCR crankset 42/32/22 x 11-34T

Tektro HDC Hydraulic Disc brakes 180/160

COLOR // **MATTE BLACK**



NineFRD

XC UHC Ultimate + TeXtreme[®] MMC carbon frame

COLOR // **MATTE CARBON**



Nine70

XC 6061 Double Butted Hydroform aluminum frame

Suntour XCM HLO 100mm with lockout

Shimano Alivio/Acera 9-speed, Suntour XCR crankset 42/32/22 x 11-34T

Tektro Novella Disc brakes 180/160

COLOR // **GUNMETAL**



NineC

XC UHC Advanced MMC carbon frame

COLOR // **MATTE CARBON**



New for 2014 is Felt's 7 Series. Using Felt's tried-and-true hardtail design expertise including what it takes to deliver spot-on geometry no matter the circumstance, these new 27.5" wheel bikes are destined to make each mountain bike ride your best ever.

The family of Felt 7's begins with our precision TIG welded, 6061 heat-treated aluminum frame with 3D forged dropouts, double water bottle braze-ons and cold forged aluminum replaceable rear dropout. Each Felt 7 also includes our ControlTaper 1.125-1.5" headtube and BB30 bottom bracket. These lightweight 7-specific frames carry all the performance of Felt MTB's including generous tire clearance, dialed-in geometry and the handling that comes with just the right balance in stiffness and compliance. No matter the price points, every Felt 7 is outfitted with the best available components including 100mm travel suspension forks, reliable disc brakes, wide gear-ranges and precise-shifting drive trains.

All the unique features of the Felt 7 add up to a bike that is equally at home on the steepest of climbs, fastest of fire roads and quickest of singletrack.

7SERIES



7SIXTY

MTB 6061 Butted Hydroform aluminum frame

RockShox XC30 100mm turnkey lockout

Shimano Deore/Acera 9-speed,
Suntour XCR crankset 42/32/22 x 11-36T

Tektro HDC Hydraulic Disc brakes 180/160

COLOR // **MATTE GALACTIC BLACK**



7EIGHTY

MTB 6061 Butted Dynaform aluminum frame

Suntour XCT 100mm fork

SRAM X4 8-speed, Suntour XCT crankset
42/32/22 x 11-34T

Tektro Novella Disc brakes 180/160

COLOR // **MATTE ANTHRACITE**





Q26

MTB Dynaform 6061 aluminum frame

Suntour XCT 100mm fork

SRAM X4 8-speed, Suntour XCT crankset
42/32/22 x 11-34T

Tektro Novella Disc brakes 180/160

COLOR // **BLACK**



Q24

Kids MTB Dynaform 6061 aluminum frame

Suntour M3020 50mm fork

Shimano Altus/Tourney 7-speed 42/34/24 x 13-34T

Tektro Novella Disc brakes 160/160

COLOR // **RACE RED**



QSERIES

The 2014 Felt Q Kids combines real-world performance and everyday affordability into a single mountain bike developed specifically for young riders. Designed to be fully capable off-road machines and built in two versions, the Q Kids is a young rider's ticket to mountain bike adventure. Using tried and true geometry, Q Series bikes exhibit superb, predictable handling and lightweight ride characteristics.

The Q Kids is perfect for open fire roads and challenging singletrack. It is built with the comfortable riding position and neutral geometry that deliver a complete off-road experience.

Both the 26" and 24" Q series frames use premium 6061-aluminum tubing with specially shaped designs for maximum torsional stiffness and vertical compliance. Felt uses a modern dynaforming process to shape the tubes for minimal weight and bold styling. Versatile frame features such as rack and fender mount braze-ons, plus sturdy 3D cold-forged dropouts, are included. Every Q features wide-range gearing with flawless shifting, and suspension forks that perform like those often found on bikes costing considerably more. Every model uses components that are carefully selected to be proportionally sized for each frame.

With Q Kids, mountain bike riding is now a complete family experience.

	ARFRD	AR2	AR3 EPS	AR4	AR5
Finish	Matte Carbon	Matte Carbon	Matte Carbon	Gloss Carbon	Matte Carbon
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm
Weight	TBA	TBA	7.84kg, 17.2lbs	8.06kg, 17.7lbs	8.09kg, 17.8lbs
Frame	Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, carbon fiber BB30 & dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific internal cable routing	Felt Aero Road UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30, carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific internal cable routing	Felt Aero Road UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30, carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific internal cable routing	Felt Aero Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30, carbon fiber dropouts, replaceable rear derailleur hanger, internal cable routing (electronic compatible)	Felt Aero Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30, carbon fiber dropouts, replaceable rear derailleur hanger, internal cable routing (electronic compatible)
Shock					
Fork	Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Aero Road UHC Ultimate carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Aero Road UHC Ultimate carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Aero Road UHC Performance carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Aero Road UHC Performance carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts
Headset	FSA No. 44 integrated, 1.125" - 1.25" sealed superlight cartridge bearing w/ carbon fiber 15mm cone spacer, 2 x 10mm carbon fiber headset spacer, 1 x 5mm PC headset spacer, Felt compression device, carbon fiber top cap & aluminum bolt	FSA No. 38 integrated, 1.125" - 1.25" sealed cartridge bearing w/ aluminum 4.5mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA No. 38 integrated, 1.125" - 1.25" sealed cartridge bearing w/ aluminum 16.5mm integrated brake hanger & barrel adjuster cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt	FSA No. 38 integrated, 1.125" - 1.25" sealed cartridge bearing w/ aluminum 4.5mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt	FSA No. 38 integrated, 1.125" - 1.25" sealed cartridge bearing w/ aluminum 4.5mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt
Stem	3T Integra LTD carbon fiber w/ titanium bolts, -10° rise, Ø31.8mm 48 - 51cm = 100mm 54 - 56cm = 110mm 58cm = 120mm 61cm = 130mm	3T ARX II Team Stealth w/ titanium bolts, +6° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm	3T ARX II, +/-6° rise, Ø31.8mm 48 - 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm	Felt SuperLite, +/-7° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm	Felt SuperLite, +/-7° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm
Handlebar	3T Tornova LTD carbon fiber, 83mm reach, 139mm drop, Ø31.8mm 48 - 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	3T Tornova Team Stealth carbon fiber, 83mm reach, 139mm drop, Ø31.8mm 48 - 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	3T Tornova, 83mm reach, 139mm drop, Ø31.8mm 48 - 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	Felt Aero Road VariableShape, 80mm reach, 130mm drop, Ø31.8mm 48cm = 380mm 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	Felt Aero Road VariableShape, 80mm reach, 130mm drop, Ø31.8mm 48cm = 380mm 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm
Grips	Felt VelvetGel Tape	Felt VelvetGel Tape	Felt VelvetGel Tape	Felt SuperGel Tape	Felt SuperGel Tape
Bar Ends / Caps	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"
Shifters	Shimano Dura-Ace Di2 w/ secondary sprint shifters	Shimano Ultegra 11-speed Di2 w/ secondary sprint shifters	Campagnolo Athena EPS	Shimano Ultegra 11-speed STI	Shimano 105 STI
Front Derailleur	Shimano Dura-Ace Di2 braze-on	Shimano Ultegra 11-speed Di2 braze-on	Campagnolo Athena EPS braze-on	Shimano Ultegra 11-speed braze-on	Shimano 105 braze-on
Rear Derailleur	Shimano Dura-Ace Di2	Shimano Ultegra 11-speed Di2 short cage	Campagnolo Athena EPS	Shimano Ultegra 11-speed short cage	Shimano 105 short cage
Crankset	Shimano Dura-Ace 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	Shimano Ultegra 11-speed 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	Campagnolo Athena Power-Torque 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	Shimano Ultegra 11-speed 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	FSA Omega BB30 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm
Chainwheel	Shimano 53/39T	Shimano 52/36T	Campagnolo 52/36T	Shimano 52/36T	FSA 50/34T
Chainguide					
Bottom Bracket	FSA Ceramic BB30 w/ 24mm spindle reducers	FSA BB30 w/ 24mm spindle reducers	Campagnolo Power-Torque	FSA BB30 w/ 24mm spindle reducers	FSA BB30
Pedals					
Chain	Shimano Dura-Ace 11-speed	Shimano Ultegra 11-speed	KMC X11 11-speed	Shimano Ultegra 11-speed	Shimano 10-speed
Freewheel / Cassette	Shimano Dura-Ace, 12-25T	Shimano Ultegra 11-speed, 11-25T	Campagnolo Chorus, 12-27T	Shimano Ultegra 11-speed, 11-25T	Shimano, 11-25T
Brake Levers	Shimano Dura-Ace Di2	Shimano Ultegra 11-speed Di2	Campagnolo Athena EPS	Shimano Ultegra 11-speed STI	Shimano 105 STI
Front Brake	Shimano Dura-Ace dual pivot caliper w/ carbon fiber rim brake pads	Shimano Ultegra dual pivot caliper	Campagnolo aerodynamic center pull caliper	Shimano Ultegra dual pivot caliper	Shimano 105 dual pivot caliper
Rear Brake	Shimano Dura-Ace direct mount w/ carbon fiber rim brake pads	Shimano Ultegra direct mount	Felt Aero Road direct mount	Shimano Ultegra direct mount	Shimano 105 direct mount
Cables	Shimano Dura-Ace brake & Di2 derailleur	Felt Slick brake & Di2 derailleur	Campagnolo brake & Athena EPS derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur
Saddle	Prologo Zero II CPC Neck	Prologo Zero II TiRox	Prologo Zero T2.0	Prologo Zero T2.0	Prologo Zero T2.0
Seat Post	Felt VariMount Aero Road flip position UHC carbon fiber, 350mm length	Felt Vibration Reducing Aero Road flip position UHC carbon fiber w/ 3T DiffLock™ Comfort Module internals, 350mm length	Felt Vibration Reducing Aero Road flip position UHC carbon fiber w/ 3T DiffLock™ Comfort Module internals, 350mm length	Felt VariMount Aero Road flip position UHC carbon fiber, 350mm length	Felt VariMount Aero Road flip position UHC carbon fiber, 350mm length
Seat Post Clamp	Felt Internaloc integrated w/ titanium bolts	Felt Internaloc integrated	Felt Internaloc integrated	Felt Internaloc integrated	Felt Internaloc integrated
Rims / Wheelset	Zipp 404 Firecrest carbon fiber	3T Accelero 40 Team Stealth carbon fiber	Campagnolo Scirocco 35	Shimano RS31	Felt Aero R3
Front Hub	Zipp 404 Firecrest	3T Accelero 40 Team Stealth	Campagnolo Scirocco 35	Shimano RS31	Felt R2, sealed cartridge bearing, 24H
Rear Hub	Zipp 404 Firecrest, 11-speed	3T Accelero 40 Team Stealth, 11-speed	Campagnolo Scirocco 35, 11-speed	Shimano RS31, 11-speed	Felt R2, sealed cartridge bearing, 28H, 10-speed (11-speed compatible)
Spokes	Zipp 404 Firecrest	3T Accelero 40 Team Stealth	Campagnolo Scirocco 35	Shimano RS31	2.0 / 1.5 / 2.0mm butted stainless steel w/ aluminum nipples
Tires	Vittoria Diamante Pro Light, 220tpi, 700 x 23c	Vittoria Diamante Pro Light, 220tpi, 700 x 23c	Vittoria Rubino Pro Slick, 700 x 23c	Vittoria Rubino Pro Slick, 700 x 23c	Vittoria Rubino Pro Slick, 700 x 23c
Accessories	Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, 3T Integra stem Garmin mount, Di2 internal battery charging cables, touch-up paint	Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, Di2 internal battery charging cables, touch-up paint	Carbon assembly paste, chain plate protector, valve extenders, EPS charging cables, touch-up paint	Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, touch-up paint	Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, touch-up paint

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	ARFRD FRAMESET	AR1 FRAMESET	F2	F4	F5
Finish	Matte Carbon	Matte Carbon	Matte Carbon	Matte Carbon	Matte Carbon
Sizes	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm
Weight	TBA	TBA	TBA	7.67kg, 16.8lbs	8.03kg, 17.6lbs
Frame	Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, carbon fiber BB30 & dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific internal cable routing	Felt Aero Road UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30, carbon fiber dropouts, replaceable rear derailleur hanger, internal cable routing (electronic compatible)	Felt Race Road UHC Advanced carbon fiber, MMC w/ InsideOut construction, carbon fiber BB30 & dropouts, replaceable rear derailleur hanger, internal cable routing (mechanical compatible)	Felt Race Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30, replaceable rear derailleur hanger	Felt Race Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30, replaceable rear derailleur hanger
Shock					
Fork	Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Aero Road UHC Ultimate carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Race Road UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Race Road UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Race Road UHC Performance carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown & blades
Headset	FSA No. 44 integrated, 1.125" - 1.25" sealed superlight cartridge bearing w/ carbon fiber 15mm cone spacer, 2 x 10mm + 1 x 5mm carbon fiber headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA No. 38 integrated, 1.125" - 1.25" sealed cartridge bearing w/ aluminum 4.5mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm aluminum headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm aluminum headset spacers, Felt compression device, top cap & aluminum bolt
Stem			3T ARX II Team w/ titanium bolts, +/-6° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt SuperLite, +/-7° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm	Felt SuperLite, +/-7° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm
Handlebar			3T Ergosom Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm 48 - 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 48cm = 380mm 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 48cm = 380mm 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm
Grips			Felt VelvetGel Tape	Felt SuperGel Tape	Felt SuperGel Tape
Bar Ends / Caps			Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"
Shifters			Shimano Ultegra 11-speed Di2 w/ secondary sprint shifters	Shimano Ultegra 11-speed STI	Shimano 105 STI
Front Derailleur			Shimano Ultegra 11-speed Di2 braze-on	Shimano Ultegra 11-speed braze-on	Shimano 105 braze-on
Rear Derailleur			Shimano Ultegra 11-speed Di2 short cage	Shimano Ultegra 11-speed short cage	Shimano 105 short cage
Crankset			Shimano Ultegra 11-speed 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	Shimano Ultegra 11-speed 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	FSA Omega BB30 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm
Chainwheel			Shimano 52/36T	Shimano 52/36T	FSA 50/34T
Chainguide					
Bottom Bracket	FSA Ceramic BB30 w/ 24mm spindle reducers	FSA BB30 w/ 24mm spindle reducers	FSA BB30 w/ 24mm spindle reducers	FSA BB30 w/ 24mm spindle reducers	FSA BB30
Pedals					
Chain			Shimano Ultegra 11-speed	Shimano Ultegra 11-speed	Shimano 10-speed
Freewheel / Cassette			Shimano Ultegra 11-speed, 11-25T	Shimano Ultegra 11-speed, 11-25T	Shimano, 11-25T
Brake Levers			Shimano Ultegra 11-speed Di2	Shimano Ultegra 11-speed STI	Shimano 105 STI
Front Brake			Shimano Ultegra dual pivot caliper	Shimano Ultegra dual pivot caliper	Shimano dual pivot caliper
Rear Brake			Shimano Ultegra dual pivot caliper	Shimano Ultegra dual pivot caliper	Shimano dual pivot caliper
Cables			Shimano brake & Di2 derailleur	Shimano brake & derailleur	Felt Slick brake & derailleur
Saddle			Prologo Nago Evo TiRox	Prologo Nago Evo T2.0	Prologo Nago Evo T2.0
Seat Post	Felt VariMount Aero Road flip position UHC carbon fiber, 350mm length	Felt Vibration Reducing Aero Road flip position UHC carbon fiber w/ 3T DiffLock™ Comfort Module internals, 350mm length	3T Stylus 25 Team Stealth, Ø27.2mm 48 - 51cm = 280mm 54 - 61cm = 350mm	Felt Race Road UHC Performance carbon fiber, Ø27.2mm, 300mm length	Felt Race Road UHC Performance carbon fiber, Ø27.2mm, 300mm length
Seat Post Clamp	Felt Internaloc integrated w/ titanium bolts	Felt Internaloc integrated	Felt double bolt, Ø30.6mm	Felt double bolt, Ø30.6mm	Felt double bolt, Ø30.6mm
Rims / Wheelset			Shimano RS61 tubeless	Shimano RS21	MAVIC CXP-22
Front Hub			Shimano RS61	Shimano RS21	Felt R3, sealed bearing, 24H
Rear Hub			Shimano RS61, 11-speed	Shimano RS21, 11-speed	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)
Spokes			Shimano RS61	Shimano RS21	2.0 / 1.8mm butted stainless steel w/ aluminum nipples
Tires			Vittoria Diamante Pro Light, 220tpi, 700 x 23c	Vittoria Rubino Pro Slick, 700 x 23c	MAVIC Aksion, 700 x 23c
Accessories	Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, touch-up paint, Felt Bonus Decals	Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, touch-up paint, Felt Bonus Decals	Carbon assembly paste, chain plate protector, Di2 internal battery charging cables, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	F75	F95 Jr.	F24	F4130	FFRD FRAMESET
Finish	1) Matte Black 2) Gloss Ultramarine	Matte Black	Matte Black	Bella d'Avorio	Matte Carbon
Sizes	48, 51, 54, 56, 58, 61cm	43cm	40cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm
Weight	9.01kg, 19.8lbs	8.68kg, 19lbs	9.06kg, 19.9lbs	9.06kg, 19.9lbs	TBA
Frame	Felt Race Road UltraLite Custom Butted 7005 aluminum, Dynaform TIG-welded construction, BB30, replaceable rear derailleur hanger	Felt Race Road FLite Custom Butted aluminum, Dynaform TIG-welded construction, threaded BB, replaceable rear derailleur hanger	Felt Race Road FLite Custom Butted 7005 aluminum, TIG-welded construction, threaded BB, replaceable rear derailleur hanger	Felt Classic Road Columbus Custom butted Cr-Mo, BB30 shell, rack & fender mounts	Felt Race Road UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, carbon fiber BB30 & dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific internal cable routing
Shock					
Fork	Felt Race Road UHC Performance carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steerer tube	Felt Race Road UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube	Felt Race Road UHC Performance carbon fiber blades	Felt Classic Road UHC Performance carbon fiber blades, 1.125" aluminum steerer tube	Felt Race Road UHC Ultimate + Nano carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts
Headset	FSA NO.42, 1.125" - 1.5" sealed bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt top cap	Threadless 1.125" sealed bearing w/ aluminum 15mm cone spacer, 2 x 10mm PC headset spacers & Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 15mm cone spacer, 1 x 10mm aluminum headset spacer & Felt top cap	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt
Stem	Felt SuperLite, +/-7° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm	Felt SuperLite, +/-7° rise, Ø26.0mm, 80mm	Felt SuperLite, +/-7° rise, Ø26.0mm, 80mm	Felt Classic threadless quill, -17° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54cm = 100mm 56cm = 100mm 58cm = 110mm 61cm = 120mm	
Handlebar	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 48cm = 380mm 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	Felt K-1, 75mm reach, 120mm drop, Ø26.0mm, 360mm	Felt K-1, 75mm reach, 120mm drop, Ø26.0mm, 360mm	Felt Road VariableShape, Ø31.8mm 48cm = 380mm 51cm = 400mm 54 - 56cm = 420mm 58 - 61cm = 440mm	
Grips	Felt SuperGel Tape	Felt Gel Tape	Felt Gel Tape	Devov VelvetGel Tape	
Bar Ends / Caps	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Devov Carbon	
Shifters	Shimano 105 STI	microSHIFT Road Short Reach	microSHIFT Road Short Reach	Campagnolo Athena Ultra-Shift	
Front Derailleur	Shimano 105 clamp-on, Ø34.9mm	microSHIFT Road clamp-on, Ø34.9mm	microSHIFT Road clamp-on, Ø31.8mm	Campagnolo Athena clamp-on, Ø31.8mm	
Rear Derailleur	Shimano 105 short cage	Shimano Sora short cage	Shimano Claris short cage	Campagnolo Athena	
Crankset	FSA Omega BB30 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	FSA Tempo, 160mm	Felt K-1 Road, 155mm	Campagnolo Athena Power-Torque 48cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	
Chainwheel	FSA 50/34T	FSA 50/34T	Felt 50/36T	Campagnolo 50/34T	
Chainguide					
Bottom Bracket	FSA BB30	FSA Square Tapered, 68 x 110.5mm	Square Tapered, 68mm	Campagnolo Power-Torque	FSA Ceramic BB30 w/ 24mm spindle reducers
Pedals			Superlight Road platform, toe clips & straps		
Chain	Shimano 10-speed	Shimano 9-speed	SunRace 8-speed	KMC X11 11-speed	
Freewheel / Cassette	Shimano, 11-25T	SunRace, 12-25T	SunRace, 12-25T	Campagnolo Chorus, 11-25T	
Brake Levers	Shimano 105 STI	microSHIFT Road Short Reach	microSHIFT Road Short Reach w/ Tektro top mount levers	Campagnolo Athena Ultra-Shift	
Front Brake	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Campagnolo dual pivot caliper	
Rear Brake	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Campagnolo dual pivot caliper	
Cables	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Campagnolo brake & derailleur	
Saddle	Felt SuperLite Road	Felt K-1	Felt K-1	Felt Classic Road	
Seat Post	Felt Race Road UHC Performance carbon fiber, Ø27.2mm, 300mm length	Felt SuperLite Road, Ø27.2mm, 300mm length	Felt SuperLite 6061 forged aluminum, Ø27.2mm	Felt Classic Road 6061 forged aluminum, Ø27.2mm	
Seat Post Clamp	Felt single bolt, Ø30.6mm	Felt single bolt, Ø30.6mm	Felt single bolt, Ø31.8mm	Felt single bolt, Ø31.8mm	Felt double bolt w/ titanium bolts & scandium nut-bar, Ø30.6mm
Rims / Wheelset	MAVIC CXP-22	Alex R500	Alex DA22	Felt Classic Road Yellow Label	
Front Hub	Felt R3, sealed bearing, 24H	Felt R3, sealed bearing, 24H	Felt R4, sealed bearing, 24H	Felt R3, sealed bearing, 28H	
Rear Hub	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt R4, sealed bearing, 28H, 10-speed	Felt R3, sealed bearing, 32H, 11-speed	
Spokes	2.0mm stainless steel w/ aluminum nipples	1.8mm stainless steel	1.8mm stainless steel	DT Swiss 2.0 / 1.8 / 2.0mm butted stainless steel w/ aluminum spoke nipples	
Tires	Vittoria Rubino Slick, 700 x 23c	Vittoria Rubino, 650 x 23c	Kenda Konzept, 24 x 1"	Vittoria Zaffiro, 700 x 23c	
Accessories	Carbon assembly paste, touch-up paint	touch-up paint	touch-up paint	Touch-up paint	Carbon assembly paste, chain plate protector, valve extenders, touch-up paint, Felt Bonus Decals

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	FC FRAMESET	Z1 Di2	Z2	Z3	Z4
Finish	Matte Carbon	Matte Carbon	Matte Carbon	Gloss White	Gloss Carbon
Sizes	48, 51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm
Weight	TBA	TBA	TBA	7.28kg, 16.0lbs	7.97kg, 17.5lbs
Frame	Felt Race Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30, carbon fiber dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Endurance Road UHC Ultimate + Nano carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, internal cable routing (mechanical compatible)	Felt Endurance Road UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Endurance Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Endurance Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing
Shock					
Fork	Felt Race Road UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Endurance Road UHC Ultimate + Nano carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Endurance Road UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Endurance Road UHC Performance carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts	Felt Endurance Road UHC Performance carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts
Headset	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 15mm cone spacer, 2 x 10mm + 1 x 5mm carbon fiber headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device & integrated top cap	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device & integrated top cap
Stem		3T ARX II Team Stealth w/ titanium bolts, +/-6° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	3T ARX II Team w/ titanium bolts, +/-6° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm
Handlebar		3T Ergonova Team Stealth carbon fiber, 77mm reach, 123mm drop, Ø31.8mm 51cm = 400mm 54cm = 420mm 56 - 61cm = 440mm	3T Ergonova Team carbon fiber, 77mm reach, 123mm drop, Ø31.8mm 51cm = 400mm 54cm = 420mm 56 - 61cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 51cm = 400mm 54cm = 420mm 56 - 61cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 51cm = 400mm 54cm = 420mm 56 - 61cm = 440mm
Grips		Devov VelvetGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape
Bar Ends / Caps		Devov Carbon	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"
Shifters		Shimano Dura-Ace Di2 w/ secondary climbing shifter	SRAM RED 22 Hydro DoubleTap	Shimano Ultegra 11-speed STI	SRAM Rival DoubleTap
Front Derailleur		Shimano Dura-Ace Di2 braze-on	SRAM RED 22 YAW braze-on w/ chain watcher	Shimano Ultegra 11-speed braze-on	SRAM Apex braze-on
Rear Derailleur		Shimano Dura-Ace Di2	SRAM RED 22 WiFi	Shimano Ultegra 11-speed long cage	SRAM Rival WiFi
Crankset		FSA K-Force Light 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	SRAM S952 BB30 11-speed YAW 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	FSA Energy BB30 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	SRAM S350 BB30 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm
Chainwheel		FSA 50/34T	SRAM 50/34T	FSA 50/34T	SRAM 50/34T
Chainguide					
Bottom Bracket	FSA BB30 w/ 24mm spindle reducers	FSA Ceramic BB30 w/ 24mm spindle reducers	SRAM BB30	FSA BB30	SRAM BB30
Pedals					
Chain		Shimano Ultegra 11-speed	SRAM 11-speed	Shimano Ultegra 11-speed	SunRace 10-speed
Freewheel / Cassette		Shimano Ultegra 11-speed, 11-25T	SRAM 11-speed, 11-32T	Shimano Ultegra 11-speed, 11-25T	SunRace, 12-32T
Brake Levers		Shimano Dura-Ace Di2	SRAM RED 22 Hydro DoubleTap	Shimano Ultegra 11-speed STI	SRAM Rival DoubleTap
Front Brake		Shimano Dura-Ace dual pivot caliper	SRAM RED Hydro Rim	FSA Energy dual pivot caliper	SRAM dual pivot caliper
Rear Brake		Shimano Dura-Ace dual pivot caliper	SRAM RED Hydro Rim	FSA Energy dual pivot caliper	SRAM dual pivot caliper
Cables		Shimano Dura-Ace brake & Di2 derailleur	SRAM RED by GORE brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur
Saddle		Prologo Scratch Pro Neck	Prologo Kappa T2.0	Prologo Kappa T2.0	Prologo Kappa T2.0
Seat Post		3T DORICO Team Stealth carbon fiber, Ø27.2mm 51cm = 280mm 54 - 61cm = 350mm	3T DORICO Team carbon fiber, Ø27.2mm 51cm = 280mm 54 - 61cm = 350mm	Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 330mm length
Seat Post Clamp	Felt double bolt, Ø30.6mm	Felt double bolt w/ titanium bolts & scandium nut-bar, Ø30.6mm	Felt double bolt, Ø30.6mm	Felt double bolt, Ø30.6mm	Felt double bolt, Ø30.6mm
Rims / Wheelset		Shimano RS81	Fulcrum Racing 5 Dark Label	Shimano RS11	MAVIC CXP-22
Front Hub		Shimano RS81	Fulcrum Racing 5 Dark Label	Shimano RS11	Felt R3, sealed bearing, 24H
Rear Hub		Shimano RS81, 11-speed	Fulcrum Racing 5 Dark Label, 11-speed	Shimano RS11, 11-speed	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)
Spokes		Shimano RS81	Fulcrum Racing 5	Shimano RS11	2.0 / 1.8mm butted stainless steel w/ aluminum nipples
Tires		Vittoria Diamante Pro Light, 220tpi, 700 x 25c	Vittoria Diamante Pro Light, 220tpi, 700 x 25c	Vittoria Zaffiro Pro Slick, 700 x 25c	MAVIC Aksion, 700 x 25c
Accessories	Carbon assembly paste, chain plate protector, valve extenders, touch-up paint, Felt Bonus Decals	Carbon assembly paste, chain plate protector, Di2 internal battery charging cables, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	Z5	Z85	Z95	Z100	ZW2
Finish	Gloss Carbon	Matte Black	Matte Black	Gloss Anthracite	Matte Carbon
Sizes	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	Petite (43), Small (45), Medium (47), Tall (50)
Weight	8.16kg, 17.9lbs	TBA	10.05kg, 22.1lbs	10.13kg, 22.3lbs	TBA
Frame	Felt Endurance Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Endurance Road SuperLite Custom Butted aluminum, Hydroform TIG-welded construction, BB30, replaceable rear derailleur hanger	Felt Endurance Road SuperLite Custom Butted aluminum, Hydroform TIG-welded construction, threaded BB, replaceable rear derailleur hanger	Felt Endurance Road FLite Custom Butted aluminum, Hydroform TIG-welded construction, threaded BB, replaceable rear derailleur hanger	Felt Fit Woman Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing
Shock					
Fork	Felt Endurance Road UHC Performance carbon fiber blades & dropouts w/ ControlTaper 1.125" - 1.5" aluminum steerer tube	Felt Endurance Road UHC Performance carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steerer tube	Felt Endurance Road UHC Performance carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steerer tube	Felt Endurance Road UHC Performance carbon fiber blades, 1.125" aluminum steerer tube	Felt Fit Woman Road UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Petite, Small) Felt Fit Woman Road UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Medium, Tall)
Headset	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt integrated top cap	FSA NO.42, 1.125" - 1.5" sealed bearing w/ aluminum 15mm cone spacer, 2 x 10mm PC headset spacer + 1 x 5mm aluminum headset spacer, Felt integrated top cap	FSA NO.42, 1.125" - 1.5" sealed bearing w/ aluminum 15mm cone spacer, 2 x 10mm PC headset spacer + 1 x 5mm aluminum headset spacer, Felt integrated top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 25.5mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt integrated top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ carbon fiber 15mm cone spacer, 2 x 10mm + 1 x 5mm carbon fiber headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt (Petite, Small) FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt (Medium, Tall)
Stem	Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51cm = 80mm 54cm = 90mm 56cm = 100mm 58 - 61cm = 110mm	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm
Handlebar	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 51cm = 400mm 54cm = 420mm 56 - 61cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 51cm = 400mm 54cm = 420mm 56 - 61cm = 440mm	Felt Road VariableShape, Ø31.8mm 51cm = 400mm width, 74mm reach, 130mm drop 54 - 56cm = 420mm width, 78mm reach, 140mm drop 58 - 61cm = 440mm width, 78mm reach, 140mm drop	Felt Road VariableShape, Ø31.8mm 51cm = 400mm width, 74mm reach, 130mm drop 54 - 56cm = 420mm width, 78mm reach, 140mm drop 58 - 61cm = 440mm width, 78mm reach, 140mm drop	3T Ergonova Team Stealth carbon fiber, 77mm reach, 123mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm
Grips	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	Felt VelvetGel Tape
Bar Ends / Caps	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "Fit Woman"
Shifters	Shimano 105 STI	Shimano 105 STI	Shimano Sora STI	Shimano Claris STI	Shimano Ultegra 11-speed Di2 w/ secondary climbing shifter
Front Derailleur	Shimano 105 braze-on	Shimano 105 clamp-on, Ø31.8mm	Shimano Sora clamp-on, Ø31.8mm	Shimano Claris clamp-on, Ø31.8mm	Shimano Ultegra 11-speed Di2 braze-on
Rear Derailleur	Shimano 105 long cage	Shimano 105 short cage	Shimano Sora short cage	Shimano Claris short cage	Shimano Ultegra 11-speed Di2 long cage
Crankset	FSA Omega BB30 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	FSA Omega BB30 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	FSA Tempo 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	Felt Road 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	Shimano Ultegra 11-speed Petite - Small = 165mm Medium = 170mm Tall = 172.5mm
Chainwheel	FSA 50/34T	FSA 50/34T	FSA 50/34T	50/34T	Shimano 50/34T
Chainguide					
Bottom Bracket	FSA BB30	FSA BB30	FSA Square Tapered, 68 x 110.5mm	Square Tapered, 68mm	FSA BB30 w/ 24mm spindle reducers
Pedals			Superlight Road platform, toe clips & straps		
Chain	Shimano 10-speed	FSA 10-speed	Shimano 9-speed	SunRace 8-speed	Shimano Ultegra 11-speed
Freewheel / Cassette	Shimano,11-32T	Shimano,12-30T	Shimano, 11-32T	SunRace, 11-32T	Shimano Ultegra 11-speed, 11-28T
Brake Levers	Shimano 105 STI	Shimano 105 STI	Shimano Sora STI w/ Tekro top mount levers	Shimano Claris STI	Shimano Ultegra 11-speed Di2
Front Brake	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Shimano Ultegra dual pivot caliper
Rear Brake	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Shimano Ultegra dual pivot caliper
Cables	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Shimano brake & Di2 derailleur
Saddle	Prologo Kappa T2.0	Felt Endurance Road	Felt Endurance Road	Felt Endurance Road	Prologo Kappa DEA T2.0
Seat Post	Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt SuperLite Road, Ø27.2mm, 330mm length	Felt SuperLite Road, Ø27.2mm, 330mm length	3T Stylus 25 Team Stealth, Ø27.2mm, 280mm length
Seat Post Clamp	Felt double bolt, Ø30.6mm	Felt single bolt, Ø31.8mm	Single bolt, Ø31.8mm	Single bolt, Ø31.8mm	Felt double bolt, Ø30.6mm
Rims / Wheelset	Shimano RS11	Fulcrum Racing Sport	Shimano R501	MAVIC Open Sport	Alex R500
Front Hub	Shimano RS11	Fulcrum Racing Sport	Shimano R501	Felt R4, sealed bearing, 24H	Felt R4, sealed bearing, 28H
Rear Hub	Shimano RS11, 11-speed	Fulcrum Racing Sport, 10-speed (11-speed compatible)	Shimano R501, 10-speed	Felt R4, sealed bearing, 28H, 8-speed	Felt R4, sealed bearing, 28H, 8-speed
Spokes	Shimano RS11	Fulcrum Racing Sport	Shimano R501	1.8mm stainless steel	1.8mm stainless steel
Tires	Vittoria Rubino Pro Tech, 700 x 23c	Vittoria Zaffiro Pro, 700 x 23c	Vittoria Zaffiro, 700 x 23c	MAVIC Aksion, 700 x 23c	Felt All Weather, 700 x 25c
Accessories	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, touch-up paint	touch-up paint

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	ZW3	ZW4	ZW5	ZW85	ZW95
Finish	Matte Carbon	Gloss White	Matte Carbon	Gloss Heather Grey	Pearl White
Sizes	Petite (43), Small (45), Medium (47), Tall (50)	Petite (43), Small (45), Medium (47), Tall (50)	Petite (43), Small (45), Medium (47), Tall (50)	Petite (43), Small (45), Medium (47), Tall (50)	Petite (43), Small (45), Medium (47), Tall (50)
Weight	7.68kg, 16.8lbs	7.7kg, 17lbs	8.23kg, 18.1lbs	8.9kg, 19.5lbs	9.23kg, 20.3lbs
Frame	Felt Fit Woman Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Fit Woman Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Fit Woman Road UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Fit Woman Road SuperLite Custom Butted aluminum, Hydroform TIG-welded construction, BB30, replaceable rear derailleur hanger	Felt Fit Woman Road FLite Custom Butted aluminum, Hydroform TIG-welded construction, threaded BB, replaceable rear derailleur hanger
Shock					
Fork	Felt Fit Woman Road UHC Performance carbon fiber monocoque construction, 1.125" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Petite, Small) Felt Fit Woman Road UHC Performance carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Medium, Tall)	Felt Fit Woman Road UHC Performance carbon fiber monocoque construction, 1.125" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Petite, Small) Felt Fit Woman Road UHC Performance carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Medium, Tall)	Felt Fit Woman Road UHC Performance carbon fiber monocoque construction, 1.125" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Petite, Small) Felt Fit Woman Road UHC Performance carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Medium, Tall)	Felt Fit Woman Road UHC Performance carbon fiber blades, 1.125" aluminum steerer tube (Petite, Small) Felt Fit Woman Road UHC Performance carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steerer tube (Medium, Tall)	Felt Fit Woman Road UHC Performance carbon fiber blades, 1.125" aluminum steerer tube
Headset	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt (Petite, Small) FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt (Medium, Tall)	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt (Petite, Small) FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt (Medium, Tall)	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt (Petite, Small) FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt compression device, top cap & aluminum bolt (Medium, Tall)	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt (Petite, Small) FSA NO.42, 1.125" - 1.5" sealed bearing w/ aluminum 15mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt (Medium, Tall)	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 25.5mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt
Stem	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm
Handlebar	Felt Fit Woman SuperLite Road, 71mm reach, 118mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm	Felt Fit Woman SuperLite Road, 71mm reach, 118mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm	Felt Fit Woman SuperLite Road, 71mm reach, 118mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm	Felt Fit Woman SuperLite Road, 71mm reach, 118mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm	Felt Fit Woman SuperLite Road, 71mm reach, 118mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm
Grips	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape
Bar Ends / Caps	Felt Bubble-Tech "Fit Woman"	Felt Bubble-Tech "Fit Woman"	Felt Bubble-Tech "Fit Woman"	Felt Bubble-Tech "Fit Woman"	Felt Bubble-Tech "Fit Woman"
Shifters	Shimano Ultegra 11-speed STI	SRAM Rival DoubleTap	Shimano 105 STI	Shimano 105 STI	Shimano Sora STI
Front Derailleur	Shimano Ultegra 11-speed braze-on	SRAM Apex braze-on	Shimano 105 braze-on	Shimano 105 clamp-on, Ø31.8mm	Shimano Sora clamp-on, Ø31.8mm
Rear Derailleur	Shimano Ultegra 11-speed long cage	SRAM Rival WiFi	Shimano 105 long cage	Shimano 105 long cage	Shimano Sora short cage
Crankset	FSA Energy BB30 Petite - Small = 165mm Medium = 170mm Tall = 172.5mm	SRAM S350 BB30 Petite - Small = 165mm Medium = 170mm Tall = 172.5mm	FSA Omega BB30 Petite - Small = 165mm Medium = 170mm Tall = 172.5mm	FSA Omega BB30 Petite - Small = 165mm Medium = 170mm Tall = 172.5mm	FSA Vero Petite - Small = 165mm Medium = 170mm Tall = 172.5mm
Chainwheel	FSA 50/34T	SRAM 50/34T	FSA 50/34T	FSA 50/34T	FSA 50/34T
Chainguide					
Bottom Bracket	FSA BB30	SRAM BB30	FSA BB30	FSA BB30	FSA Square Tapered, 68 x 103mm
Pedals					
Chain	Shimano Ultegra 11-speed	SunRace 10-speed	FSA 10-speed	FSA 10-speed	Shimano 9-speed
Freewheel / Cassette	Shimano Ultegra 11-speed, 11-32T	SunRace, 12-32T	Shimano,11-32T	Shimano,11-32T	SunRace, 11-32T
Brake Levers	Shimano Ultegra 11-speed STI	SRAM Rival DoubleTap	Shimano 105 STI	Shimano 105 STI	Shimano Sora STI
Front Brake	Shimano Ultegra dual pivot caliper	SRAM dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper
Rear Brake	Shimano Ultegra dual pivot caliper	SRAM dual pivot caliper	Dual pivot caliper	Dual pivot caliper	Dual pivot caliper
Cables	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur
Saddle	Prologo Kappa DEA	Prologo Kappa DEA	Prologo Kappa DEA	Prologo Kappa DEA	Felt Fit Woman Road
Seat Post	Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 330mm length	Felt Fit Woman SuperLite Road, Ø27.2mm, 330mm length
Seat Post Clamp	Felt double bolt, Ø30.6mm	Felt double bolt, Ø30.6mm	Felt double bolt, Ø31.8mm	Felt single bolt, Ø31.8mm	Single bolt, Ø31.8mm
Rims / Wheelset	Shimano RS11	Fulcrum Racing Sport	Shimano R501	MAVIC Open Sport	Alex R500
Front Hub	Shimano RS11	Fulcrum Racing Sport	Shimano R501	Felt R4, sealed bearing, 24H	Felt R4, sealed bearing, 28H
Rear Hub	Shimano RS11, 11-speed	Fulcrum Racing Sport, 10-speed (11-speed compatible)	Shimano R501, 10-speed	Felt R4, sealed bearing, 28H, 8-speed	Felt R4, sealed bearing, 28H, 8-speed
Spokes	Shimano RS11	Fulcrum Racing Sport	Shimano R501	1.8mm stainless steel	1.8mm stainless steel
Tires	Vittoria Rubino Pro Tech, 700 x 23c	Vittoria Zaffiro Pro, 700 x 23c	Vittoria Zaffiro, 700 x 23c	MAVIC Aksion, 700 x 23c	Felt All Weather, 700 x 25c
Accessories	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint	Carbon assembly paste, touch-up paint	touch-up paint

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	ZW100	ZW1 FRAMESET	IAFRD LTD	IAFRD	IAFRD FRAMESET
Finish	Gloss Anthracite	Matte Carbon	Matte Carbon	Matte Carbon	Matte Carbon
Sizes	Petite (43), Small (45), Medium (47), Tall (50)	51, 54, 56, 58, 61cm	48, 51, 54, 56, 58cm	48, 51, 54, 56, 58cm	48, 51, 54, 56, 58, 61cm
Weight	9.54kg, 20.9lbs	TBA	TBA	TBA	TBA
Frame	Felt Fit Woman Road Custom Butted aluminum, Hydroform TIG-welded construction, threaded BB, replaceable rear derailleur hanger	Felt Fit Woman Road UHC Ultimate + Nano carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, internal cable routing (mechanical compatible)	Felt Integrated Aero TT / Tri UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, BB30 & carbon horizontal dropouts w/ integrated chain tensioners, internal cable routing (mechanical compatible)	Felt Integrated Aero TT / Tri UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, BB30 & carbon horizontal dropouts w/ integrated chain tensioners, internal cable routing (mechanical compatible)	Felt Integrated Aero TT / Tri UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, BB30 & carbon horizontal dropouts w/ integrated chain tensioners, internal cable routing (mechanical compatible)
Shock					
Fork	Felt Fit Woman Road UHC Performance carbon fiber blades, 1.125" aluminum steerer tube	Felt Fit Woman Road UHC Ultimate + Nano carbon fiber monocoque construction, 1.125" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Petite, Small) Felt Fit Woman Road UHC Ultimate + Nano carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube w/ integrated crown race, crown, blades & dropouts (Medium, Tall)	Felt Dagger UHC Ultimate + TeXtreme® carbon fiber monocoque construction, 1.25" carbon fiber steerer, brake cover, blades, dropouts, crown w/ Felt compression device	Felt Dagger UHC Ultimate + TeXtreme® carbon fiber monocoque construction, 1.25" carbon fiber steerer, brake cover, blades, dropouts, crown w/ Felt compression device	Felt Dagger UHC Ultimate + TeXtreme® carbon fiber monocoque construction, 1.25" carbon fiber steerer, brake covers, blades, dropouts, crown w/ Felt compression device
Headset	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 25.5mm cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt	FSA IS integrated, 1.125" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt (Petite, Small) FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt compression device, carbon fiber top cap & aluminum bolt (Medium, Tall)	FSA IS integrated, 1.125" ceramic sealed cartridge bearing	FSA IS integrated, 1.125" sealed cartridge bearing	FSA IS integrated, 1.125" sealed cartridge bearing
Stem	Felt Fit Woman SuperLite, Ø31.8mm Petite = +/-17° rise, 60mm Small = +/-17° rise, 70mm Medium = +/-7° rise, 80mm Tall = +/-7° rise, 90mm		Felt Dagger	Felt Dagger	Felt Dagger
Handlebar	Felt Fit Woman SuperLite Road, 71mm reach, 118mm drop, Ø31.8mm Petite - Medium = 380mm Tall = 400mm		Felt Dagger UHC Ultimate + Nano base bar w/ Felt f-Bend carbon fiber 3-position extensions	Felt Dagger UHC Ultimate + Nano base bar w/ Felt f-Bend 3-position extensions	Felt Dagger UHC Ultimate + Nano base bar w/ Felt f-Bend carbon fiber 3-position extensions
Grips	Felt SuperGel Tape		Devox VelvetGel Tape & Dimpled Gel Pad	Devox VelvetGel Tape & Dimpled Gel Pad	
Bar Ends / Caps	Felt Bubble-Tech "Fit Woman"				
Shifters	Shimano Claris STI		Shimano Dura-Ace TT Di2	Shimano Dura-Ace TT Di2	
Front Derailleur	Shimano Claris clamp-on, Ø31.8mm		Shimano Dura-Ace Di2 braze-on	Shimano Dura-Ace Di2 braze-on	
Rear Derailleur	Shimano Claris short cage		Shimano Dura-Ace Di2	Shimano Dura-Ace Di2	
Crankset	FSA Tempo Petite - Small = 165mm Medium = 170mm Tall = 172.5mm		Shimano Dura-Ace 48cm = 165mm 51cm = 170mm 54cm = 172.5mm 56 - 58cm = 175mm	Vision TriMax Carbon TT BB30 48cm = 170mm 51cm = 170mm 54cm = 172.5mm 56 - 58cm = 175mm	
Chainwheel	FSA 50/34T		Shimano 52/36T	Vision 53/39T	
Chainguide					
Bottom Bracket	FSA Square Tapered, 68 x 110.5mm	FSA Ceramic BB30 w/ 24mm spindle reducers	FSA Ceramic BB30 w/ 24mm spindle reducers	Vision BB30	FSA Ceramic BB30 w/ 24mm spindle reducers
Pedals					
Chain	SunRace 8-speed		Shimano Dura-Ace 11-speed	Shimano Ultegra 11-speed	
Freewheel / Cassette	SunRace, 11-32T		Shimano Dura-Ace, 11-25T	Shimano Ultegra 11-speed, 11-25T	
Brake Levers	Shimano Claris STI		Shimano Dura-Ace TT Di2	Shimano Dura-Ace TT Di2	
Front Brake	Dual pivot caliper		Felt Aero w/ integrated cover	Felt Aero w/ integrated cover	Felt Aero w/ integrated cover
Rear Brake	Dual pivot caliper		Felt Aero w/ integrated cover	Felt Aero w/ integrated cover	Felt Aero w/ integrated cover
Cables	Felt Slick brake & derailleur		Shimano Dura-Ace brake & Di2 derailleur	Shimano Ultegra brake & Di2 derailleur	
Saddle	Felt Fit Woman Road		ISM Attack Ti	ISM Attack Ti	
Seat Post	Felt Fit Woman SuperLite Road, Ø27.2mm, 330mm length		Felt Vibration Reducing Aero Tri UHC carbon fiber w/ 3T DiffLock™ Comfort Module internals, 300mm length	Felt Vibration Reducing Aero Tri UHC carbon fiber w/ 3T DiffLock™ Comfort Module internals, 300mm length	Felt Vibration Reducing Aero Tri UHC carbon fiber w/ 3T DiffLock™ Comfort Module internals, 300mm length
Seat Post Clamp	Single bolt, Ø31.8mm	Felt double bolt w/ titanium bolts & scandium nut-bar, Ø30.6mm	Felt Internaloc integrated w/ titanium bolts	Felt Internaloc integrated w/ titanium bolts	Felt Internaloc integrated w/ titanium bolts
Rims / Wheelset	Alex R500		MAVIC Cosmic CXR80 WTS tubular	Felt TTR1 by Reynolds	
Front Hub	Felt R4, sealed bearing, 28H		MAVIC Cosmic CXR80 WTS	Felt TTR1, sealed cartridge bearing, 18H	
Rear Hub	Felt R4, sealed bearing, 28H, 8-speed		MAVIC Cosmic CXR80 WTS	Felt TTR1, sealed cartridge bearing, 20H, 11-speed	
Spokes	1.8mm stainless steel		MAVIC Cosmic CXR80 WTS	DT Swiss 2.0 / 1.2 / 2.0mm butted stainless steel w/ aluminum spoke nipples	
Tires	Felt All Weather, 700 x 25c		MAVIC GripLink tubular w/ CX01 WTS Blade, 700 x 23c (front); MAVIC PowerLink tubular w/ CX01 WTS Blade, 700 x 23c (rear)	Felt Aero TTR2, 700 x 23c	
Accessories	touch-up paint	Carbon assembly paste, chain plate protector, valve extenders, touch-up paint, Felt Bonus Decals	Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Di2 Internal battery charging cables, valve extenders, touch-up paint	Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Di2 Internal battery charging cables, valve extenders, touch-up paint	Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, valve extenders, touch-up paint, Felt Bonus Decals

	DA2	DA3	DA4	B12	B14
Finish	Gloss Charcoal	Gloss White	Matte Carbon	Matte Carbon	Matte Black
Sizes	47 (650c), 51, 54, 56, 58cm	47 (650c), 51, 54, 56, 58cm	47 (650c), 51, 54, 56, 58cm	47 (650c), 51, 54, 56, 58, 61cm	47 (650c), 51, 54, 56, 58, 61cm
Weight	TBA	TBA	TBA	TBA	9.18kg, 20.2lbs
Frame	Felt Dual Aero TT / Tri UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30 & horizontal dropouts w/ integrated chain tensioners, internal cable routing (mechanical compatible)	Felt Dual Aero TT / Tri UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30 & horizontal dropouts w/ integrated chain tensioners, internal cable routing (electronic compatible)	Felt Dual Aero TT / Tri UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30 & horizontal dropouts w/ integrated chain tensioners, internal cable routing (electronic compatible)	Felt Dual Aero TT / Tri UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & horizontal dropouts w/ integrated chain tensioners, internal cable routing (mechanical compatible)	Felt Dual Aero TT / Tri UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & horizontal dropouts w/ integrated chain tensioners, internal cable routing (electronic compatible)
Shock					
Fork	Felt Bayonet 3 UHC Advanced carbon fiber monocoque construction, carbon fiber blades, dropouts, crown w/ Felt compression device Felt Bayonet 4 UHC Ultimate carbon fiber monocoque construction, carbon fiber brake cover, blades, dropouts, crown w/ Felt compression device (51 - 58cm)	Felt Bayonet 3 UHC Advanced carbon fiber monocoque construction, carbon fiber blades, dropouts, crown w/ Felt compression device	Felt Bayonet 3 UHC Advanced carbon fiber monocoque construction, carbon fiber blades, dropouts, crown w/ Felt compression device	Felt Aero TT / Tri UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube	Felt Aero TT / Tri UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube
Headset	Felt Bayonet 3 integrated, 19mm sealed cartridge bearing	Felt Bayonet 3 integrated, 19mm sealed cartridge bearing	Felt Bayonet 3 integrated, 19mm sealed cartridge bearing	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 16.5mm integrated brake hanger & barrel adjuster cone spacer, 2 x 10mm + 2 x 5mm PC headset spacers & Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt top cap
Stem	Felt Bayonet 3 Fixed Position, Ø31.8mm (47cm) Felt Bayonet 4 Fixed Position, Ø31.8mm (51 - 58cm)	Felt Bayonet 3 Fixed Position, Ø31.8mm 47 - 51cm = 70 x 30mm 54cm = 70 x 60mm 56cm = 100 x 30mm 58cm = 100 x 60mm	Felt Bayonet 3 Fixed Position, Ø31.8mm 47 - 51cm = 70 x 30mm 54cm = 70 x 60mm 56cm = 100 x 30mm 58cm = 100 x 60mm	Felt SuperLite, +/-17° rise, Ø31.8mm 47cm = 60mm 51cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 61cm = 110mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 60mm 51cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 61cm = 110mm
Handlebar	Devox Bayonet 3 UHC Ultimate + Nano base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 47 - 54cm = 390mm 56 - 58cm = 420mm	Devox Bayonet 3 UHC Ultimate + Nano base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 47 - 54cm = 390mm 56 - 58cm = 420mm	Felt Bayonet 3 base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 47 - 54cm = 390mm 56 - 58cm = 420mm	Felt Bayonet 3 base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 47 - 54cm = 390mm 56 - 61cm = 420mm	Felt Aero TT/Tri base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 47 - 54cm = 390mm 56 - 61cm = 420mm
Grips	Devox VelvetGel Tape & Dimpled Gel Pads	Felt VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads	Felt VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads	Devox VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads	Devox VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads
Bar Ends / Caps					
Shifters	Shimano Dura-Ace TT Di2	Shimano Dura-Ace TT	microSHIFT TT 11-speed	microSHIFT TT 11-speed	SRAM TT 500
Front Derailleur	Shimano Dura-Ace Di2 braze-on	Shimano Dura-Ace braze-on	Shimano Dura-Ace braze-on	Shimano Ultegra 11-speed braze-on	SRAM Rival braze-on
Rear Derailleur	Shimano Dura-Ace Di2	Shimano Dura-Ace	Shimano Dura-Ace short cage	Shimano Ultegra 11-speed short cage	SRAM Rival short cage
Crankset	Vision TriMax Carbon TT BB30 47cm = 165mm Vision TriMax Carbon TT BB30 51cm = 170mm 54cm = 172.5mm 56 - 58cm = 175mm	Shimano Dura-Ace 47cm = 165mm 51cm = 170mm 54cm = 172.5mm 56 - 58cm = 175mm	Vision TriMax Pro TT BB30 47cm = 165mm 51cm = 170mm 54cm = 172.5mm 56 - 58cm = 175mm	Vision TriMax Pro TT BB30 47cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm	SRAM S350 BB30 47cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm
Chainwheel	Shimano 53/39T (47cm) Vision 53/39T (51 - 58cm)	Shimano 52/36T	Vision 52/38T	Vision 52/38T	SRAM 52/36T
Chainguide					
Bottom Bracket	Vision BB30 w/ 24mm spindle reducers (47cm) Vision BB30 (51 - 58cm)	FSA BB30 w/ 24mm spindle reducers	Vision BB30	Vision BB30	SRAM BB30
Pedals					
Chain	Shimano Ultegra 11-speed	Shimano 11-speed	Shimano 11-speed	FSA 11-speed	SRAM 10-speed
Freewheel / Cassette	Shimano Ultegra 11-speed, 11-25T	Shimano 11-speed, 11-25T	Shimano 11-speed, 11-25T	Shimano Ultegra 11-speed, 11-25T	SRAM, 11-28T
Brake Levers	Shimano Dura-Ace TT Di2	Shimano Dura-Ace TT	Aero TT / Tri	Aero TT / Tri	Aero TT / Tri
Front Brake	Felt Aero TT / Tri (47cm) Felt Aero w/ integrated cover (51 - 58cm)	Felt Aero TT / Tri	Felt Aero TT / Tri	Dual pivot caliper	SRAM dual pivot caliper
Rear Brake	Felt Aero TT / Tri, integrated	Felt Aero TT / Tri, integrated	Felt Aero TT / Tri, integrated	Felt Aero TT / Tri	Felt Aero TT / Tri, integrated
Cables	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur
Saddle	Prologo Nago Evo Tri40 TiRox	Prologo Nago Evo Tri40 T2.0	Prologo Nago Evo Tri40 T2.0	Prologo Nago Evo Tri40	Felt TT / Tri
Seat Post	Felt DA/B Aero UHC carbon fiber, 350mm length	Felt DA/B Aero UHC carbon fiber, 350mm length	Felt DA/B Aero UHC carbon fiber, 350mm length	Felt DA/B Aero UHC carbon fiber, 350mm length	Felt DA/B Aero UHC carbon fiber, 350mm length
Seat Post Clamp	Felt Aero Integrated DA/B	Felt Aero Integrated DA/B	Felt Aero Integrated DA/B	Felt Aero Integrated DA/B	Felt Aero Integrated DA/B
Rims / Wheelset	Felt TTR1 by Reynolds	Felt TTR1 by Reynolds	Felt TTR3	Felt TTR3	Felt TTR4
Front Hub	Felt TTR1, sealed cartridge bearing, 18H	Felt TTR1, sealed cartridge bearing, 18H	Felt TTR3, sealed bearing, 24H	Felt TTR3, sealed bearing, 24H	Felt R3, sealed bearing, 24H
Rear Hub	Felt TTR1, sealed cartridge bearing, 20H, 11-speed	Felt TTR1, sealed cartridge bearing, 20H, 11-speed	Felt TTR3, sealed bearing, 28H, 11-speed	Felt TTR3, sealed bearing, 28H, 11-speed	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)
Spokes	DT Swiss 2.0 / 1.2 / 2.0mm butted stainless steel w/ aluminum spoke nipples	DT Swiss 2.0 / 1.2 / 2.0mm butted stainless steel w/ aluminum spoke nipples	1.8 / 1.2 / 1.8mm butted aero stainless steel w/ aluminum nipples	2.0 / 1.5 / 2.0mm butted aero stainless steel w/ aluminum nipples	2.0mm stainless steel
Tires	Vittoria Rubino Pro, 650 x 23c (47cm) Felt Aero TTR1, 220tpi, 700 x 23c (51 - 58cm)	Vittoria Rubino Pro, 650 x 23c (47cm) Felt Aero TTR1, 220tpi, 700 x 23c (51 - 58cm)	Vittoria Rubino, 650 x 23c (47cm) Felt Aero TTR2, 700 x 23c	Vittoria Rubino, 650 x 23c (47cm) Felt Aero TTR2, 700 x 23c (51 - 58cm)	Vittoria Rubino, 650 x 23c (47cm) Vittoria Zaffiro Slick, 700 x 23c (51 - 61cm)
Accessories	Carbon assembly paste, DA Aero Bottle System by TorHans™, Di2 Battery Cover, Di2 battery charging cables, valve extenders, touch-up paint	Carbon assembly paste, DA Aero Bottle System by TorHans™, Di2 Battery Cover, valve extenders, touch-up paint	Carbon assembly paste, DA Aero Bottle System by TorHans™, Di2 Battery Cover, valve extenders, touch-up paint	Carbon assembly paste, DA Aero Bottle System by TorHans™, Di2 Battery Cover, valve extenders, touch-up paint	Carbon assembly paste, touch-up paint

	B14 W	B16	S32	Tk1	Tk2
Finish	Ghost	Matte Black	Matte Black	Matte Carbon	Matte Black
Sizes	47 (650c), 51, 54cm	48 (650c), 50 (650c), 52, 54, 56, 58, 60cm	47 (650c), 51, 54, 56, 58, 61cm	52, 55, 57, 60cm	51, 54, 56, 58, 61cm
Weight	TBA	9.21kg, 20.3lbs	9.45kg, 20.8lbs	TBA	7.27kg, 15.9lbs
Frame	Felt Dual Aero TT / Tri UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & horizontal dropouts w/ integrated chain tensioners, internal cable routing (electronic compatible)	Felt Aero TT / Tri UHC Performance carbon fiber, MMC w/ InsideOut construction, threaded BB & horizontal dropouts w/ integrated chain tensioners, internal cable routing	Felt Aero TT / Tri AeroLite Custom Butted aluminum, Dynaform TIG-welded construction, machined threaded BB shell, & horizontal dropouts w/ integrated chain tensioners, internal cable routing	Felt Aero Track UHC Advanced carbon fiber, MMC w/ InsideOut construction, threaded BB, horizontal dropouts w/ titanium surfaces & integrated chain tensioners	Felt Aero Track UltraLite Custom Butted 7005 aluminum, threaded BB shell, horizontal dropouts w/ cast steel surfaces & integrated chain tensioners
Shock					
Fork	Felt Aero TT / Tri UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube	Felt Aero TT / Tri UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube	Felt Aero TT / Tri UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube	Felt Aero Track UHC Ultimate carbon fiber monocoque construction, 1.125" carbon fiber steerer tube, crown, blades & dropouts	Felt Aero Track UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube
Headset	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm PC headset spacers & Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ custom TK1 cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt
Stem	Felt SuperLite, +/-7° rise, Ø31.8mm 47 - 51cm = 60mm 54 - 52cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 60cm = 110mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 60mm 50 - 52cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 60cm = 110mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 60mm 51cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 61cm = 110mm	3T ARX II Pro, +/-6° rise, Ø31.8mm, 70mm	3T ARX II Pro, +/-6° rise, Ø31.8mm 51 - 56cm = 70mm 58cm = 80mm 61cm = 90mm
Handlebar	Felt Aero TT/Tri base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm, 390mm	Felt Aero TT/Tri base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 48 - 54cm = 390mm 56 - 60cm = 420mm	Felt Aero TT/Tri base bar w/ Felt f-Bend 3-position extensions, Ø31.8mm 47 - 54cm = 390mm 56 - 61cm = 420mm	3T SPHINX LTD carbon fiber, Ø31.8mm	3T SPHINX LTD carbon fiber, Ø31.8mm
Grips	Devov VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads	Devov VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads	Devov VelvetGel Tape, Felt Tri Tip Grips & Dimpled Gel Pads	Felt VelvetGel Tape	Felt SuperGel Tape
Bar Ends / Caps				Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"
Shifters	SRAM TT 500	microSHIFT TT	microSHIFT TT		
Front Derailleur	SRAM Rival braze-on	Shimano 105 braze-on	Shimano 105 braze-on		
Rear Derailleur	SRAM Rival short cage	Shimano 105 short cage	Shimano 105 short cage		
Crankset	SRAM S350 BB30 47cm = 165mm 51cm = 170mm 54cm = 172.5mm	FSA Vero 48 - 50cm = 165mm 52cm = 170mm 54cm = 172.5mm 56 - 60cm = 175mm	FSA Tempo 47cm = 165mm 51cm = 170mm 54cm = 172.5mm 56 - 61cm = 175mm	Campagnolo Record Pista 52cm = 165mm 55cm = 165mm 57cm = 170mm 60cm = 170mm	TruVativ Omnium GXP 51 - 54cm = 165mm 56cm = 167.5mm 58 - 61cm = 170mm
Chainwheel	SRAM 52/36T	FSA 52/36T	FSA 50/34T	Campagnolo 49T x 1/8"	TruVativ 48T x 1/8"
Chainguide					
Bottom Bracket	SRAM BB30	FSA Square Tapered, 68 x 103mm	FSA Square Tapered, 68 x 110.5mm	Campagnolo Record Pista	SRAM GXP
Pedals					
Chain	SRAM 10-speed	SunRace 10-speed	SunRace 10-speed	KMC X101 1-Speed	KMC Z510HX 1-Speed
Freewheel / Cassette	SRAM, 11-28T	SunRace, 11-28T	SunRace, 11-28T	15T x 1/8" w/ lockring	15T x 1/8" w/ lockring
Brake Levers	Aero TT / Tri	Aero TT / Tri	Aero TT / Tri		
Front Brake	SRAM dual pivot caliper	Dual pivot caliper	Dual pivot caliper		
Rear Brake	Felt Aero TT / Tri, integrated	Dual pivot caliper	Felt Aero TT / Tri		
Cables	Felt Slick brake & derailleur	Felt Slick brake & derailleur	Felt Slick brake & derailleur		
Saddle	Prologo Nago Evo Tri40 DEA	Felt TT / Tri	Felt TT / Tri	Prologo Zero II CPC TiRox	Prologo Zero II T2.0
Seat Post	Felt DA/B Aero UHC carbon fiber, 350mm length	Felt B Aero UHC carbon fiber, 300mm length	Felt SuperLite Road, Ø27.2mm, 330mm length	Felt Tk1 carbon fiber w/ 3T DiffLock™ internals	Felt Tkr bladed carbon fiber, Ø27.2mm, 300mm
Seat Post Clamp	Felt Aero Integrated DA/B	Felt Aero Integrated B	Single bolt, Ø30.6mm	Felt Aero Integrated Tk1	Felt single bolt, Ø31.8mm
Rims / Wheelset	Felt TTR4	Felt TTR4	Felt TTR4	Felt Tkr1 by Reynolds tubular	Felt Tkr2
Front Hub	Felt R3, sealed bearing, 24H	Felt R3, sealed bearing, 24H	Felt R3, sealed bearing, 24H	Felt Tkr1, sealed cartridge bearing, 28H	Felt Tkr2, sealed cartridge bearing, 28H
Rear Hub	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt Tkr1, sealed cartridge bearing, 28H, double-threaded fixed / fixed	Felt Tkr2, sealed cartridge bearing, 28H, double-threaded fixed / fixed
Spokes	2.0mm stainless steel	2.0mm stainless steel	2.0mm stainless steel	Bladed double butted stainless steel w/ aluminum spoke nipples	Bladed double butted stainless steel w/aluminum spoke nipples
Tires	Vittoria Rubino, 650 x 23c (47cm) Vittoria Zaffiro Slick, 700 x 23c (51 - 54cm)	Vittoria Rubino, 650 x 23c (48 - 50cm) Vittoria Zaffiro Slick, 700 x 23c (52 - 60cm)	Vittoria Rubino, 650 x 23c (47cm) Vittoria Zaffiro Slick, 700 x 23c (51 - 61cm)	Vittoria Pista Evo CS, 320tpi, 700 x 22c	Vittoria Diamonte Pro Pista, 700 x 23c
Accessories	Carbon assembly paste, touch-up paint	Carbon assembly paste, touch-up paint	touch-up paint	Carbon Assembly Paste, Vittoria MastikOne Tubular Glue	Carbon Assembly Paste

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	Tk3	TK1 FRAMESET	F2x	F3x	F5x
Finish	Matte Black	Matte Carbon	Matte Carbon	Matte Carbon	Matte Carbon
Sizes	43 (650c), 51, 54, 56, 58, 61cm	52, 55, 57, 60cm	47, 50, 53, 55, 57, 60cm	47, 50, 53, 55, 57, 60cm	47, 50, 53, 55, 57, 60cm
Weight	7.95kg, 17.49lbs	TBA	TBA	8.34kg, 18.3lbs	9.09kg, 19.9lbs
Frame	Felt Aero Track UltraLite Custom Butted 7005 aluminum, threaded BB shell, horizontal dropouts w/ cast steel surfaces & integrated chain tensioners	Felt Aero Track UHC Ultimate + Nano carbon fiber, MMC w/ InsideOut construction, threaded BB, horizontal dropouts w/ titanium surfaces & integrated chain tensioners	Felt Cyclocross UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Cyclocross UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, electronic-compatible internal cable routing	Felt Cyclocross UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, electronic-compatible internal cable routing
Shock					
Fork	Felt Aero Track UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steerer tube	Felt Bayonet 2 UHC Ultimate carbon fiber monocoque construction, carbon fiber blades, dropouts, crown w/ Felt compression device	Felt Cyclocross UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube, crown, blades & dropouts w/ post mount disc tabs	Felt Cyclocross UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steerer tube, crown, blades & dropouts w/ post mount disc tabs	Felt Cyclocross UHC Advanced carbon fiber blades w/ post mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steerer tube
Headset	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap & aluminum bolt	FSA IS integrated, 1.125" sealed cartridge bearing	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 15mm cone spacer, 2 x 10mm carbon fiber headset spacer + 1 x 5mm aluminum headset spacer, Felt compression device, carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm PC headset spacer + 1 x 5mm aluminum headset spacer, Felt compression device, top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm PC headset spacer + 1 x 5mm aluminum headset spacer, Felt top cap
Stem	Felt SuperLite, +/-7° rise 43cm = 70mm 51cm = 90mm, Ø31.8mm 54 - 56cm = 100mm, Ø31.8mm 58cm = 110mm, Ø31.8mm 61cm = 120mm, Ø31.8mm	Bayonet 2 Adjustable Stems Package (31.8 x 40mm, 65mm, 80mm, 95mm)	3T ARX II Pro, +/-6° rise, Ø31.8mm 47cm = 80mm 50cm = 80mm 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 80mm 50cm = 90mm 53 - 55cm = 100mm 57cm = 110mm 60cm = 120mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 80mm 50cm = 90mm 53 - 55cm = 100mm 57cm = 110mm 60cm = 120mm
Handlebar	Felt Tkr 43cm = 360mm, Ø26.0mm 51 - 54cm = 400mm, Ø31.8mm 56 - 58cm = 420mm, Ø31.8mm 61cm = 440mm, Ø31.8mm		3T Ergotera Pro, 89mm reach, 127mm drop, Ø31.8mm 47 - 53cm = 420 / 450mm 55 - 60cm = 440 / 470mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 47cm = 380mm 50cm = 400mm 53cm = 420mm 55 - 60cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 47cm = 380mm 50cm = 400mm 53cm = 420mm 55 - 60cm = 440mm
Grips	Felt SuperGel Tape		Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape
Bar Ends / Caps	Felt Bubble-Tech "F Wing"		Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"
Shifters			SRAM RED 22 Hydro DoubleTap	Shimano Ultegra 11-speed STI	SRAM Rival DoubleTap
Front Derailleur			SRAM RED 22 YAW clamp-on w/ chain watcher, Ø31.8mm	Shimano Ultegra 11-speed clamp-on, Ø31.8mm	SRAM Apex clamp-on, Ø31.8mm
Rear Derailleur			SRAM RED 22 short cage	Shimano Dura-Ace short cage	SRAM Rival short cage
Crankset	Felt Track, 144mm BCD 43cm = 155mm 51 - 54cm = 165mm 56cm = 167.5mm 58 - 61cm = 170mm		SRAM S550 BB30 11-speed YAW 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm	FSA Energy BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm	SRAM S350 BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm
Chainwheel	Felt 48T x 3/32"		SRAM YAW 46/36T	FSA 46/36T	SRAM 46/36T
Chainguide					
Bottom Bracket	FSA Square Tapered, 68mm		SRAM BB30	FSA BB30	SRAM BB30
Pedals					
Chain	KMC Z610HX 1-Speed		SRAM 11-speed	Shimano Ultegra 11-speed	SRAM 10-speed
Freewheel / Cassette	15T x 3/32" w/ lockring		SRAM, 11-28T	Shimano Ultegra, 11-28T	SRAM, 11-28T
Brake Levers			SRAM RED 22 Hydro DoubleTap	Shimano Ultegra STI	SRAM Rival DoubleTap
Front Brake			SRAM RED hydraulic disc w/ ASHIMA 6 bolt 410 stainless steel rotor	TRP Hy/Rd hydraulic disc w/ ASHIMA 6 bolt 410 stainless steel rotor	Avid BB5 disc w/ ASHIMA 6 bolt 410 stainless steel rotor
Rear Brake			SRAM RED hydraulic disc w/ ASHIMA 6 bolt 410 stainless steel rotor	TRP Hy/Rd hydraulic disc w/ ASHIMA 6 bolt 410 stainless steel rotor	Avid BB5 disc w/ ASHIMA 6 bolt 410 stainless steel rotor
Cables			SRAM RED by GORE brake & derailleur	Felt All-Weather sealed Slick brake & derailleur	Felt All-Weather sealed Slick brake & derailleur
Saddle	Felt SuperLite		Prologo Nago Evo X10 T2.0	Prologo Nago Evo X10 T2.0	Prologo Nago Evo X10 T2.0
Seat Post	Felt Tkr, Ø27.2mm, 300mm	Felt Tk1 carbon fiber w/ 3T DiffLock™ internals	3T IONIC 25 Pro, Ø27.2mm, 350mm length	Felt CxR2, Ø27.2mm, 300mm length	Felt CxR2, Ø27.2mm, 300mm length
Seat Post Clamp	Felt single bolt, Ø31.8mm	Felt Aero Integrated Tk1	Felt single bolt, Ø31.8mm	Felt single bolt, Ø31.8mm	Felt single bolt, Ø31.8mm
Rims / Wheelset	Felt Tkr4		Felt CxR1 Disc tubeless	Felt CxR1 Disc tubeless	Felt CxR3 Disc
Front Hub	Felt Tkr4, sealed cartridge bearing, 24H		Felt R1 Disc, sealed cartridge bearing, 24H	Felt R1 Disc, sealed cartridge bearing, 24H	Felt R3 Disc, sealed bearing, 24H
Rear Hub	Felt Tkr4, sealed cartridge bearing, 28H, double-threaded fixed / fixed		Felt R1 Disc, sealed cartridge bearing, 24H, 11-speed	Felt R1 Disc, sealed cartridge bearing, 24H, 11-speed	Felt R3 Disc, sealed bearing, 28H, 10-speed (11-speed compatible)
Spokes	2.0mm stainless steel		DT Swiss 2.0 / 1.8 / 2.0mm butted stainless steel w/ Pro Lock aluminum spoke nipples	DT Swiss 2.0 / 1.8 / 2.0mm butted stainless steel w/ Pro Lock aluminum spoke nipples	2.0 / 1.8mm butted stainless steel w/ aluminum nipples
Tires	Vittoria Rubino		Vittoria Cross XL Pro TNT (tubeless), 700 x 33c	Vittoria Cross XL Pro TNT (tubeless), 700 x 33c	Vittoria Cross XL Pro, 700 x 33c
Accessories		Carbon assembly paste, touch-up paint, Felt Bonus Decals	Carbon assembly paste, chain plate protector, Felt CxR cowbell, touch-up paint	Carbon assembly paste, chain plate protector, Felt CxR cowbell, touch-up paint	Carbon assembly paste, chain plate protector, Felt CxR cowbell, touch-up paint

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	F65x	F75x	F24x	Breed	Fix FRAMESET
Finish	Matte Black	Gloss White	Matte Black	Blood Red	Matte Carbon
Sizes	47, 50, 53, 55, 57, 60cm	47, 50, 53, 55, 57, 60cm	39cm	47, 50, 53, 55, 57, 60cm	47, 50, 53, 55, 57, 60cm
Weight	9.46kg, 20.8lbs	9.32kg, 20.5lbs	9.09kg, 19.9lbs	8.54kg, 18.8lbs	TBA
Frame	Felt Cyclocross UltraLite Custom Butted 7005 aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB30, replaceable rear derailleur hanger	Felt Cyclocross UltraLite Custom Butted 7005 aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB30, replaceable rear derailleur hanger	Felt Cyclocross FLite Custom Butted aluminum, TIG-welded construction, threaded BB, replaceable rear derailleur hanger	Felt Cyclocross SuperLite Custom Butted aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB30, replaceable stainless steel inserts	Felt Cyclocross UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-compatible internal cable routing
Shock					
Fork	Felt Cyclocross UHC Advanced carbon fiber blades w/ post mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steerer tube	Felt Cyclocross UHC Advanced carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steerer tube	Felt Cyclocross tapered aluminum blades, crown & dropouts, 1.125" Cr-Mo steerer tube	Felt Cyclocross UHC Advanced carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steerer tube	3T LUTEUS carbon fiber, tapered 1.125" - 1.5" steerer tube, crown & blades w/ aluminum faced post mount disc tabs and dropouts
Headset	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ aluminum 15mm cone spacer, 2 x 10mm PC headset spacer + 1 x 5mm PC headset spacers, Felt top cap	FSA NO.42, 1.125" - 1.5" sealed bearing w/ aluminum 16.5mm integrated brake hanger & barrel adjuster cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap	FSA IS integrated, 1.125" sealed cartridge bearing w/ aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers & Felt top cap	FSA NO.42, 1.125" - 1.5" sealed bearing w/ aluminum 16.5mm integrated brake hanger & barrel adjuster cone spacer, 2 x 10mm PC headset spacer + 1 x 5mm aluminum headset spacers, Felt top cap	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt
Stem	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 80mm 50cm = 90mm 53 - 55cm = 100mm 57cm = 110mm 60cm = 120mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 80mm 50cm = 90mm 53 - 55cm = 100mm 57cm = 110mm 60cm = 120mm	Felt SuperLite, +/-7° rise, Ø26.0mm, 80mm	Felt SuperLite, +/-7° rise, Ø31.8mm 47cm = 80mm 50cm = 90mm 53 - 55cm = 100mm 57cm = 110mm 60cm = 120mm	Bayonet 2 Adjustable Stems Package (31.8 x 40mm, 65mm, 80mm, 95mm)
Handlebar	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 47cm = 380mm 50cm = 400mm 53cm = 420mm 55 - 60cm = 440mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 47cm = 380mm 50cm = 400mm 53cm = 420mm 55 - 60cm = 440mm	Felt K.1, 75mm reach, 120mm drop, Ø26.0mm, 360mm	Felt SuperLite Road VariableShape, 71mm reach, 118mm drop, Ø31.8mm 47cm = 380mm 50cm = 400mm 53cm = 420mm 55 - 60cm = 440mm	
Grips	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	Felt SuperGel Tape	
Bar Ends / Caps	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	Felt Bubble-Tech "F Wing"	
Shifters	SRAM Rival DoubleTap	Shimano 105 STI	microSHIFT Road Short Reach		
Front Derailleur	SRAM Apex clamp-on, Ø34.9mm	Shimano CX70 clamp-on, Ø34.9mm	microSHIFT Road clamp-on, Ø31.8mm		
Rear Derailleur	SRAM Rival short cage	Shimano 105 short cage	Shimano Sora short cage		
Crankset	SRAM S350 BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm	FSA Omega BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm	Felt CxR-K Road	SRAM S350 BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm	
Chainwheel	SRAM 46/36T	FSA 46/36T	Felt 40/28T	SRAM 36T	
Chainguide					
Bottom Bracket	SRAM BB30	FSA BB30	Square Tapered	SRAM BB30	FSA Ceramic BB30 w/ 24mm spindle reducers
Pedals			Superlight CX platform pedal		
Chain	SunRace 10-speed	FSA 10-speed	Shimano 9-speed	KMC 1-Speed	
Freewheel / Cassette	SunRace, 11-28T	Shimano, 12-30T	Shimano, 11-32T	16T	
Brake Levers	SRAM Rival DoubleTap	Shimano 105 STI	microSHIFT Road Short Reach w/ Tekro top mount levers	SRAM Single Speed Brake Lever	
Front Brake	Avid BB5 disc w/ ASHIMA 6 bolt 410 stainless steel rotor	Tektro cantilever	Mini V-Brake	Avid Shorty 4 cantilever	
Rear Brake	Avid BB5 disc w/ ASHIMA 6 bolt 410 stainless steel rotor	Tektro cantilever	Mini V-Brake	Avid Shorty 4 cantilever	
Cables	Felt All-Weather sealed Slick brake & derailleur	Felt All-Weather sealed Slick brake & derailleur	Felt All-Weather sealed Slick brake & derailleur	Felt All-Weather sealed Slick brake & derailleur	
Saddle	Felt SuperLite	Prologo Nago Evo X10 T2.0	Felt CxR-K	Prologo Nago Evo X10 T2.0	
Seat Post	Felt CxR2, Ø27.2mm, 300mm length	Felt CxR3, Ø27.2mm, 300mm length	Felt CxR3, Ø27.2mm	Felt CxR2, Ø27.2mm, 300mm length	
Seat Post Clamp	Felt single bolt, Ø30.6mm	Single bolt w/ cable hanger, Ø30.6mm	Single bolt, Ø30.6mm	Single bolt w/ cable hanger, Ø30.6mm	Felt SuperLite single bolt, Ø31.8mm
Rims / Wheelset	Felt CxR3 Disc	Felt CxR3	Felt CxR-K	Felt CxRSS	
Front Hub	Felt R3 Disc, sealed bearing, 24H	Felt R3, sealed bearing, 24H	Felt R4, sealed bearing, 24H	Felt CxRSS, sealed bearing, 24H	
Rear Hub	Felt R3 Disc, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt R3, sealed bearing, 28H, 10-speed (11-speed compatible)	Felt R4, sealed bearing, 28H, 10-speed	Felt CxRSS, sealed bearing, 28H, single-Speed	
Spokes	2.0mm stainless steel	2.0mm stainless steel	1.8mm stainless steel	2.0 / 1.8mm butted stainless steel w/ DT Swiss aluminum nipples	
Tires	Vittoria Cross XL Pro, 700 x 33c	Vittoria Cross XL Pro, 700 x 33c	Kenda Happy Medium, 24" x 1.125"	Vittoria Cross XL Pro, 700 x 33c	
Accessories	Felt CxR cowbell, touch-up paint	Felt CxR cowbell, touch-up paint	Felt CxR cowbell, touch-up paint	Felt CxR cowbell, touch-up paint	Carbon assembly paste, chain plate protector, touch-up paint, Felt Bonus Decals

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	EDICT NINEFRD	EDICT NINE1	EDICT NINE3	EDICT NINE50
Finish	Matte Carbon	Matte Carbon	Gloss Carbon	Matte Gunmetal
Sizes	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")
Weight	10.15kg, 22.38lbs	11.25kg, 24.8lbs	12.55kg, 27.65lbs	13.56kg, 29.9lbs
Frame	Felt Edict Nine FRD XC, UHC Ultimate + Extreme® carbon fiber, 100mm travel, Felt Active Stay Technology (FAST) suspension, InsideOut internally optimized molding process, Dynamic Monocoque Construction (DMC), full carbon dropouts, ControlTaper integrated head tube, internal derailleur routing, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, 12 x 142mm rear w/ Syntace style QR, Ø30.9mm seatpost size, low direct mount front derailleur	Felt Edict Nine XC, UHC Performance carbon fiber, 100mm travel, Felt Active Stay Technology (FAST) suspension, InsideOut internally optimized molding process, Dynamic Monocoque Construction (DMC), full carbon dropouts, ControlTaper integrated head tube, internal derailleur routing, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, 12 x 142mm rear w/ Syntace style QR, Ø30.9mm seatpost size, low direct mount front derailleur	Felt Edict Nine XC, UHC Performance carbon fiber, 100mm travel, Felt Active Stay Technology (FAST) suspension, InsideOut internally optimized molding process, Dynamic Monocoque Construction (DMC), full carbon dropouts, ControlTaper integrated head tube, internal derailleur routing, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, 12 x 142mm rear w/ Syntace style QR, Ø30.9mm seatpost size, low direct mount front derailleur	Felt Edict Nine XC, double-butted 7005 series aluminum, 100mm travel, hydroform tubing, ControlTaper integrated head tube, high clearance forged aluminum seat & chainstay yokes, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, 12 x 142mm rear w/ Syntace style QR, Ø30.9mm seatpost size, Ø34.9mm high clamp front derailleur
Shock	RockShox Monarch XX w/ custom tune, XLoc Full Sprint remote lockout, 165 x 38mm	RockShox Monarch RT3 w/ custom tune, 165 x 38mm	RockShox Monarch RT w/ custom tune, 165 x 38mm	RockShox Monarch RT w/ custom tune, 165 x 38mm
Fork	RockShox Sid XX World Cup Solo Air, 100mm travel, XLoc Full Sprint remote lockout, adjustable rebound, tapered carbon steerer, magnesium lowers, 15mm Maxle, post style disc mount	RockShox Sid RL, 100mm travel, PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm Maxle, post style disc mount	RockShox Recon Gold, Solo Air, 100mm travel, PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm Maxle, post style disc mount	RockShox Recon Gold, Solo Air, 100mm travel, PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm Maxle, post style disc mount
Headset	FSA No.42 Semi-integrated tapered Aheadset, carbon custom cone spacer 1 x 8mm + 3 x 5mm straight carbon spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
Stem	Easton EC90 SL carbon threadless 1-1/8" +/- 10° rise for Ø31.8mm handlebar w/ titanium hardware: SM - 70mm MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD - 80mm LG - 90mm XL - 100mm
Handlebar	Easton EC70 TaperWall flat carbon, 9° sweep, 720mm wide	Felt MTB flat carbon, 9° sweep, 720mm wide	Felt MTB flat top double-butted 6061 aluminum, 5mm rise, 9° sweep, 720mm wide	Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide
Grips	ESI Racers Edge, silicon	ESI Racers Edge, silicon	Felt Wing Grip, Lock-On	Felt Wing Grip, double-density
Bar Ends / Caps	ESI end plugs	ESI end plugs	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing
Shifters	SRAM XX1 Grip Shift 11-speed	Shimano XT Rapid-Fire 2 x 10-speed	SRAM X7 2 x 10-speed	Shimano Deore Rapid-Fire 2 x 10-speed
Front Derailleur		Shimano XT dual pull low direct mount	SRAM X7 dual pull low direct mount	Shimano Deore dual pull band type Ø34.9mm
Rear Derailleur	SRAM XX1 Type 2 RD 11-speed long cage	Shimano XTR Shadow Plus 10-speed long cage	SRAM X9 Type 2 10-speed long cage	Shimano SLX 10-speed long cage
Crankset	SRAM XX1 carbon crank for 11-speed, 168Q: 175mm	Shimano XT Hollowtech II, 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	SRAM S1000 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	Shimano Hollowtech II, 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm
Chainwheel	SRAM XX1 11-speed compatible 32T	Shimano 38/24T	SRAM 38/24T	Shimano 38/24T
Chainguide				
Bottom Bracket	SRAM XX GXP	Shimano sealed threaded	GXP	Shimano sealed threaded
Pedals				
Chain	SRAM 11-speed	Shimano 10-speed	SRAM 10-speed	Shimano 10-speed
Freewheel / Cassette	SRAM 11-speed XX1 10-42T	Shimano XT 10-speed 11-36T	SRAM 10-speed 11-36T	Shimano 10-speed 11-36T
Brake Levers	SRAM XX carbon lever	Shimano XT	Magura MT2	Avid DB-3
Front Brake	SRAM XX disc w/ HSX 180mm rotor	Shimano XT disc w/ 180mm composite Ice Tech Center-Lock rotor	Magura MT2 hydraulic disc w/ 180mm rotor	Avid DB-3 hydraulic disc w/ 180mm rotor
Rear Brake	SRAM XX disc w/ HSX 160mm rotor	Shimano XT disc w/ 160mm composite Ice Tech Center-Lock rotor	Magura MT2 hydraulic disc w/ 160mm rotor	Avid DB-3 hydraulic disc w/ 160mm rotor
Cables	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick
Saddle	Prologo Nago Evo X10, w/ ultralight shell & carbon rails	Prologo Nago Evo X10 w/ ultralight shell & hollow Cr-Mo rails	Felt MTB performance w/ Cr-Mo rails	Felt MTB performance w/ Cr-Mo rails
Seat Post	Easton EC70 TaperWall monocoque carbon: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt 2-bolt micro adjust UHC Performance carbon, low-profile forged head & rail clamps: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt aluminum butted 6061 w/ 2 bolt micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt aluminum butted 6061 w/ 2-bolt micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm
Seat Post Clamp	Aluminum 7075 CNC w/ titanium bolt, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm
Rims / Wheelset	Easton EC90 UST carbon	Shimano XT tubeless compatible	WTB Speed Disc i23 29" double wall aluminum w/ eyelets	WTB Speed Disc i23 29" double wall aluminum w/ eyelets
Front Hub	Easton EC90 15mm axle	Shimano XT angular contact sealed bearing 15mm axle, Center-Lock rotor	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle
Rear Hub	Easton EC90 142 x 12mm axle	Shimano XT angular contact sealed bearing 142 x 12mm axle, Center-Lock rotor	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 142 x 12mm axle	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 142 x 12mm axle
Spokes	Sapim stainless steel 2.0 / 1.7mm double-butted w/ aluminum nipples	Shimano XT	Stainless steel 2.0 / 1.8mm double-butted w/ aluminum nipples	Stainless steel 2.0 / 1.8mm double-butted w/ aluminum nipples
Tires	Schwalbe Racing Ralph EVO tubeless ready folding, 29 x 2.1	Schwalbe Racing Ralph EVO tubeless ready folding, 29 x 2.1	WTB Prowler 60TPI folding, 29 x 2.2	WTB Prowler 60TPI folding, 29 x 2.2
Accessories				

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	EDICT NINE60	EDICT NINEFRD FRAMESET	VIRTUE NINE1	VIRTUE NINE3
Finish	Matte Black	Matte Carbon	Matte Carbon	Matte Carbon
Sizes	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")
Weight	13.83kg, 30.5lbs	TBA	TBA	TBA
Frame	Felt Edict Nine XC, double-butted 7005 series aluminum, 100mm travel, hydroform tubing, ControlTaper integrated head tube, high clearance forged aluminum seat & chainstay yokes, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, 12 x 142mm rear w/ Syntace style QR, Ø30.9mm seatpost size, Ø34.9mm high clamp front derailleur	Felt Edict XC Full Suspension (100mm) UHC Ultimate + Nano carbon fiber, DMC w/ InsideOut construction, threaded BB, carbon fiber F.A.S.T rear triangle w/ carbon fiber dropouts, post mount disc tabs & 7075 CNC aluminum replaceable rear derailleur hanger	Felt Virtue Nine Trail, UHC Advanced carbon front and rear triangle, 130mm travel, Equilink suspension technology, InsideOut internally optimized molding process, Modular Monocoque Construction (MMC), full carbon dropouts, ControlTaper integrated head tube, internal derailleur & dropper post routing, post style disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Syntace style 142 x 12mm, high direct mount front derailleur	Felt Virtue Nine Trail, UHC Performance carbon front and rear triangle, 130mm travel, Equilink suspension technology, ControlTaper integrated head tube, internal derailleur & dropper post routing, post style disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Syntace style 142 x 12mm, high direct mount front derailleur
Shock	RockShox Monarch R w/ custom tune, 165 x 38mm	RockShox Monarch XX w/ custom tune, XLoc Sprint remote lockout, 165 x 38mm	RockShox Monarch RT3 w/ custom tune, 200 x 57mm	RockShox Monarch RT w/ custom tune 200 x 57mm
Fork	RockShox XC32, Solo Air, 100mm travel, TurnKey lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm QR, post style disc mount		RockShox Revelation RLT, 140mm travel, Solo Air, PushLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts	RockShox Sektor Gold 140mm travel Solo Air, PushLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
Headset	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
Stem	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD / LG - 80mm XL - 100mm		Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD / LG - 80mm XL - 90mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD / LG - 80mm XL - 90mm
Handlebar	Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide		Felt MTB riser carbon, 8mm rise, 9° sweep, 720mm wide	Felt MTB flat top double-butted 6061 aluminum, 5mm rise, 9° sweep, 720mm wide
Grips	Felt Wing Grip, double-density		ESI Racers Edge, silicon	Felt Wing Grip, Lock-On
Bar Ends / Caps	Felt Bubble-Tech F Wing		ESI end plugs	Felt Bubble-Tech F Wing
Shifters	SRAM X5 3 x 10-speed		SRAM X01 right side only, 11-speed	SRAM X7 2 x 10-speed
Front Derailleur	SRAM X5 high clamp Ø34.9mm			SRAM X7 high direct mount, top pull, 2 x 10-speed
Rear Derailleur	SRAM X7 10-speed long cage		SRAM X01 11-speed	SRAM X9 Type 2, 2 x 10-speed long cage
Crankset	SRAM S1000 3 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm		SRAM X1 1 x 11-speed: 175mm	SRAM S1000 2 x 10-speed crank: XS / SM - 170mm MD / LG / XL - 175mm
Chainwheel	SRAM 38/24T		30T 1 x 11-speed	SRAM 38/24T
Chainguide				
Bottom Bracket	GXP		GXP	GXP
Pedals				
Chain	SRAM 10-speed		SRAM X01 11-speed	SRAM 10-speed
Freewheel / Cassette	SRAM 10-speed 11-36T		SRAM X01 11-speed 10-42T	SRAM 10-speed 11-36T
Brake Levers	Tektro HDC		Avid X0 Trail	Magura MT2
Front Brake	Tektro HDC hydraulic disc w/ 180mm rotor		Avid X0 Trail w/ 180mm rotor	Magura MT2 disc w/ 180mm rotor
Rear Brake	Tektro HDC hydraulic disc w/ 160mm rotor		Avid X0 Trail w/ 180mm rotor	Magura MT2 disc w/ 180mm rotor
Cables	Felt All-Weather Sealed Slick		Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick
Saddle	Felt MTB performance		Prologo Evo X10 T2.0 rails	Felt MTB performance w/ Cr-Mo rails
Seat Post	Felt aluminum butted 6061 w/ 2-bolt micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm		RockShox Reverb Stealth dropper post w/ remote lever: S - Ø30.9 x 355mm M / L - Ø30.9 x 380mm XL - Ø30.9 x 420mm	KS eTen dropper post w/ remote: Ø30.9mm x 385mm
Seat Post Clamp	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Felt single bolt w/ titanium bolts & scandium nut-bar, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm
Rims / Wheelset	WTB Speed Disc i23 29" double wall aluminum w/ eyelets		Easton Haven aluminum tubeless compatible	WTB Speed Disc i23 29" double wall aluminum w/ eyelets
Front Hub	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle		Easton Haven 24 hole, 15mm axle	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle
Rear Hub	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 142 x 12mm axle		Easton Haven 24 hole 10-speed, 142 x 12mm axle	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 142 x 12mm axle
Spokes	Stainless steel 2.0mm w/ aluminum nipples		Sapim stainless steel 2.0 / 1.7mm double-butted w/ aluminum nipples	Stainless steel 2.0 / 1.8mm double-butted w/ aluminum nipples
Tires	WTB Prowler 60TPI folding, 29 x 2.2		Schwalbe Nobby Nic SnakeSkin tubeless ready folding, 29 x 2.35	Schwalbe Nobby Nic SnakeSkin tubeless ready folding, 29 x 2.35
Accessories		Carbon assembly paste, 142 QR Axle. chain plate protector, kevlar chain watcher, chainstay protector, downtube protector, touch-up paint, Felt Bonus Decals		

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	VIRTUE NINE20	VIRTUE NINE50	VIRTUE NINE60	VIRTUE NINE1 FRAMESET
Finish	Fools Gold	Gloss White	Matte Black	Matte Carbon
Sizes	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")
Weight	13.56kg, 29.9lbs	14.01kg, 30.9lbs	14.1kg, 31.1lbs	TBA
Frame	Felt Virtue Nine Trail, hydroform double-butted 6061 aluminum front and rear triangle, 130mm travel, Equilink suspension technology, ControlTaper integrated head tube, dropper post cable guides, post style disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Syntace style 142 x 12mm, high direct mount front derailleur	Felt Virtue Nine Trail, hydroform double-butted 6061 aluminum front and rear triangle, 130mm travel, Equilink suspension technology, ControlTaper integrated head tube, dropper post cable guides, post style disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Syntace style 142 x 12mm, high direct mount front derailleur	Felt Virtue Nine Trail, hydroform double-butted 6061 aluminum front and rear triangle, 130mm travel, Equilink suspension technology, ControlTaper integrated head tube, dropper post cable guides, post style disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Syntace style 142 x 12mm, high direct mount front derailleur	Felt Trail Full Suspension (130mm) UHC Advanced carbon fiber, MMC w/ InsideOut construction, threaded BB, carbon fiber Equilink rear triangle w/ carbon fiber dropouts, post mount disc tabs & 7075 CNC aluminum replaceable rear derailleur hanger
Shock	RockShox Monarch RT w/ custom tune, 200 x 57mm	RockShox Monarch RT w/ custom tune, 200 x 57mm	RockShox Monarch R w/ custom tune, 200 x 57mm	RockShox Monarch RT3 w/ custom tune, 200 x 57mm
Fork	RockShox Revelation RL, 140mm travel, Solo Air, PushLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts	RockShox Sektor Silver 140mm travel Solo Air w/ lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts	Suntour Epicon TR, 130mm travel, hydraulic lockout w/ rebound adjuster, Air Spring, tapered steerer, 32mm butted stanchions, Magnesium lowers, 15mm axle	
Headset	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt
Stem	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD / LG - 80mm XL - 90mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD / LG - 80mm XL - 90mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: SM - 70mm MD / LG - 80mm XL - 90mm	
Handlebar	Felt MTB riser carbon, 8mm rise, 9° sweep, 720mm wide	Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide	Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide	
Grips	Felt Wing Grip, Lock-On	Felt Wing Grip, double-density	Felt Wing Grip, double-density	
Bar Ends / Caps	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing	
Shifters	Shimano XT Rapid-Fire 2 x 10-speed	Shimano Deore 2 x 10-speed	SRAM X5 2 x 10-speed	
Front Derailleur	Shimano Deore, high direct mount, down swing, dual pull, 2 x 10-speed	Shimano Deore high direct mount, down swing, dual pull, 2 x 10-speed	SRAM X5 high direct mount, top pull, 2 x 10-speed	
Rear Derailleur	Shimano XT Shadow Plus 10-speed long cage	Shimano SLX Shadow Plus 10-speed long cage	SRAM X7 10-speed long cage	
Crankset	Shimano XT Hollowtech II, 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	Shimano Deore Hollowtech II, 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	SRAM S1000 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	
Chainwheel	Shimano 38/24T	Shimano 38/24T	SRAM 38/24T	
Chainguide				
Bottom Bracket	Shimano sealed threaded	Shimano sealed threaded	GXP	
Pedals				
Chain	Shimano 10-speed	Shimano 10-speed	SRAM 10-speed	
Freewheel / Cassette	Shimano 10-speed 11-36T	Shimano 10-speed 11-36T	SRAM 10-speed 11-36T	
Brake Levers	Shimano Deore	AVID DB-1	Tektro HDC	
Front Brake	Shimano Deore hydraulic disc w/ 180mm Center-Lock rotor	AVID DB-1 hydraulic disc w/ 180mm Clean Sweep rotor	Tektro HDC hydraulic disc w/ 180mm rotor	
Rear Brake	Shimano Deore hydraulic disc w/ 180mm Center-Lock rotor	AVID DB-1 hydraulic disc w/ 180mm Clean Sweep rotor	Tektro HDC hydraulic disc w/ 160mm rotor	
Cables	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	
Saddle	Felt MTB performance w/ Cr-Mo rails	Felt MTB performance	Felt MTB performance	
Seat Post	KS LEV dropper post, cable and lever: S - Ø30.9 x 335mm M / L - Ø30.9 x 385mm XL - Ø30.9 x 435mm	KS eTen dropper post, non-remote Ø30.9 x 385mm	Felt aluminum butted 6061 micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	
Seat Post Clamp	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm	Felt SuperLite single bolt, Ø34.9mm
Rims / Wheelset	DT Swiss 533D double wall aluminum w/ eyelets	WTB Speed Disc i23 29" double wall aluminum w/ eyelets	WTB SX i23 29" double wall aluminum	
Front Hub	Shimano XT hub w/ Center-Lock rotor mount, 15mm axle	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle	
Rear Hub	Shimano XT hub w/ Center-Lock rotor mount, 142 x 12mm axle	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 142 x 12mm axle	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 142 x 12mm axle	
Spokes	DT Swiss 1.8mm w/ aluminum nipples	Stainless steel 2.0mm w/ aluminum nipples	Stainless steel 2.0mm w/ brass nipples	
Tires	Continental X-King SL Performance folding, 29 x 2.4	Continental X-King SL Performance folding, 29 x 2.4	Continental X-King Sport SL, 29 x 2.4	
Accessories				Carbon assembly paste, 142 QR Axle. chainstay protector, touch-up paint, Felt Bonus Decals

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	COMPULSION LT3	COMPULSION LT50	NINE1	NINE3
Finish	Matte Black	Brushbrite	Matte Carbon	Gloss White
Sizes	SM (15.5"), MD (17.5"), LG (19.5"), XL (21.5")	SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")
Weight	13.56kg, 29.9lbs	14.9kg, 32.85lbs	10.07kg, 22.2lbs	11.68kg, 25.75lbs
Frame	Felt Compulsion All Mountain, UHC Performance carbon fiber front triangle, 6061 aluminum rear, Equilink suspension technology, adjustable 160 / 150mm travel, ControlTaper semi-integrated head tube, integrated ISCG mount, dropper post cable guides, front derailleur internal cable routing, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Shimano style 142 x 12mm, Ø34.9mm high clamp front derailleur	Felt Compulsion All Mountain, hydroform double-butted 6061 aluminum, Equilink suspension technology, adjustable 160 / 150mm travel, ControlTaper semi-integrated head tube, integrated ISCG mount, dropper post cable guides, IS disc mount, replaceable derailleur hanger, standard 73mm bottom bracket, Shimano style 142 x 12mm, Ø34.9mm high clamp front derailleur	Felt Nine Series XC, UHC Advanced carbon fiber, featuring InsideOut internally optimized molding process, Modular Monocoque Construction (MMC), full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, internal derailleur cable routing, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur	Felt Nine Series XC, UHC Performance carbon fiber, featuring InsideOut internally optimized molding process, Modular Monocoque Construction (MMC), full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, internal derailleur cable routing, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur
Shock	RockShox Monarch RT w/ custom tune, 200 x 57mm	RockShox Monarch RT w/ custom tune, 200 x 57mm		
Fork	RockShox Pike RC, Solo Air, 160mm travel, adjustable compression & rebound, hollow 7050 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 20mm Maxle, post style disc mounts, 15mm Maxle, post style disc mounts	RockShox Domain R, 160mm travel, coil, adjustable rebound, forged hollow AL66 TV aluminum crown, tapered aluminum steerer tube, magnesium lowers, 20mm Maxle, post style disc mounts	RockShox Sid RL, 100mm travel, PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, forged hollow AL66 TV aluminum crown, magnesium lowers, 15mm Maxle, post style disc mount	RockShox Recon Gold, Solo Air, 100mm travel (80mm / XS), PushLoc remote lockout, adjustable rebound, magnesium lowers, tapered aluminum steerer, 15mm Maxle, post style disc mount
Headset	FSA No.57 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.57 Semi-integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
Stem	Felt MTB All Mountain 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ stainless bolts: SM / MD - 60mm LG - 70mm XL - 80mm	Felt MTB All Mountain 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ stainless bolts: SM / MD - 60mm LG - 70mm XL - 80mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm
Handlebar	Felt MTB All Mountain 15mm riser bar, butted 6061 aluminum, 9° sweep, 740mm wide	Felt MTB All Mountain 15mm riser bar, butted 6061 aluminum, 9° sweep, 740mm wide	Felt MTB flat carbon 9° sweep, 720mm wide	Felt MTB flat top double-butted 6061 aluminum, 5mm rise, 9° sweep, 720mm wide
Grips	Felt Wing Grip, double clamp lock-on	Felt Wing Grip, double clamp lock-on	ESI Racers Edge, silicon	Felt Wing Grip, lock-on
Bar Ends / Caps			ESI end	Felt Bubble-Tech F Wing
Shifters	SRAM X7 2 x 10-speed	SRAM X5 2 x 10-speed	Shimano XT Rapid-Fire 2 x 10-speed	SRAM X7 2 x 10-speed
Front Derailleur	SRAM X7 high clamp Ø34.9mm, bottom pull, 2 x 10-speed	SRAM X5 high clamp Ø34.9mm, bottom pull, 2 x 10-speed	Shimano XT high clamp Ø34.9mm, bottom pull, 2 x 10-speed	SRAM X7 high clamp Ø34.9mm, bottom pull, 2 x 10-speed
Rear Derailleur	SRAM X9 Type 2 10-speed long cage	SRAM X7 Type 2 10-speed long cage	Shimano XTR Shadow Plus 10-speed long cage	SRAM X9 Type 2, 10-speed long cage
Crankset	SRAM X7 All Mountain 2 x 10-speed w/ bashguard: SM - 170mm MD / LG / XL - 175mm	SRAM X5 All Mountain 2 x 10-speed w/ bashguard: SM - 170mm MD / LG / XL - 175mm	Shimano XT Hollowtech II, 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	SRAM S1000 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm
Chainwheel	SRAM 36/22T	SRAM 36/22T	Shimano 38/24T	SRAM 38/24T
Chainguide				
Bottom Bracket	GXP	GXP	Shimano sealed threaded	GXP
Pedals				
Chain	SRAM 10-speed	SRAM 10-speed	Shimano 10-speed	SRAM 10-speed
Freewheel / Cassette	SRAM 10-speed 11-36T	SRAM 10-speed 11-36T	Shimano XT 10-speed, 11-36T	SRAM 10-speed 11-36T
Brake Levers	Magura MT2	Avid DB-3	Shimano XT	Magura MT2
Front Brake	Magura MT2 hydraulic disc w/ 200mm rotor	Avid DB-3 hydraulic disc w/ 200mm rotor	Shimano XT hydraulic disc w/ 180mm composite Ice Tech Center-Lock rotor	Magura MT2 hydraulic disc w/ 180mm rotor
Rear Brake	Magura MT2 hydraulic disc w/ 180mm rotor	Avid DB-3 hydraulic disc w/ 180mm rotor	Shimano XT hydraulic disc w/ 160mm composite Ice Tech center lock rotor	Magura MT2 hydraulic disc w/ 160mm rotor
Cables	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick
Saddle	Felt MTB performance w/ Cr-Mo rails	Felt MTB performance	Prologo Nago Evo X10 w/ ultralight shell & hollow Cr-Mo rails	Felt MTB performance w/ Cr-Mo rails
Seat Post	KS eTen 100mm dropper post w/ remote, Ø30.9 x 385mm	KS eTen dropper post, non-remote Ø30.9 x 385mm	Felt UHC Performance carbon w/ 2-bolt micro adjust low-profile forged head & rail clamps: SM - Ø27.2 x 350mm MD / LG / XL - Ø27.2 x 400mm	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS / SM - Ø27.2 x 350mm MD / LG / XL - Ø27.2 x 400mm
Seat Post Clamp	Felt quick-release cold forged 6061 aluminum, Ø34.9mm	Felt quick-release cold forged 6061 aluminum, Ø34.9mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø31.8mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø31.8mm
Rims / Wheelset	WTB Speed Disc i23 double wall aluminum w/ eyelets	WTB Speed Disc i23 26" double wall aluminum w/ eyelets	Shimano XT tubeless compatible	WTB Speed Disc i23 29" double wall aluminum w/ eyelets
Front Hub	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle	Forged aluminum, 6-bolt disc mount, 32 hole, 20mm axle	Shimano XT angular contact sealed bearing 15mm axle, Center-Lock	Forged aluminum, 6-bolt disc mount, 32 hole, 15mm axle
Rear Hub	Forged aluminum 10-speed, sealed bearing, 6-bolt disc mount, 32 hole, 142 x 12mm axle	Forged aluminum 10-speed, sealed bearing, 6-bolt disc mount, 32 hole, 142 x 12mm axle	Shimano XT angular contact sealed bearing 135 x 10mm QR axle, Center-Lock	SRAM Mountain 10-speed hub, 6-bolt disc mount, 32 hole, 135 x 10mm axle
Spokes	Stainless steel 2.0 / 1.8mm double-butted w/ aluminum nipples	Stainless steel 2.0 / 1.8mm double-butted w/ aluminum nipples	Shimano XT straight pull butted	Stainless steel 2.0 / 1.8mm double-butted w/ aluminum nipples
Tires	Schwalbe Hans Dampf folding, 26 x 2.35	Schwalbe Hans Dampf folding, 26 x 2.35	Schwalbe Racing Ralph EVO tubeless ready folding, 29 x 2.1	WTB Prowler 60TPI folding, 29 x 2.1
Accessories				

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	NINE5	NINE50	NINE60	NINE70
Finish	Matte Carbon	Matte Galactic Black	Matte Black	Gunmetal
Sizes	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")
Weight	12.56kg, 27.69lbs	13.2 kg, 28.9 lb	13.56kg, 29.9lbs	14kg, 31.4lbs
Frame	Felt Nine Series XC, UHC Performance carbon fiber, featuring InsideOut internally optimized molding process, Modular Monocoque Construction (MMC), full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, internal derailleur cable routing, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur	Felt Nine Series XC, hydroform double butted 6061 aluminum, machined chainstay yoke, ControlTaper integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur	Felt Nine Series XC, hydroform double butted 6061 aluminum, machined chainstay yoke, ControlTaper integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur	Felt Nine Series XC, Dynaform 6061 butted aluminum, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
Shock				
Fork	RockShox XC32, Solo Air, 100mm travel, TK crown lock out, adjustable rebound, tapered aluminum steerer tube, forged aluminum crown, magnesium lowers, 9mm QR, post style disc mount	RockShox XC32, Solo Air, 100mm travel, TK crown lock out, adjustable rebound, tapered aluminum steerer tube, forged aluminum crown, magnesium lowers, 9mm QR, post style disc mount	RockShox XC30, 100mm travel, tapered aluminum steerer tube, spring preload adjust, external rebound and turnkey lockout, adjustable rebound, magnesium lowers, 9mm QR, post style disc mount	Suntour XCM HLO, 100mm travel 1-1/8" steerer tube, forged 6061 crown, hydraulic lockout, 30mm stanchion, aluminum lowers, double coil spring + MCJ w/ preload adjust
Headset	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA No.10 Semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers w/ Felt Tornado aluminum top cap
Stem	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm
Handlebar	Felt MTB flat top double-butted 6061 aluminum, 5mm rise, 9° sweep, 720mm wide	Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide	Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide	Felt MTB riser 6061 aluminum, 15mm rise, 9° sweep, 680mm wide
Grips	Felt Wing Grip, lock-on	Felt Wing Grip, double-density	Felt Wing Grip, double-density	Felt Wing Grip, double-density
Bar Ends / Caps	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing
Shifters	SRAM X5 2 x 10-speed	Shimano Deore Rapid-Fire 3 x 10-speed	Shimano Acera Rapid-Fire 3 x 9-speed	Shimano Acera Rapid-Fire 3 x 9-speed
Front Derailleur	SRAM X5 high clamp Ø34.9mm, bottom pull, 2 x 10-speed	Shimano Deore, low clamp Ø34.9mm, bottom pull, 3 x 10-speed	Shimano Acera, low clamp Ø34.9mm, bottom pull, 3 x 9-speed	Shimano Acera, low clamp Ø34.9mm, bottom pull, 3 x 9-speed
Rear Derailleur	SRAM X7 Type 2, 10-speed long cage	Shimano Deore Shadow 10-speed long cage	Shimano Deore Shadow 9-speed long cage	Shimano Alivio 9-speed long cage
Crankset	SRAM S1000 2 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	Shimano Deore Hollowtech II, 3 x 10-speed: XS / SM - 170mm MD / LG / XL - 175mm	Suntour XCR w/ forged aluminum arms, 3 x 9-speed: XS / SM - 170mm MD / LG / XL - 175mm	Suntour XCM w/ forged aluminum arms, 3 x 9-speed: XS / SM - 170mm MD / LG / XL - 175mm
Chainwheel	SRAM 38/24T	Shimano 42/32/24T	Suntour 42/32/22T	Suntour 42/32/22T
Chainguide				
Bottom Bracket	GXP	Shimano sealed threaded	Sealed cartridge, square taper axle	Sealed cartridge, square taper axle
Pedals		Low profile aluminum platform	Low profile nylon platform	Low profile nylon platform
Chain	SRAM 10-speed	Shimano 10-speed	KMC 9-speed	Sunrace 9-speed
Freewheel / Cassette	SRAM 10-speed 11-36T	Shimano 10-speed 11-34T	SRAM 9-speed 11-34T	Sunrace 9-speed 11-32T
Brake Levers	Tektro HDC	Avid DB-1	Tektro HDC	Tektro MTB
Front Brake	Tektro HDC hydraulic disc w/ 180mm rotor	Avid DB-1 hydraulic disc w/ 180mm rotor	Tektro HDC hydraulic disc w/ 180mm rotor	Tektro Novella mechanical disc w/ 180mm rotor
Rear Brake	Tektro HDC hydraulic disc w/ 160mm rotor	Tektro HDC hydraulic disc w/ 160mm rotor	Tektro HDC hydraulic disc w/ 160mm rotor	Tektro Novella mechanical disc w/ 160mm rotor
Cables	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick
Saddle	Felt MTB performance	Felt MTB performance	Felt MTB performance	Felt MTB performance
Seat Post	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS / SM - Ø27.2 x 350mm MD / LG / XL - Ø27.2 x 400mm	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt butted 6061 aluminum, micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt butted 6061 aluminum, micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm
Seat Post Clamp	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø31.8mm	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm
Rims / Wheelset	WTB SX 17 29" double wall aluminum w/ eyelets	WTB Speed Disc i23 29" double wall aluminum w/ eyelets	Aluminum double wall	Aluminum double wall
Front Hub	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle
Rear Hub	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle	Forged aluminum 10-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle	Forged aluminum 9-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle	Forged aluminum 9-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle
Spokes	Stainless steel 2.0mm w/ aluminum nipples	Stainless steel 2.0mm w/ aluminum nipples	Stainless steel 2.0mm w/ aluminum nipples	Stainless steel 2.0mm w/ brass nipples
Tires	WTB Prowler 60TPI folding, 29 x 2.1	WTB Prowler gumwall 60TPI folding, 29 x 2.1	WTB Nano Race 60TPI folding, 29 x 2.1	WTB Nano Comp, 29 x 2.1
Accessories				

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	NINE80	NINEFRD FRAMESET	NINEC FRAMESET	7SIXTY
Finish	Black	Matte Carbon	Matte Carbon	Matte Galactic Black
Sizes	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")
Weight	14.4kg 31.7lbs	TBA	TBA	13.59kg, 29.9lbs
Frame	Felt Nine Series XC, Dynaform 6061 butted aluminum, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur	Felt Nine Series XC UHC Ultimate + Textreme® carbon fiber, featuring InsideOut internally optimized molding process, ControlTaper head tube, modular monocoque construction, 1-piece full carbon dropouts, high clearance seat and chainstay yokes, bolt on Kevlar chain watcher, replaceable derailleur hanger, disc brake specific w/ IS disc mounts. Standard 73mm bottom bracket, 135mm old, Ø27.2mm seatpost size, 35mm front derailleur clamp	Felt XC Hardtail UHC Advanced carbon fiber, MMC w/ InsideOut construction, threaded BB, carbon fiber dropouts, IS disc tabs, 7075 CNC aluminum replaceable rear derailleur hanger	Felt 7 Series XC, hydroform double butted 6061 aluminum, machined chainstay yoke, ControlTaper integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
Shock				
Fork	Suntour XCT, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, 28mm stanchion, aluminum lower, coil spring + MCU, w/ preload adjust			RockShox XC30, 100mm travel, tapered aluminum steerer tube, spring preload adjust, external rebound and turnkey lockout, adjustable rebound, magnesium lowers, 9mm QR, post style disc mount
Headset	FSA No.10 Semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt	FSA NO.42 integrated, 1.125" - 1.5" sealed cartridge bearing w/ carbon fiber 8.7mm cone spacer, 2 x 10mm + 2 x 5mm carbon fiber headset spacers, Felt carbon fiber top cap & aluminum bolt	FSA No.42 Semi-integrated tapered Aheadset, custom cone spacer + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
Stem	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm			Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm
Handlebar	Felt MTB riser 6061 aluminum, 15mm rise, 9° sweep, 680mm wide			Felt MTB riser double-butted 6061 aluminum, 15mm rise, 9° sweep, 720mm wide
Grips	Felt Wing Grip, double-density			Felt Wing Grip, double-density
Bar Ends / Caps	Felt Bubble-Tech F Wing			Felt Bubble-Tech F Wing
Shifters	SRAM X4 3 x 8-speed			Shimano Acera Rapid-Fire 3 x 9-speed
Front Derailleur	Shimano Altus, low clamp Ø34.9mm, bottom pull, 3 x 8-speed			Shimano Acera, low clamp Ø34.9mm, bottom pull, 3 x 9-speed
Rear Derailleur	SRAM X4, 8-speed medium cage			Shimano Deore Shadow 9-speed long cage
Crankset	Suntour XCT w/ forged aluminum arms, 3 x 8-speed: XS / SM - 170mm MD / LG / XL - 175mm			Suntour XCR w/ forged aluminum arms, 3 x 9-speed: XS / SM - 170mm MD / LG / XL - 175mm
Chainwheel	Suntour 42/32/22T			42/32/22T
Chainguide				
Bottom Bracket	Sealed cartridge, square taper axle			Sealed cartridge, square taper axle
Pedals	Low profile nylon platform			Low profile nylon platform
Chain	Sunrace 8-speed			Sunrace 9-speed
Freewheel / Cassette	Sunrace 11-34T 8-speed			Sunrace 9-speed 11-36T
Brake Levers	Tektro MTB			Tektro HDC
Front Brake	Tektro Novella mechanical disc w/ 180mm rotor			Tektro HDC hydraulic disc w/ 180mm rotor
Rear Brake	Tektro Novella mechanical disc w/ 160mm rotor			Tektro HDC hydraulic disc w/ 160mm rotor
Cables	Felt All-Weather Sealed Slick			Felt All-Weather Sealed Slick
Saddle	Felt MTB performance			Felt MTB performance
Seat Post	Felt butted 6061 aluminum, micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm			Felt butted 6061 aluminum, micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm
Seat Post Clamp	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm	Felt SuperLite single bolt, Ø31.8mm	Felt single bolt, Ø31.8mm	Aluminum 6061 CNC cold forged w/ barrel nut design, Ø34.9mm
Rims / Wheelset	Aluminum double wall			Aluminum double wall
Front Hub	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle			Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle
Rear Hub	Forged aluminum 8-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle			Forged aluminum 9-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle
Spokes	Stainless steel 2.0mm w/ brass nipples			Stainless steel 2.0mm spokes w/ aluminum nipples
Tires	WTB Nano Comp, 29 x 2.1			Schwalbe Racing Ralph folding, 27.5 x 2.25
Accessories		Carbon assembly paste, chain plate protector, kevlar chain watcher, chainstay protector, down-tube protector, touch-up paint, Felt Bonus Decals	Carbon assembly paste, chain plate protector, kevlar chain watcher, chainstay protector, down-tube protector, touch-up paint, Felt Bonus Decals	

	7EIGHTY	Q26	Q24
Finish	Matte Anthracite	Black	Race Red
Sizes	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	XS (14"), SM (16"), MD (18"), LG (20"), XL (22")	24"
Weight	TBA	14.1kg, 31lbs	TBA
Frame	Felt Nine Series XC, Dynaform 6061 butted aluminum, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur	Felt Q Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropout, standard 73mm bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp	Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropouts, IS mount disc brake, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front derailleur clamp
Shock			
Fork	Suntour XCT DS, 100mm travel (80mm XS), coil + MCU spring w/ preload adjuster, 9mm QR, post mount	Suntour XCT, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, 28mm stanchion, aluminum lower, coil spring + MCU, w/ preload adjust	Suntour M3020 AL 24, 50mm travel, coil spring + MCU, 1-1/8" steerer tube, forged 6061 crown, 25.4mm stanchions
Headset	FSA No.10 Semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap	Semi-integrated Aheadset 1-1/8" double sealed	Threadless 1-1/8", forged cups w/ 3 x 5mm straight spacers
Stem	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ CP Cr-Mo bolts: XS - 70mm SM / MD - 80mm LG - 90mm XL - 100mm	Felt MTB stem 1-1/8" threadless, +/- 7° rise w/ CP Cr-Mo bolts: XXS / XS / SM - 70mm MD / LG / XL - 90mm	Felt forged aluminum threadless 1-1/8", 15° rise 90mm extension
Handlebar	Felt MTB riser 6061 aluminum, 15mm rise, 9° sweep, 680mm wide	Felt MTB riser 6061 aluminum, 30mm rise, 6° sweep, 680mm wide	Felt kids MTB aluminum, zero rise, 25.4mm x 6° sweep, 560mm width
Grips	Felt Wing Grip, double-density	Felt Wing Grip, double-density	Felt kids MTB
Bar Ends / Caps	Felt Bubble-Tech F Wing	Felt Bubble-Tech F Wing	
Shifters	SRAM X4, 3 x 8-speed	SRAM X4, 3 x 8-speed	Shimano Tourney Revo twist w/ gear display, 3 x 7-speed
Front Derailleur	Shimano Altus, low clamp Ø34.9mm, bottom pull, 3 x 8-speed	Shimano Altus, low clamp Ø34.9mm, bottom pull, 3 x 8-speed	Shimano Tourney
Rear Derailleur	SRAM X4, 8-speed medium cage	SRAM X4, 8-speed medium cage	Shimano Altus Smart Cage 7-speed
Crankset	Suntour XCT w/ forged aluminum arms, 3 x 8-speed: XS / SM - 170mm MD / LG / XL - 175mm	Suntour XCT w/ forged aluminum arms, 3 x 8-speed: XXS / XS / SM - 170mm MD / LG / XL - 175mm	Forged aluminum 3-piece w/ chainguard crank, 152mm length
Chainwheel	Suntour 42/32/22T	Suntour 42/32/22T	42/34/24T
Chainguide			
Bottom Bracket	Sealed cartridge, square taper axle	Sealed cartridge, square taper axle	Sealed cartridge, square taper axle
Pedals	Low profile nylon platform	Aluminum cage w/ nylon body	Aluminum cage w/ nylon body
Chain	Sunrace 8-speed	Sunrace 8-speed	Sunrace 7-speed
Freewheel / Cassette	Sunrace 11-34T 8-speed	Sunrace 11-34T 8-speed	Sunrace 7-speed, 13-34T
Brake Levers	Tektro MTB	Tektro MTB short reach	Tektro Junior MTB adjustable short reach
Front Brake	Tektro Novella mechanical disc w/ 180mm rotor	Tektro Novella mechanical disc w/ 180mm rotor	Tektro Novella mechanical disc w/ 160mm rotor
Rear Brake	Tektro Novella mechanical disc w/ 160mm rotor	Tektro Novella mechanical disc w/ 160mm rotor	Tektro Novella mechanical disc w/ 160mm rotor
Cables	Felt All-Weather Sealed Slick	Felt All-Weather Sealed Slick	Felt Sealed Slick
Saddle	Felt MTB performance	Felt MTB performance	Felt kids MTB
Seat Post	Felt butted 6061 aluminum, micro-adjust 15mm offset: XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt butted 6061 aluminum, micro-adjust 15mm offset: XS / XS / SM - Ø30.9 x 350mm MD / LG / XL - Ø30.9 x 400mm	Felt aluminum micro-adjust Ø27.2 x 300mm
Seat Post Clamp	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm	Aluminum 6061 CNC cold forged, w/ barrel nut design, Ø34.9mm	Felt quick-release forged 6061 aluminum, Ø31.8mm
Rims / Wheelset	Aluminum double wall	Aluminum double wall	Aluminum 24 x 1.5, 32 hole
Front Hub	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle	Forged aluminum, 6-bolt disc mount w/ quick release
Rear Hub	Forged aluminum 8-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle	Forged aluminum 8-speed, 6-bolt disc mount, 32 hole, 135 x 10mm axle	Forged aluminum 7-speed, 6-bolt disc mount w/ quick release
Spokes	Stainless steel 2.0mm spokes w/ brass nipples	Stainless steel 2.0mm spokes w/ brass nipples	Stainless steel 2.0mm w/ brass nipples
Tires	Schwalbe Rapid Rob, 27.5 x 2.25	Felt TAR MTB, 26 x 2.1	MTB knobby design, 60TPI, 24 x 1.95
Accessories			

GEOMETRY CHART

ARSeries						
Geometry	48	51	54	56	58	61
HA	71	72.5	73	73.5	74	74
SA	74.5	74	73.5	73.5	73.5	73
TT HORIZ	510	530	545	560	580	605
HT LENGTH	110	120	140	160	180	210
SEAT TUBE C-T	440	470	500	520	550	590
BB DROP	72	70	70	70	70	70
CS	408	408	410	410	410	410
WHEELBASE	974	977	980	988	1003	1024
STANDOVER	-	-	-	-	-	-
RAKE	52	50	45	43	43	43
REACH	367	379	383	392	406	417
STACK	510	523	546	567	588	617

ZSeries Carbon					
Geometry	51	54	56	58	61
HA	72	72.5	72.5	72.5	72.5
SA	74.5	74	73.5	73	73
TT HORIZ	525	545	560	575	595
HT LENGTH	140	160	180	200	220
SEAT TUBE C-T	470	500	520	540	570
BB DROP	70	70	70	70	70
CS	417	417	417	417	417
WHEELBASE	990	1002	1012	1022	1042
STANDOVER	698	727	747	767	795
RAKE	50	50	50	50	50
REACH	373	384	388	392	406
STACK	541	561	580	600	619

FSeries Carbon						
Geometry	48	51	54	56	58	61
HA	71	72.5	73	73.5	74	74
SA	74.5	74	73.5	73.5	73.5	73
TT HORIZ	510	530	545	560	580	605
HT LENGTH	100	110	120	140	160	200
SEAT TUBE C-T	440	480	520	540	470	610
BB DROP	72	70	70	70	70	70
CS	403	403	405	405	407	410
WHEELBASE	969	971	974	983	1000	1022
STANDOVER	681	717	750	770	796	834
RAKE	52	50	45	43	43	43
REACH	370	381	389	397	412	419
STACK	500	514	526	548	569	607

ZSeries Aluminum (Z85, Z95, Z100)					
Geometry	51	54	56	58	61
HA	72	72.5	72.5	72.5	72.5
SA	74.5	74	73.5	73	73
TT HORIZ	525	545	560	575	595
HT LENGTH	140	160	180	200	220
SEAT TUBE C-T	470	500	520	540	570
BB DROP	70	70	70	70	70
CS	417	417	417	417	417
WHEELBASE	990	1002	1012	1022	1042
STANDOVER	713	726	746	765	792
RAKE	52	52	52	52	45 (Z100= 52)
REACH	372	382	386	390	410
STACK	540	561	580	599	620

FSeries Aluminum (F24, F95 Jr, F75)								
Geometry	40	44	48	51	54	56	58	61
HA	72	71.5	71	72.5	73	73.5	74	74
SA	73.5	75.5	74.5	74	73.5	73.5	73.5	73
TT HORIZ	447	483	510	530	545	560	580	605
HT LENGTH	120	130	100	120	130	150	170	210
SEAT TUBE C-T	345	400	440	470	520	540	570	610
BB DROP	30	49	72	70	70	70	70	70
CS	360	380	405	405	405	405	407	410
WHEELBASE	851	925	971	973	974	983	1000	1022
STANDOVER	602	665	681	710	750	770	796	834
RAKE	40	41	52	52	45	45	45	45
REACH	314	358	370	378	386	393	408	415
STACK	448	489	500	523	536	557	578	616

ZWSeries Carbon				
Geometry	Petite (43)	Small (45)	Medium (47)	Tall (50)
HA	70.25	71.25	72	72.5
SA	75.25	74.5	74.5	74
TT HORIZ	495	512	525	545
HT LENGTH	120	130	140	160
SEAT TUBE C-T	430	450	470	500
BB DROP	72	72	70	70
CS	410	410	417	417
WHEELBASE	974	977	990	1002
STANDOVER	-	-	-	-
RAKE	52	52	50	50
REACH	357	363	373	384
STACK	517	530	541	561

ZWSeries Aluminum				
Geometry	Petite (43)	Small (45)	Medium (47)	Tall (50)
HA	70.25	71.5	72	72.5
SA	75.25	74.5	74.5	74
TT HORIZ	495	514	525	545
HT LENGTH	110	125	140	160
SEAT TUBE C-T	430	450	470	500
BB DROP	72	72	70	70
CS	410	410	417	417
WHEELBASE	974	977	990	1002
STANDOVER	675	694	713	726
RAKE	52	52	52	52
REACH	359	367	372	382
STACK	507	526	540	561

IASeries					
Geometry	48	51	54	56	58
HA	71.5	71.5	72	72	72
SA	79.5	79	78.5	78	77.5
TT HORIZ	468	486	510	541	573
HT LENGTH	67.5	96	111	136	163
SEAT TUBE C-T	496	525	546	571	598
BB DROP	72	72	72	72	72
CS	400	400	400	400	400
WHEELBASE	961	978	991	1020	1049
STANDOVER	744	776	790	819	840
RAKE	50	50	45	45	45
REACH	379	387	404	424	445
STACK	478	505	523	547	573

DASeries					
Geometry	47(650c)	51	54	56	58
HA	71	72.5	73	73	73
SA	76.5-78.8	76-78.1	76-78	76-78	76-78
TT HORIZ	471-490	500-520	521-540	541-560	561-580
HT LENGTH	78	80	88	108	128
SEAT TUBE C-T	470	510	540	560	580
BB DROP	45	70	70	70	70
CS	375	395	395	395	395
WHEELBASE	935	962	978	999	1020
STANDOVER	724	770	794	813	833
RAKE	40	40	40	40	40
REACH	387	399	416	432	447
STACK	433	488	497	516	536

BSeries (All models except B16, see above)						
Geometry	47 (650c)	51	54	56	58	61
HA	71	72.5	73	73	73	73
SA	76.5	76	76	76	76	76
TT HORIZ	490	518	539	559	579	594
HT LENGTH	115	115	127	147	167	198
SEAT TUBE C-T	470	510	540	560	580	610
BB DROP	45	70	70	70	70	70
CS	375	395	395	395	395	395
WHEELBASE	935	961	978	999	1020	1037
STANDOVER	703	743	764	779	780	780
RAKE	40	40	40	40	40	40
REACH	375	388	405	420	436	444
STACK	468	521	535	554	573	602

B16							
Geometry	48 (650c)	50 (650c)	52	54	56	58	60
HA	72	72.5	72.5	73	73	73	73
SA	78	77.7	77.6	75.9	76.3	76.7	77
TT HORIZ	490	500	520	545	557	581	593
HT LENGTH	115	130	100	110	125	145	160
SEAT TUBE C-T	480	500	520	540	560	580	600
BB DROP	45	45	70	70	70	70	70
CS	385	385	405	405	405	405	405
WHEELBASE	947	952	984	991	1007	1036	1052
STANDOVER	703	720	743	764	779	780	780
RAKE	35	35	40	40	40	40	40
REACH	386	391	407	414	426	449	461
STACK	468	484	502	514	528	547	561

SSeries						
Geometry	47 (650c)	51	54	56	58	61
HA	71	72	72.5	72.5	72.5	72.5
SA	78.8	78	78	78	78	78
TT HORIZ	466	496	518	538	558	570
HT LENGTH	120	120	130	150	170	190
SEAT TUBE C-T	470	510	540	560	580	610
BB DROP	45	70	70	70	70	70
CS	375	395	395	395	395	395
WHEELBASE	935	967	984	1006	1028	1042
STANDOVER	-	743	764	779	780	780
RAKE	41	43	43	43	43	43
REACH	373	385	403	419	435	444
STACK	472	524	535	554	573	592

Tk1			
Geometry	52	55	57
HA	73	73.5	74
SA	74	74	74
TT HORIZ	530	550	570
HT LENGTH	80	90	110
SEAT TUBE C-T	505	525	545
BB DROP	55	55	55
CS	375	375	375
WHEELBASE	935	950	967
STANDOVER	745	754	774
RAKE	40	40	40
REACH	395	412	426
STACK	469	480	501

TkSeries					
Geometry	51	54	56	58	61
HA	74	75	75	75	75
SA	74	74	74	74	74
TT HORIZ	515	540	560	580	607
HT LENGTH	110	120	140	160	195
SEAT TUBE C-T	510	540	560	580	610
BB DROP	55	55	55	55	55
CS	395	395	395	395	395
WHEELBASE	935	938	958	978	1004
STANDOVER	-	-	-	-	-
RAKE	43	30	30	30	30
REACH	372	392	406	421	438
STACK	501	517	536	555	589

FxSeries						
Geometry	47	50	53	55	57	60
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611

BREED						
Geometry	47	50	53	55	57	60
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.8	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611

F24x						
Geometry						
HA	70.5					
SA	74.5					
TT HORIZ	465					
HT LENGTH	110					
SEAT TUBE C-T	345					
BB DROP	40					
CS	380					
WHEELBASE	905					
STANDOVER	580					
RAKE	40					
REACH	333					
STACK	471					

EDICT NINESeries Carbon				
Geometry	Small (16)	Medium (18)	Large (20)	XL (22)
HA	71.5	71.5	71.5	71.5
SA	73	73	73	73
TT HORIZ	578	603	628	650
HT LENGTH	100	110	120	140
SEAT TUBE C-T	15.5	18	20	22.5
BB DROP	42	42	42	42
CS	450	450	450	450
WHEELBASE	1078	1103	1128	1150
STANDOVER	700	705	725	763
RAKE	46	46	46	46
REACH	393	415	436	452
STACK	602	612	621	640

EDICT NINESeries Aluminum				
Geometry	Small (16)	Medium (18)	Large (20)	XL (22)
HA	71.5	71.5	71.5	71.5
SA	73	73	73	73
TT HORIZ	578	603	628	650
HT LENGTH	100	110	120	140
SEAT TUBE C-T	15.5	18	20	22.5
BB DROP	42	42	42	42
CS	450	450	450	450
WHEELBASE	1078	1103	1128	1150
STANDOVER	700	720	745	800
RAKE	46	46	46	46
REACH	393	415	436	452
STACK	602	612	621	640

VIRTUE NINESeries Carbon				
Geometry	Small (16)	Medium (18)	Large (20)	XL (22)
HA	69	69	69	69
SA	74.5	74.5	74.5	74.5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652

VIRTUE NINESeries Aluminum				
Geometry	Small (16)	Medium (18)	Large (20)	XL (22)
HA	69	69	69	69
SA	74.5	74.5	74.5	74.5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652

COMPULSIONSeries				
Geometry	Small (16)	Medium (18)	Large (20)	XL (22)
HA	67.5	67.5	67.5	67.5
SA	73.5	73.5	73.5	73.5
TT HORIZ	580	604	627	652
HT LENGTH	115	125	135	145
SEAT TUBE C-T	410	440	490	540
BB DROP	-15	-15	-15	-15
CS	432	432	432	432
WHEELBASE	1128	1154	1178	1204
STANDOVER	724	738	767	793
RAKE	40	40	40	40
REACH	415	438	458	480
STACK	557	567	576	585

NINESeries Carbon					
Geometry	14	16	18	20	22
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644

NINESeries Aluminum					
Geometry	14	16	18	20	22
HA	71	71	71	71	71
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	445	445	445	445
WHEELBASE	1049	1075	1095	1115	1136
STANDOVER	679	714	760	794	823
RAKE	46	46	46	46	46
REACH	384	397	414	431	448
STACK	595	614	623	632	642

7Series					
Geometry	14	16	18	20	22
HA	70	70	70	70	70
SA	73.5	73	73	73	73
TT HORIZ	565	590	610	630	650
HT LENGTH	90	100	110	120	130
SEAT TUBE C-T	356	406	457	508	559
BB DROP	50	50	50	50	50
CS	425	425	425	425	425
WHEELBASE	1053	1073	1093	1114	1134
STANDOVER	660	700	745	780	810
RAKE	42	42	42	42	42
REACH	394	411	427	445	461
STACK	579	588	598	607	616

Q26					
Geometry	14	16	18	20	22
HA	69	69	69	69	69
SA	73	73	73	73	73
TT HORIZ	544	568	592	617	638
HT LENGTH	120	135	145	160	170
SEAT TUBE C-T	356	406	457	508	559
BB DROP	35	35	35	35	35
CS	425	425	425	425	425
WHEELBASE	1039	1064	1088	1113	1136
STANDOVER	668	703	743	786	823
RAKE	38	38	38	38	
REACH	365	383	403	424	442
STACK	582	596	606	620	629

Q24		
Geometry	24	
HA	69	
SA	70	
TT HORIZ	525	
HT LENGTH	110	
SEAT TUBE C-T	285	
BB DROP	23	
CS	410	
WHEELBASE	968	
STANDOVER	580	
RAKE	30	
REACH	322	
STACK	556	

Copyright 2013-14 Felt Racing, LLC and Felt GmbH. All rights reserved. No portion of this may be reproduced, whole or in part, without the express written consent of Felt Racing, LLC and Felt GmbH. Specifications subject to change without notice. Not responsible for typos or misprints. Some of the action depicted here is of professional riders and should not be attempted. Know your limitations and always ride safely and in complete control. Obey all traffic, safety and land access laws and always wear a helmet. CPSC equipment included with all new bicycles but not necessarily shown here. feltbicycles.com

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE