Printing

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2023 Reviewed on 08/23/2023

1 Identification

· Product identifier

· Trade name: DIP-N-STRIP®

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Chemical Consultants Inc. 1850 Wild Turkey Circle

Corona, CA 92878

USA

+1 (951) 735-5511

ncollins@ccidom.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to organs through prolonged or repeated exposure.



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

sodium metaperiodate

Sodium Diphenyl Oxide Disulfonate

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

(Contd. on page 2)



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 1)

P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|-------------------------|-----------------------------------|-------|
| 151-21-3 | Sodium Lauryl Sulphate | 1-10% |
| 119345-04-9 | Sodium Diphenyl Oxide Disulfonate | 1-5% |
| 7790-28-5 | sodium metaperiodate | 1-5% |

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

LIS



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions:

Dilute with plenty of water.

For large spills: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| <i>PAC-1</i> : | | |
|----------------|-------------------------|----------------------|
| 151-21-3 | Sodium Lauryl Sulphate | 3.9 mg/m^3 |
| 7790-28-5 | sodium metaperiodate | 0.19 mg/m |
| 7664-93-9 | sulphuric acid | 0.20 mg/m |
| 5329-14-6 | sulphamidic acid | $9.5 \ mg/m^3$ |
| 7681-38-1 | sodium hydrogensulphate | 0.82 mg/m |
| <i>PAC-2:</i> | | |
| 151-21-3 | Sodium Lauryl Sulphate | 43 mg/m³ |
| 7790-28-5 | sodium metaperiodate | 2.1 mg/m |
| 7664-93-9 | sulphuric acid | 8.7 mg/m |
| 5329-14-6 | sulphamidic acid | 100 mg/m |
| 7681-38-1 | sodium hydrogensulphate | 9 mg/m³ |
| <i>PAC-3:</i> | | |
| 151-21-3 | Sodium Lauryl Sulphate | 260 mg/m |
| 7790-28-5 | sodium metaperiodate | 13 mg/m³ |
| 7664-93-9 | sulphuric acid | 160 mg/m |
| 5329-14-6 | sulphamidic acid | 630 mg/m |
| 7681-38-1 | sodium hydrogensulphate | 54 mg/m ³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing d

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

· Specific end use(s) No further relevant information available.

(Contd. of page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

Personal protective equipment should be selected based on an assessment of risk of exposure as uses and conditions of use vary and there is no single PPE scenario that fits all. There are chemicals in the blend that evaporate into the air and under conditions of large use volumes in combination with limited ventilation, respiratory protection may be warranted. Conditions where the worker uses the product in small amounts with local exhaust ventilation, protective gloves and eye protection may be sufficient to control exposure

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

US



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 4)

| Information on basic physical and c | hemical properties | |
|---------------------------------------|---|--|
| General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Color: | According to product specification | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | <3 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | >100 °C (>212 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| Density at 20 °C (68 °F): | $1.05 \text{ g/cm}^3 (8.76225 \text{ lbs/gal})$ | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | r): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| VOC content: | 0.00 % | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 25,255 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7664-93-9 sulphuric acid

1

· NTP (National Toxicology Program)

7664-93-9 sulphuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations. (Contd. on page 7)

Printing of

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 6)

· Uncleaned packagings:

· Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | |
|---|---|
| DOT | not regulated |
| IMDG, IATA | UN3082 |
| UN proper shipping name | |
| DOT | not regulated |
| IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (sodium metaperiodate, Sodium Diphenyl Oxi Disulfonate), MARINE POLLUTANT |
| IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (sodium metaperiodate, Sodium Diphenyl Oxid Disulfonate) |
| Transport hazard class(es) | |
| DOT | |
| Class | not regulated |
| IMDG, IATA | |
| | |
| Class | 9 Miscellaneous dangerous substances and articles |
| Label | 9 |
| Packing group | |
| DOT | not regulated III |
| IMDG, IATA | 111 |
| Environmental hazards: | |
| Marine pollutant: Special marking (IATA): | Symbol (fish and tree) Symbol (fish and tree) |
| | , |
| Special precautions for user Hazard identification number (Kemler code): | Warning: Miscellaneous dangerous substances and articles |
| EMS Number: | F-A,S-F |
| Stowage Category | A |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| IMDG | |
| Limited quantities (LQ) | 5L |

(Contd. on page 8)



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

| | (Contd. of page 7) |
|----------------------------|---|
| · Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM METAPERIODATE, SODIUM DIPHENYL OXIDE DISULFONATE), 9, III |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| · Section 355 (extremely hazardous substances): | |
|---|--|
| 7664-93-9 sulphuric acid | |

· Section 313 (Specific toxic chemical listings):

7664-93-9 sulphuric acid

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

| | - | |
|-----------|------------------|------------|
| 7664-93-9 | sulphuric acid | CA, CO, R2 |
| 5329-14-6 | sulphamidic acid | CO |

· Pennsylvania Right-to-Know List:

7664-93-9 sulphuric acid

· Pennsylvania Special Hazardous Substance List:

7664-93-9 sulphuric acid

 \boldsymbol{E}

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

7664-93-9 sulphuric acid

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 9)



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 8)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

sodium metaperiodate

Sodium Diphenyl Oxide Disulfonate

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Date de révision

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- Date of preparation / last revision 08/23/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

(Contd. on page 10)



Printing date 08/23/2023 Reviewed on 08/23/2023

Trade name: DIP-N-STRIP®

(Contd. of page 9)

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1