



SAFETY DATA SHEET

1. Identification Of The Substance/Mixture and of the Company/Undertaking

Product identifier TB10

Other means of identification

Product code TB10

Recommended use Pallet Adhesive

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Tekmar

Address P.O Box 4700
Santa Barbara, CA 93140
United States

Telephone Product Stewardship 805-965-0704
Transportation 800-564-1096

Website <http://tekmarltd.com/>

E-mail techsupport@tekmarltd.com

Emergency phone number Chemtrec 800-424-9300
Emergency Phone 805-965-0704
International ++703 527-3887

Supplier Refer to Manufacturer

Hazard(s) identification

GHS Classification

Skin Sensitization : Category 1

GHS Label Elements

Hazardous Pictograms :



Signal Word : Warning

Hazard Statement : May causes an allergic skin reation.

Precautionary Statement :Prevention
Obtain special instructions before use.

Emergency Overview

Appearance: liquid, white

NOTICE: WHILE THIS MATERIAL HAS A LOW LEVEL OF TOXICITY, GOOD INDUSTRIAL HYGIENE PRACTICES ARE ENCOURAGED TO MINIMIZE EXPOSURE.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

Unlikely to cause eye irritation or injury.

Skin contact

Unlikely to cause skin irritation or injury.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

Breathing of vapor or mist is possible. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: Upper respiratory tract, Skin, lung (for example, asthma-like conditions)

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways),

Target Organs

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals: mild, reversible liver effects, blood abnormalities, reversible respiratory tract damage (nose, throat, and airways)

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Components | CAS-No. / Trade Secret No. | Concentration |
|--------------------------|----------------------------|---------------|
| Acrylic Polymer Compound | N/A | 65% |

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available.

Treatment: No information available

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO₂), Water spray

Hazardous combustion products

Carbon dioxide and carbon monoxide, Hydrocarbons

Precautions for fire-fighting

Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage

Store in a cool, dry, ventilated area. Store in a cool, dry, ventilated area. Store in a cool, dry, ventilated area.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

| Components | CAS -No |
|-------------------------|---------------|
| Halogenated Hydrocarbon | 8000986-5736P |

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--|
| Odour | No data available |
| Odour threshold | No data available |
| pH | No data available |
| Melting point/freezing point | No data available |
| Boiling point/boiling range | No data available |
| Flash point | > 200.1 °F / > 93.4 °C |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper explosion limit | No data available |
| Lower explosion limit | No data available |
| Vapor pressure | (>)24.660 hPa @ 70 °F / 21 °C |
| Relative vapour density | No data available |
| Relative density | 1.02 g/cm ³ @ 70 °F / 21 °C |
| Solubility(ies) Water solubility | dispersible |

| | |
|--|-------------------|
| Solubility in other solvents | No data available |
| Partition coefficient: noctanol/water | No data available |
| Auto-ignition temperature | No data available |
| Thermal decomposition | No data available |
| Viscosity | |
| Dynamic | No data available |
| Kinematic | No data available |
| Oxidizing properties | No data available |

10. STABILITY AND REACTIVITY

Reactivity

No decomposition if stored and applied as directed

Stability

Stable.

Conditions to avoid

Heat, flames and sparks., Exposure to sunlight.

Incompatible products

aluminum, Amines, Ammonia, Bases, Copper alloys, galvanized metals, strong mineral acids, strong organic acids, Strong oxidizing agents, silica, peroxides, UV light., Zinc

Hazardous decomposition products

Carbon dioxide and carbon monoxide, Hydrocarbons

Hazardous reactions

Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Skin Contact

Eye Contact

Ingestion

Acute oral toxicity

| | |
|-------------------------------|---|
| Acute oral toxicity - Product | Assessment: The component/mixture is classified as acute oral toxicity, category 3. |
|-------------------------------|---|

Acute inhalation toxicity

| | |
|-------------------------------------|---|
| Acute inhalation toxicity - Product | Assessment: The component/mixture is classified as acute inhalation toxicity, category 3. |
|-------------------------------------|---|

Acute dermal toxicity

| | |
|---------------------------------|--|
| Acute dermal toxicity - Product | Assessment: The component/mixture is classified as acute dermal toxicity, category 3 |
|---------------------------------|--|

Skin corrosion/irritation

Not classified based on available information.

Components: Halogenated Hydrocarbon
Results: Corrosive to Skin

Serious eye damage/eye irritation**Product:**

Remarks: Unlikely to cause eye irritation

Components:

HALOGENATED HYDROCARBON:
Result: Corrosive

Respiratory or skin sensitization

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information

Components:

HALOGENATED HYDROCARBON:
Assessment: May cause sensitisation by skin contact.

12. ECOLOGICAL INFORMATION**Biodegradability**

| | |
|---------------------------|-------------------|
| Biodegradability- Product | no data available |
|---------------------------|-------------------|

Bioaccumulation

| | |
|---------------------------|-------------------|
| Bioaccumulation - Product | no data available |
|---------------------------|-------------------|

Ecotoxicity effects**Toxicity to fish**

| | |
|----------------------------|-------------------|
| Toxicity to fish - Product | no data available |
|----------------------------|-------------------|

Toxicity to daphnia and other aquatic invertebrates

| | |
|---|-------------------|
| Toxicity to daphnia and other aquatic invertebrates | no data available |
|---|-------------------|

Toxicity to daphnia and other aquatic invertebrates

| | |
|---|-------------------|
| Toxicity to daphnia and other aquatic invertebrates | no data available |
|---|-------------------|

Toxicity to algae

| | |
|---------------------------|-------------------|
| Toxicity to algae-product | no data available |
|---------------------------|-------------------|

Toxicity to bacteria

| | |
|---------------------------|-------------------|
| Toxicity to algae-product | no data available |
|---------------------------|-------------------|

13. DISPOSAL CONSIDERATIONS**Waste disposal methods**

Dispose of in accordance with all applicable local, state and federal regulations. For assistance with

your waste management needs - including disposal, recycling and waste stream reduction.

14. TRANSPORTATION INFORMATION REGULATION

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD CLASS | SUBSIDIARY HAZARDS | PACKING GROUP | MARINE POLLUTANT / LTD. QTY |
|-----------|----------------------|---------------|--------------------|---------------|-----------------------------|
|-----------|----------------------|---------------|--------------------|---------------|-----------------------------|

U.S. DOT – ROAD: Not Dangerous Goods

U.S. DOT – RAIL: Not Dangerous Goods

U.S. DOT – INLAND WATERWAYS: Not Dangerous Goods

TRANSPORT CANADA - ROAD: Not Dangerous Goods

TRANSPORT CANADA - RAIL: Not Dangerous Goods

TRANSPORT CANADA – INLAND WATERWAY: Not Dangerous Goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not Dangerous Goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION – CARGO: Not Dangerous Goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION – PASSENGER: Not Dangerous Goods

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES:
Not Dangerous Goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

SARA Hazard Classification
SARA 311/312 Classification
Chronic Health Hazard

Notification status

| | |
|--|----------------------|
| Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133) | y (positive listing) |
| Australia. Industrial Chemical (Notification and Assessment) Act | n (Negative listing) |
| New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand | n (Negative listing) |

| | |
|---|----------------------|
| Japan. Kashin-Hou Law List | n (Negative listing) |
| Korea. Toxic Chemical Control Law (TCCL) List | n (Negative listing) |
| Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act | n (Negative listing) |
| China. Inventory of Existing Chemical Substances | n (Negative listing) |

HMIS RATING

| | |
|-----------------------------|-------------------|
| HEALTH: | 1 |
| FLAMMABILITY: | 0 |
| PHYSICAL HAZARD: | 0 |
| PERSONAL PROTECTION: | SEE SEC. 8 |

NFPA CODES

| | |
|---------------------|----------|
| HEALTH | 1 |
| FLAMMABILITY | 0 |
| REACTIVITY | 0 |

MANUFACTURER DISCLAIMER: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users