ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021 texsource.

Page 1 of 16 Print Date 02/23/2022

SAFETY DATA SHEET

ULTRA DISCHARGE WHITE

Section 1. Identification			
GHS product identifier		ULTRA DISCHARGE WHITE	
Chemical name	:	Mixture	
CAS number		TEXWB-1050	
Other means of identification		liquid	
Product type	:		
		or mixture and uses advised against	
Product use	:	Industrial applications. Plastics.	
Supplier's details	:	Texsource, Inc 714 Cleveland Avenue - Kings Mtn, NC 28086	
Emergency telephone number (with hours of operation)	:	INFOTRAC 1-800-535-5053 (North America) or 1-352-323-3500 (International) (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2A
GHS label elements		
Hazard pictograms	:	
		1/16

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021 Page 2 of 16 Print Date 02/23/2022

Signal word	:	Warning
Hazard statements	:	Causes serious eye irritation.
Precautionary statements		
	:	Not applicable.
Prevention	:	Wear eye or face protection. Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture Mixture
Chemical name	:	TEXWB-1050
Other means of identification	:	

CAS number/other identifiers

Ingredient name	%	CAS number
1,2,3-Propanetriol	>= 5 - <= 10	56-81-5
Titanium dioxide	>= 5 - <= 10	13463-67-7
Urea	>= 5 - < 10	57-13-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation	:	Causes serious eye irritation.
Skin contact	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
		3/16

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Skin contact Ingestion	:	No specific data. No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through

ULTRA DISCHARGE WHITE

Version Number 1.1	Page 5 of 16
Revision Date 02/22/2021	Print Date 02/23/2022

For emergency responders	:	spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt aı	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021 Page 6 of 16 Print Date 02/23/2022

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Urea	AIHA WEEL (1999-01-01) TWA 10 mg/m3
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
1,2,3-Propanetriol	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemic products, before eating, smoking and using the lavatory and at the of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used to be used t	he end
	when a risk assessment indicates this is necessary to avoid expo liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indi higher degree of protection: chemical splash goggles.	
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an apprositant should be worn at all times when handling chemical prif a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during u the gloves are still retaining their protective properties. It should noted that the time to breakthrough for any glove material may l different for different glove manufacturers. In the case of mixtur consisting of several substances, the protection time of the glove cannot be accurately estimated.	oducts se that l be be res,
Body protection	: Personal protective equipment for the body should be selected b on the task being performed and the risks involved and should b approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measur should be selected based on the task being performed and the ris involved and should be approved by a specialist before handling product.	sks
Respiratory protection	Based on the hazard and potential for exposure, select a respirat meets the appropriate standard or certification. Respirators must used according to a respiratory protection program to ensure pro- fitting, training, and other important aspects of use.	be

Section 9. Physical and chemical properties

Appearance

Physical state Color	iliquid WHITE	
Odor	: Not ava	ilable.
Odor threshold	: Not ava	ilable.
рН	: Not ava	ilable.
Melting point	: Not ava	ilable.

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Boiling point	:	Not available.
Flash point	:	Not available.
-	÷	Not available.
Burning time		
Burning rate	•	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration		Not available.
	•	

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
1,2,3-Propanetriol				
	LD50 Oral	Rat	12,600 mg/kg	-
Titanium oxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Urea				
	LD50 Oral	Rat	8,471 mg/kg	-

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2,3-Propanetriol	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Mild irritant	Rabbit	-	24 hrs	-
Titanium oxide	Skin - Mild irritant	Human	-	72 hrs	-
Urea	Skin - Moderate irritant	Human	-	24 hrs	-
	Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary Skin Eyes Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.Mixture.Not fully tested.
Sensitization	
Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.
<u>Mutagenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.
Carcinogenicity	

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Page 10 of 16 Print Date 02/23/2022

Conclusion/Summary	: 1	Mixture.Not ful	ly tested.	
Classification				
Product/ingredient name	OSHA	IARC	NTP	
Titanium oxide	-	2B	-	
<u>Reproductive toxicity</u>				
Conclusion/Summary	: 1	Mixture.Not ful	ly tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	: 1	Mixture.Not ful	ly tested.	
Specific target organ toxicity (Not available.	single exposi	ure)		
Specific target organ toxicity (Not available.	repeated exp	oosure)		
Aspiration hazard Not available.				
Information on the likely rout exposure	es of : 1	Not available.		
Potential acute health effects				
Eye contact	: (Causes serious	eve irritation.	
Inhalation			ficant effects or critical hazards.	
Skin contact			ficant effects or critical hazards.	
Ingestion	: 1	No known signi	ficant effects or critical hazards.	
Symptoms related to the phys	ical, chemica	l and toxicolog	ical characteristics	
Eye contact		Adverse sympto watering, redner	oms may include the following: pain or irritation,	
Inhalation	: 1	No specific data	L.	
Skin contact		No specific data		
Ingestion	: 1	No specific data	L.	
Delayed and immediate effects	s and also ch	ronic effects fr	om short and long term exposure	
Short term exposure				
Potential immediate effects	: 1	Not available.		

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects Numerical measures of toxicity	: : : : : : : : : : : : : : : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.
Acute toxicity estimates		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	
Acute LC50 > 1,000 Mg/l	Fish Fundulus hotoroalitus	
	rish - rununus heterochtus	96 h
Marine water		
Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
	dubia	
Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
water		
Acute LC50 0.000023 Mg/l	Fish - Oreochromis	96 h
Fresh water	mossambicus	
Acute EC50 6,573.1 Mg/l Fresh	Crustaceans - Ceriodaphnia	48 h
	Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh vater Acute LC50 0.000023 Mg/l Presh water	Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh Vater Crustaceans - Ceriodaphnia dubia Daphnia - Daphnia pulex Acute LC50 0.000023 Mg/l Fish - Oreochromis mossambicus

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Page 12 of 16 Print Date 02/23/2022

water	dubia	
Acute EC50 3,910 Mg/l Fresh	Daphnia - Daphnia magna	48 h
water		
Chronic NOEC 2,000 Mg/l Fresh	Fish - Heteropneustes fossilis	30 d
water		

Conclusion/Summary

Not available.

:

•

Persistence and degradability

Conclusion/Summary

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2,3-Propanetriol	-1.76	-	low
Urea	-1.73	-	low

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.	

:

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021 Page 13 of 16 Print Date 02/23/2022

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - That Fest Rules. Not instead
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Listed Poly(dimethylsiloxane)
		Decamethylcyclopentasiloxane
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Listed Hexamethylene diisocyanate
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Hexamethylene diisocyanate
		13/16

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential		Not listed
Chemicals)	•	1.00 11000

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

EYE IRRITATION - Category 2A

Composition/information on ingredients

Name	%	Classification	
Titanium oxide	>= 5 - <= 10	CARCINOGENICITY - Category 2	
Urea	>= 5 - < 10	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A	
1,2,3-Propanetriol	>= 5 - <= 10	EYE IRRITATION - Category 2B	

Not applicable.

<u>State regulations</u> Massachusetts New York	None of the components are listed.None of the components are listed.
	4 4 / 4 0

14/16

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021 Page 15 of 16 Print Date 02/23/2022

New Jersey	:	The following components are listed: 1,2,3-Propanetriol Silica, amorphous, precipitated and gel Titanium dioxide
Pennsylvania	:	The following components are listed: Titanium dioxide
		Silica, amorphous, precipitated and gel
		1,2,3-Propanetriol

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health

2

15/16

ULTRA DISCHARGE WHITE

Version Number 1.1 Revision Date 02/22/2021

Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Histor y		
Date of printing	:	02/23/2022
Date of issue/Date of revision	:	02/22/2021
Date of previous issue	:	11/27/2018
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.