

Reign Holdings Pte Ltd
140 Paya Lebar Road
#05-01 AZ@Paya Lebar
Singapore 409015

The following sample was submitted and identified by the client as:


Product Name : Eco Plywood - 9919

Sample Receiving Date : 26 Sep 2022
Date of Test/s Performed : 29 Sep 2022 – 25 Oct 2022

Test(s) was/were conducted as requested and the results are as follows .
Please see following page(s).

ecoply™

Signed for and on behalf of
SGS Testing & Control Services Singapore Pte Ltd



Y C Tham (Ms)
Technical Manager, Multi-Lab



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Products-and-Services> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Products-and-Services/Terms-and-Conditions/Terms-e-Documents>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Result
(1) Formaldehyde and Total volatile organic compound (TVOC) content*

Test method : With reference to ASTM D5116-17 Standard Guide for Small-Scale Environmental Chamber Determinations of Organic Emission from Indoor Materials/Products organic emission. Analysis was performed by GC-MS.

Chamber Temperature	23°C
Chamber Humidity	50%
Air Exchange rate	0.5h ⁻¹
Duration in Chamber	7 days

Test Item	CAS No.	Unit	LOD/LOQ	Results
				(1)
Formaldehyde	000050-00-0	mg/m ³	0.0014	0.0137
Toluene	000108-88-3	mg/m ³	0.0010	0.570
Ethylbenzene	000100-41-4	mg/m ³	0.0010	0.0012
m,p-Xylene	-	mg/m ³	0.0010	0.0037
o-Xylene	000095-47-8	mg/m ³	0.0010	0.0025
n-Propylbenzene	000103-85-1	mg/m ³	0.0010	0.0011
o-Ethyltoluene	000611-14-3	mg/m ³	0.0010	0.0023
1,3,5-Trimethylbenzene	000108-67-8	mg/m ³	0.0010	0.0037
Limonene	000138-86-3	mg/m ³	0.0010	0.0012
TVOC(C6~C16)	-	mg/m ³	0.0010	0.587

Description:

(1) Brown wood

Note :

1. LOD = Limit of detection,
2. LOQ = Limit of quantification

*Tested by an SGS Lab ref. (HL90401/2022)

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Products-and-Services> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Products-and-Services/Products-and-Services>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample photo:

SGS authenticate the photo on original report only



*****End of report*****

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions-sgs> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Forms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Testing & Control Services (Singapore) Pte Ltd | 30 Boon Lay Way, #03-01, Singapore 609957 | t +65 6379 0111 | e sg.genlab@sgs.com | www.sgs.com