



SAFETY DATA SHEET

Revision date 2016-03-04 Revision number 1.01

1. IDENTIFICATION

Product identifier

Product name Aluminum Sulfate Hydrate

Other means of identification

Product code 3204L Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use [RU] No information available Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier GEO Specialty Chemicals, Inc.

9213 Arch Street Pike Little Rock, AR 72206 +1-800-453-2586

Hours: Monday-Friday 9:00-5:00 CST (Central Standard Time)

Contact Point safety-data-sheet-fp@geosc.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: (800) 424-9300

Outside USA - +1 (703) 527-3887 collect calls accepted

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Physical state	Color	Appearance	Odor
solid	White to light tan	crystalline	odorless



WARNING

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

- · May be harmful if swallowed
- · Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	weight-%	TRADE SECRET
Aluminum sulfate	10043-01-3	> 55%	
Water	7732-18-5	< 45%	

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First Aid Measures

Eve contact

Remove contact lenses, if worn. Immediately flush with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface. Washing within one minute is essential to achieve maximum effectiveness. Get medical attention if irritation develops and persists.

Skin contact

Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

Ingestion

Do NOT induce vomiting. If vomiting should occur spontaneously, keep airway clear. Never give anything by mouth to an unconscious person. Get medical attention.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Acute effects

None known.

Chronic effects

None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Aluminum soluble salts may cause gastroenteritis if ingested. Treatment includes the use of demulcents. Note: Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Special Hazard

Under fire conditions (or at temperatures greater than 650 °C or 1202 °F), product decomposes to give off sulfur trioxide, an oxidizing agent which will support combustion. Sulfur trioxide will react with water to form sulfuric acid.

Advice for firefighters

Firefighting measures

Cool exposed containers with water spray after extinguishing fire.

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear suitable protective clothing and gloves.

Environmental precautions

Environmental precautions

Do not permit solutions of product into sewers or waterways.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Large spills should be handled according to a predetermined plan. For assistance in developing a plan, call 1-800-453-2586. Use with adequate ventilation where dust may be generated. Ensure adequate decontamination of tools and equipment following cleanup. Sweep up or vacuum into labeled waste containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Keep container closed when not in use Avoid creating dust Do not take internally Avoid contact with eyes, skin and clothing

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in a cool, dry place away from ignition sources and open flame.

Incompatible products

Reacts with strong alkali to form aluminum hydroxide. Weakly corrosive to carbon steel. On contact with moisture, an acidic solution forms.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region

Page 4/11

specific regulatory bodies

Appropriate engineering controls

Engineering controls

Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

Individual protection measures, such as personal protective equipment

Eye/face Protection

Wear chemical splash goggles and face shield (when eye and face contact is possible due to splashing or spraying of material).

Hand Protection

Appropriate chemical resistant gloves should be worn.

Skin and body protection

Standard work clothing and work shoes.

Respiratory protection

When exposed to elevated dust levels, use NIOSH/MSHA approved respirator in accordance with OSHA Respiratory Protection Requirements under 29 CFR 1910.134.

Other personal protection data

Eyewash fountains and safety showers must be easily accessible.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state solid

ColorWhite to light tanAppearancecrystallineOdorodorless

Odor threshold No information available

<u>Property</u>	<u>Values</u>	Remarks / Method
рН	3.5	aqueous solution (1%)
Melting / freezing point	Loses water of hydration at 88 °C (190 °F)No information available
Boiling point / boiling range	No information available	No information available
Flash point	No information available	No information available
Evaporation rate	No information available	No information available
Flammability (solid, gas)	Not applicable	No information available
Flammability Limit in Air Upper flammability limit Lower flammability limit	No information available No information available	No information available No information available

No information available

Vapor pressure	No information available	No information available
Vapor density	No information available	No information available
Specific gravity	No information available	No information available
Solubility (water)	87.3 g/100 g water	No information available
Solubility in other solvents	No information available	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available

Decomposition temperatureNo information available

Kinematic viscosity

No information available

No information available

Dynamic viscosityNo information available
No information available

Other information

Density	No information available
Bulk Density	65 lb/ft ³
Explosive properties	No information available.
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	Not applicable
Volatile organic compounds (VOCs) content	No information available
Percent Volatile, wt.%	No information available

10. STABILITY AND REACTIVITY

Reactivity

Reactivity

No data available.

Chemical stability

Chemical stability

Stable at ambient temperatures and atmospheric pressure.

Possibility of hazardous reactions

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Not anticipated under normal or recommended handling and storage conditions.

Conditions to avoid

Conditions to avoid

Avoid high temperatures greater than 650° C (1200° F) as material may decompose to form aluminum oxide and sulfur trioxide (an oxidizing agent that supports combustion).

Incompatible materials

Materials to avoid

Reacts with strong alkali to form aluminum hydroxide. Weakly corrosive to carbon steel. On contact with moisture, an acidic solution forms.

Hazardous decomposition products

Hazardous decomposition products

Thermal decomposition products include oxides of aluminum and sulfur.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact

Concentrated solutions (over 20%) may cause severe eye damage or burns. May cause irritation and inflammation of the eye.

Skin contact

May cause skin irritation or burns if the product is wet or in the presence of perspiration.

Ingestion

May be harmful if swallowed. May cause abdominal pain, nausea, or vomiting. Concentrated solutions can cause burns of the mouth, bleeding stomach, muscle spasms and kidney injury.

Inhalation

Dust extremely irritating to respiratory tract.

Acute toxicity - Product Information

Oral LD50 > 2,000 (rat)

Dermal LD50 > 5,000 mg/kg (rabbit)

Inhalation LC50 No information available

Acute toxicity - Component Information

Component	weight-%	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum sulfate	> 55%	= 1930 mg/kg (Rat)	==	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation

Sensitization

No information available

Germ cell mutagenicity

No information available

Carcinogenicity

This product does not contain any components in concentrations greater than or equal to 0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH, or OSHA.

Reproductive toxicity

No information available

Specific target organ toxicity - Single exposure

Irritating to respiratory system.

Specific target organ toxicity - Repeated exposure

No information available

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3386 mg/kg

Other information

Conclusions are drawn from sources other than direct testing.

12. ECOLOGICAL INFORMATION

Ecotoxicity

· Harmful to aquatic life with long lasting effects

Acute aquatic toxicity - Product Information

Fish No information available

Crustacea No information available

Algae/aquatic plants No information available

Acute aquatic toxicity - Component Information

Component	weight-%	Algae/aquatic plants	Fish	Toxicity to daphnia and other aquatic invertebrates
Aluminum sulfate	> 55%		LC50 (96 h) = 100 mg/L (Carassius	EC50 (15 min) = 136 mg/L (Daphnia
10043-01-3			auratus)	magna)
			LC50 (96 h static) = 37 mg/L	
			(Gambusia affinis)	

Persistence and degradability

Persistence and degradability

No information available

Bioaccumulative potential

Bioaccumulative potential

No information available.

Mobility

Mobility

No information available

Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available

Other adverse effects

Other information

No other ecological studies have been carried out on this product.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Dispose of product in an approved chemical waste landfill or incinerate in accordance with applicable Federal, state and local regulations.

Contaminated packaging

Since empty containers retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

DOT Regulated in quantities above RQ.

Reportable Quantity (RQ) 8500 pounds as hydrate

DOT Shipping Name > RQ UN3077, Environmentally Hazardous Substance, Solid, N.O.S. (Aluminum Sulfate, Hydrate),

9, PG III, RQ, ERG# 171

ICAO/IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA (United States)

All ingredients are on the inventory or exempt from listing

Australia (AICS)

All ingredients are on the inventory or exempt from listing

Canada (DSL)

All ingredients are on the inventory or exempt from listing

Canada (NDSL)

None of the ingredients are on the inventory.

China (IECSC)

All ingredients are on the inventory or exempt from listing

EINECS (European Inventory of Existing Chemical Substances)

Pere 0/11

All ingredients are on the inventory or exempt from listing

ELINCS (European List of Notified Chemical Substances)

None of the ingredients are on the inventory.

ENCS (Japan)

All ingredients are on the inventory or exempt from listing

South Korea (KECL)

All ingredients are on the inventory or exempt from listing

Philippines (PICCS)

All ingredients are on the inventory or exempt from listing

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

U.S. Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Component	CERCLA/SARA Hazardous Substance RQ	CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs	Calculated Product RQ
Aluminum sulfate 10043-01-3	5000 lb final RQ; 2270 kg final RQ		8,500 lb as hydrate

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Priority Pollutants	CWA - Toxic Pollutants
Aluminum sulfate 10043-01-3	Present	5000 lb RQ		

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Aluminum sulfate 10043-01-3		
Massachusetts Right to Know Law	Present	
Minnesota Hazardous Substance List	Present	
New Jersey Right to Know List	sn 0068	
Pennsylvania Right to Know List	Environmental hazard	

16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 0 Instability - 1 Special Hazard -

HMIS Rating Health - 1 Flammability - 0 Physical hazards - 1 Personal protection - B

Product code 3204L

Revision date 2016-03-04

Revision number 1.01

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
