SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

PRODUCT NAME: PANAX BLUE B

US D.O.T. / UN NAME: NOT REGULATED FOR TRANSPORT

RECOMMENDED USES: PHTHALOCYANINE BLUE PIGMENT FOR

USE IN PLASTICS

COMPANY:

UNITED MINERAL & CHEMICAL CORPORATION 1050 Wall Street West, Ste. 660, Lyndhurst, NJ 07071 Fax: 201-507-1506 Tel: 201-507-3300

e-mail: inquiry@umccorp.com

EMERGENCY TELEPHONE NO.: USA - CHEMTREC: 1-800-424-9300 OUTSIDE USA: +1 703-527-3887

SECTION 2 – HAZARD IDENTIFICATION

GHS HAZARD CLASSIFICATION:

NOT CLASSIFIED

GHS LABEL ELEMENTS:

SIGNAL WORD: NO SIGNAL WORD

LABEL CODES / PICTOGRAMS: NO PICTOGRAMS

HAZARD STATEMENTS: NONE UNDER GHS CLASSIFICATION

PRECAUTIONARY STATEMENTS:

PREVENTION: NONE ASSIGNED UNDER GHS **RESPONSE: NONE ASSIGNED UNDER GHS** STORAGE: NONE ASSIGNED UNDER GHS **DISPOSAL: NONE ASSIGNED UNDER GHS**

OTHER HAZARDS / U.S. - HAZARDS NOT OTHERWISE CLASSIFIED / UN GHS - OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION:

THIS MATERIAL IS AN ORGANIC PIGMENT/ FINE POWDER. DUST CLOUD FORMATION FROM PIGMENT POWDER MAY CREATE A DUST CLOUD EXPLOSION HAZARD. MAINTAIN GOOD HOUSEKEEPING TECHNIQUES TO CONTROL THE BUILDUP OF DUST. PROPERLY GROUND/BOND ALL PROCESSING/ HANDLING EQUIPMENT. AVOID CONTACT WITH ALL SOURCES OF IGNITION (FLAME / STATIC SPARK). NO

COMBUSTIBLEDUST TEST RESULTS AVAILABLE.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL COMPOSITION: **COMPONENTS:** CAS NO. %

> C.I. PIGMENT BLUE 15 - COPPER PHTHALOCYANINE BLUE 147-14-8 ≤ 100 WATER (AS POSSIBLE MOISTURE) 7732-18-5 ≤ 2

SYNONYMS: CI PIGMENT BLUE 15, C.I. #74160 (RED SHADE BLUE; ALPHA-FORM);

COPPER, [29H,31H-PHTHALOCYANINATO(2-)-N²⁹,N³⁰,N³¹,N³²]-,(SP-4-1)-CHEMICAL FAMILY: PHTHALOCYANINE: COPPER COMPLEX PIGMENT

SECTION 4 - FIRST AID MEASURES

FIRST AID/ RESPONSE FIRST AID RESPONDERS SHOULD WEAR PERSONAL PROTECTIVE EQUPMENT

> IF ON SKIN: PROMPTLY WASH OFF WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. GET SKIN: MEDICAL ADVICE/ATTENTION IF IRRITATION OCCURS. WASH CONTAMINATED CLOTHING BEFORE REUSE.

IF IN EYES: DO NOT RUB EYES. RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE EYES:

CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. GET MEDICAL ADVICE/ATTENTION IF

IRRITATION OCCURS.

IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR **INHALATION:**

BREATHING. GET MEDICAL ADVISE / ATTENTION IF ANY ADVERSE SYMPTOMS OCCUR.

INGESTION: IF SWALLOWED: RINSE MOUTH WITH WATER, THEN DRINK WATER TO DILUTE. INDUCE VOMITING ONLY

UNDER THE DIRECTION OF MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH IF THE VICTIM IS

UNCONSCIOUS. GET MEDICAL ATTENTION IF LARGE QUANTITY IS INGESTED OR IF YOU FEEL UNWELL.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

INHALATION OF DUST OR PROCESSING FUMES MAY CAUSE RESPIRATORY IRRITATION, METALLIC TASTE IN THE MOUTH. DUST CONTACT WITH EYES MAY CAUSE IRRITATION. CONTACT WITH SKIN WILL CAUSE

TEMPORARY COLORATION OF CONTACTED AREA.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

CALL A POISON CENTER/DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.

N/A = NOT APPLICABLE LOC

SECTION 5 - FIRE FIGHTING MEASURES

WATER: (X-AS SPRAY/FOG) FOAM: (X) SUITABLE EXTINGUISHING MEDIA: CO2: (X) DRY CHEMICAL: (X)

DO NOT USE HIGH PRESSURE WATER JET.

SPECIFIC HAZARDS IN CASE OF FIRE: HEAT/ FIRE CONDITIONS CAN EMIT HIGHLY TOXIC. IRRITATING. FLAMMABLE GASES / FUMES

> UPON BURNING. TREAT AS A FLAMMABLE DUST IN THE FINELY DIVIDED AND SUSPENDED STATE. DUST CLOUD FORMATION FROM PIGMENT POWDER MAY CREATE A DUST CLOUD

EXPLOSION HAZARD.

SPECIAL PROTECTIVE EQUIPMENT &

PRECAUTION FOR FIRE FIGHTERS: IN CASE OF FIRE INVOLVING THIS MATERIAL, DO NOT ENTER THE FIRE AREA WITHOUT

PROPER PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: VENTILATE CLOSED SPACES BEFORE ENTERING. WEAR FULL PROTECTIVE EQUIPMENT (SEE SECTION 8). KEEP UNPROTECTED PERSONNEL OUT OF THE AREA. KEEP AWAY FROM HIGH HEAT AND ALL SOURCES OF IGNITION. CÓNTROL PIGMENT POWDER DUST CLOUD FORMATION TO PREVENT POSSIBLE DUST/AIR EXPLOSION HAZARD.

ENVIRONMENTAL PRECAUTIONS: AVOID RELEASE TO SEWERS, WATERWAYS AND THE ENVIRONMENT. DISPOSE OF PROPERLY VIA LICENSED CHEMICAL WASTEHAULER.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP: VACUUM OR SCOOP INTO A PROPERLY LABELED CONTAINER AND SEAL. AVOID GENERATING DUST.

SECTION 7 – HANDLING & STORAGE

PRECAUTIONS FOR SAFE HANDLING: AVOID BREATHING DUST AND CONTACT WITH SKIN & EYES. WEAR FULL PROTECTIVE EQUIPMENT (SEE SECTION 8). USE WITH ADEQUATE VENTILATION. AVOID SCATTERING INTO THE AIR. AVOID RELEASE TO THE SEWER SYSTEM. EMPLOY GOOD HOUSEKEEPING TECHNIQUES TO CONTROL DUST BUILD-UP ON EQUIPMENT AND WORK AREA. AVOID DUSTING IN AREAS OF FLAME, SPARKS, & STATIC BUILDUP. PROPERLY GROUND PROCESSING / HANDLING EQUIPMENT. WASH THOROUGHLY AFTER HANDLING.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: STORE IN A SEALED CONTAINER IN A COOL, DRY, WELL-VENTILATED AREA. PREVENT FROM PHYSICAL SHOCK/DAMAGE. KEEP AWAY FROM DIRECT HEAT AND SOURCES OF IGNTION.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS:

NONE ESTABLISHED FOR PIGMENT; 1 mg/m 3 TWA COPPER DUSTS AND MISTS AS Cu NONE ESTABLISHED FOR PIGMENT; 1 mg/m 3 TWA COPPER DUSTS AND MISTS AS Cu **EXPOSURE LIMITS: U.S. OSHA PEL:**

U.S. ACGIH TLV:

USE LOCAL / MECHANICAL EXHAUST TO MAINTAIN AIR CONCENTRATIONS BELOW **APPROPRIATE ENGINEERING CONTROLS:**

OCCUPATIONAL EXPOSURE STANDARDS (SEE ABOVE)

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION: USE NIOSH APPROVED RESPIRATOR SUITABLE TO MEET PERMISSIBLE EXPOSURE LIMIT.

SEE U.S. OSHA RESPIRATORY STANDARD (20 CFR 1910.134).

USE CHEMICAL RESISTANT GLOVES (RUBBER, PVC) **HAND PROTECTION:**

EYE PROTECTION: SAFETY GOGGLES OR GLASSES WITH SIDE SHIELDS OR FULL FACE SHIELD: ACCESS TO

AN EYEWASH FOUNTAIN

OTHER PROTECTIVE EQUIPMENT: LABCOAT; COVERALLS TO PROTECT SKIN; ACCESS TO A SAFETY DRENCH SHOWER

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: DARK BLUE FINE POWDER FLAMMABLE LIMITS: LEL:& UEL: (N/A)

ODOR: NO ODOR VAPOR PRESSURE (mm Hg): N/A VAPOR DENSITY (AIR=1): **ODOR THRESHOLD:** N/A N/A RELATIVE DENSITY/SPECIFIC GRAVITY: pH (10% IN WATER): 6-8 1.4-1.8 >300 (>572°F) SOLUBILITY IN WATER (@20°C):

MELTING POINT / FREEZING POINT (°C): **INSOLUBLE BOILING POINT (°C):** PARTITION COEFFICIENT(n-OCTANOL/WATER): NO DATA AVAILABLE N/A

FLASH POINT (°F): **AUTO IGNITION TEMP. (°C):** N/A N/A

EVAPORATION RATE: N/A DECOMPOSITION TEMP.(°C): >300 (>572°F)

FLAMMABILITY: NO DATA AVAILABLE VISCOSITY: N/A

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: STABLE WHEN STORED IN SEALED PACKAGE UNDER RECOMMENDED STORAGE CONDITIONS

POSSIBLITY OF HAZARDOUS REACTIONS: HAZARDOUS POLYMERIZATION WILL NOT OCCUR

> **CONDITIONS TO AVOID:** CONTACT WITH INCOMPATIBLES: HIGH HEAT: DUST IN VICINITY OF IGNITION SOURCES,

> > ELECTRICAL OR SPARK GENERATING EQUIPMENT

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: TOXIC/ FLAMMABLE VAPORS, FUMES, SMOKE, OXIDES OF CARBON AND NITROGEN,

RESIDUE WILL CONTAIN COPPER

N/A = NOT APPLICABLE LOC

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:

SKIN, EYES, INHALATION, INGESTION **ROUTES OF EXPOSURE:**

SKIN, EYES, INHALATION: INHALATION OF EXCESSIVE DUST OR PROCESSING FUMES MAY CAUSE RESPIRATORY

> IRRITATION, METALLIC TASTE IN THE MOUTH. DUST CONTACT WITH EYES MAY CAUSE IRRITATION. CONTACT WITH SKIN WILL CAUSE TEMPORARY COLORATION OF CONTACTED

AREA.

THIS ROUTE OF EXPOSURE IS NOT LIKELY. NO KNOWN EFFECTS. INGESTION:

CHRONIC: NO KNOWN EFFECTS

ACUTE TOXICITY: EXPECTED TO BE ORAL(RAT) LD $_{50}$:>10000mg/kg; ORAL(RABBIT) LD $_{50}$:>16000 – BASED ON

TESTING OF SIMILAR PRODUCTS

SKIN CORROSION / IRRITATION: NEGATIVE [NO IRRITATION] - BASED ON TESTING OF SIMILAR PRODUCTS

SERIOUS EYE DAMAGE / IRRITATION: NO TEST DATA AVAILABLE **RESPIRATORY OR SKIN SENSITIZATION:** NO TEST DATA AVAILABLE

GERM CELL MUTAGENICITY: NEGATIVE - BASED ON TESTING OF SIMILAR PRODUCTS

CARCINOGENICITY: U.S. LISTED CARCINOGEN: NONE (X) OSHA () NTP () IARC () OTHER ()

REPRODUCTIVE TOXICITY: NEGATIVE - BASED ON TESTING OF SIMILAR PRODUCTS

SPECIFIC TARGET ORGAN TOXICITY: NONE KNOWN **ASPIRATION HAZARD:** NO DATA AVAILABLE

INTERACTIVE EFFECTS: NO INFORMATION AVAILABLE

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: AVOID RELEASE TO THE ENVIRONMENT AS THIS PRODUCT HAS NOT BEEN TESTED [ORANGE-RED KILLIFISH] LC₅₀ ≥ 100mg/L (48h) BASED ON TESTING OF SIMILAR PRODUCT **TOXICITY - AQUATIC:**

TOXICITY TO DAPHNIA: NO TEST DATA AVAILABLE

TOXICITY - TERRESTIAL: [RICE; TURNIP] LC₅₀≥100 mg/L BASED ON TESTING OF SIMILAR PRODUCT

EXPECTED TO BE PERSISTENT / NOT READILY BIODEGRADABLE PERSISTANCE & DEGRADABILITY:

BIOACCUMULATIVE POTENTIAL: BIOCONCENTRATION FACTOR <0 - BASED ON TESTING OF SIMILAR PRODUCTS

> **MOBILITY IN SOIL:** PRACTICALLY INSOLUBLE

NO DATA AVAILABLE **OTHER ADVERSE EFFECTS:**

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH LOCAL, REGIONAL, NATIONAL, INTERNATIONAL REGULATIONS. DISPOSE OF IN SEALED CONTAINERS, USING A LICENSED CHEMICAL WASTE HAULER.

SECTION 14 - TRANSPORT INFORMATION

BY ROAD OR RAIL - U.S. D.O.T. REGULATED: YES () NO(X) **RQ: (N/A)**

HAZARD CLASS: () IF REGULATED, UN PROPER SHIPPING NAME: UN IDENTIFICATION NO.. () LABEL REQUIRED: () PACKING GROUP: ()

U.S. MARINE POLLUTANT: YES () NO(X) SEVERE U.S. MARINE POLLUTANT: YES () NO(X)

EMERGENCY RESPONSE GUIDE NO.: 0 INLAND B/L:

BY SEA - IMDG REGULATED: YES () NO (X) STOWAGE CATEGORY: N/A BY AIR - IATA REGULATED: YES () NO(X) PKG INSTRUCTION NO.: N/A

SPECIAL PRECAUTIONS: READ SDS BEFORE HANDLING

SECTION 15 – REGULATORY INFORMATION

U.S. TSCA: WE CERTIFY THAT ALL COMPONENTS OF THIS PRODUCT ARE REGISTERED UNDER THE REGULATIONS OF THE TOXIC SUBSTANCES CONTROL ACT.

U.S. SARA TITLE III, SECT. 313: LISTED () NOT LISTED (X*) *ON 5/23/1991 COPPER PHTHALOCYANINE BLUE WAS DELISTED AS A

COPPER COMPOUND UNDER SARA TITTLE III, SECTION 313 AND DOES

NOT REQUIRE REPORTING UNDER THIS STATUTE.

U.S. RCRA HAZARDOUS WASTE: NO (X) YES () RCRA#: ()

U.S. CERCLA: NO(X) YES () RQ (N/A)

U.S. CALIFORNIA PROPOSITION 65 LISTED: YES () NO(X)

HMIS: HEALTH (1) FLAMMABILITY (1) REACTIVITY (0)

N/A = NOT APPLICABLE LOC

SECTION 16 - OTHER INFORMATION

REVISION DATE: MAY 22, 2015 PREPARED BY: EHSA COORDINATOR / UNITED MINERAL & CHEMICAL CORP.

ABBREVIATIONS / ACRONYMS: N/A=NOT APPLICABLE; LEL=LOWER EXPLOSION LIMIT; UEL=UPPER EXPLOSION LIMIT;

EFFECT LEVEL; C.I.=COLOUR INDEX

IN ACCORDANCE WITH GOOD PRACTICES OF PERSONAL HYGIENE, HANDLE WITH DUE CARE AND AVOID ANY UNNECESSARY CONTACT WITH THIS PRODUCT. USE RECOMMENDED PERSONAL PROTECTION WHEN HANDLING (SEE SECTION 8).

THIS INFORMATION IS BEING SUPPLIED TO YOU UNDER OSHA "RIGHT TO KNOW" REGULATION 29 CFR 1910.1200 AND IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS PRODUCT SPECIFICATION. THE INFORMATION IS BELIEVED TO BE TRUE AND ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATA, THE HAZARD CONNECTED WITH USE OF THE MATERIAL, OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, IS MADE. UNITED MINERAL & CHEMICAL CORPORATION AND ITS SUPPLIERS ASSUME NO RESPONSIBILITY FOR DAMAGE OR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

UNITED MINERAL & CHEMICAL CORPORATION

N/A = NOT APPLICABLE LOC