# **SAFETY DATA SHEET**



Revision Date 23-May-2015

Version 3

# 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Black Dispersion Product code POP4342

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Coloring agent

Restrictions on use No information available

1.3 Details of the supplier of the safety data sheet

**Supplier** DayGlo Color Corp.

4515 St. Clair Avenue Cleveland, OH 44103 (216) 391-7070

+1 216-391-7070 (outside the US)

E-mail Address ehs@dayglo.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

# 2. Hazards identification

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization	Category 1
Carcinogenicity	Category 2

# 2.2 Label elements

# Signal Word

Warning

## **Hazard Statements**

May cause an allergic skin reaction Suspected of causing cancer

POP4342 - Black Dispersion Revision Date 23-May-2015



## **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

### **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 2.3 Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

## 2.4 Other information

Not Applicable

## 3. Composition/Information on Ingredients

## Substance

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
CARBON BLACK	1333-86-4	20 - 30
Calcium Sulfonate	61789-86-4	< 1

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First aid measures

#### 4.1 Description of first-aid measures

General advice No information available.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Consult a physician if

necessary.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

#### 4.3 Recommendations for immediate medical care and/or special treatment

Notes to physician Treat symptomatically.

# 5. Fire-Fighting Measures

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

#### 5.2 Specific hazards arising from the substance or mixture

#### **Special Hazard**

None known based on information supplied

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx).

#### **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment.

## 6.2 Environmental precautions

Prevent product from entering drains.

# 6.3 Methods and materials for containment and cleaning up

Methods for Containment Dike to collect large liquid spills. Absorb with earth, sand or other non-combustible material

and transfer to containers for later disposal.

Methods for cleaning up Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

# 7. Handling and storage

### 7.1 Precautions for safe handling

Hygiene measures When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene

and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

1 OI 4042 Black Bispersion

Materials to Avoid No materials to be especially mentioned.

## 8. Exposure controls/personal protection

#### 8.1 Occupational Exposure Limits (OEL)

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
CARBON BLACK	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
1333-86-4	inhalable fraction				_	

## 8.2 Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

## 8.3 Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

Skin and body protection Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body

suit as appropriate.

**Respiratory protection** If irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. NIOSH/MSHA approved respiratory protection should be worn if exposure is

anticipated.

**Hygiene measures** See section 7 for more information

23-May-2015 - POP4342 - 3 - AGHS - English -

# 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state
Appearance
Color
Black
Odor
Mild

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

**pH** 7.0

Melting/freezing point No information available

Boiling point/boiling range > 94 °C / 201 °F Flash Point > 94 °C / 300 °F

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability (solid, gas)

No inform
Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

Vapor pressure Vapor density

Specific Gravity 1.13

Water solubility Negligible

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) None

content

# 10. Stability and Reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

### 10.2 Chemical stability

Stable

#### 10.3 Possibility of hazardous reactions

None under normal processing.

# 10.4 Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

### 10.5 Incompatible Materials

None known based on information supplied.

#### 10.6 Hazardous Decomposition Products

None known based on information supplied.

# 11. Toxicological information

#### 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

mg/kg mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium Sulfonate	5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-
61789-86-4			

#### 11.2 Information on toxicological effects

### Skin corrosion/irritation

Product Information

Irritating to skin

Component Information

No information available

#### Eye damage/irritation

Product Information

Irritating to eyes

Component Information

· No information available

## Respiratory or skin sensitization

Product Information

• No information available

Component Information

No information available

### **Germ Cell Mutagenicity**

Product Information

• No information available

Component Information

No information available

### Carcinogenicity

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
CARBON BLACK	-	Group 2B	-	
1333-86-4		· ·		

#### Reproductive toxicity

**Product Information** 

• No information available

Component Information

· No information available

## STOT - single exposure

No information available

POP4342 - Black Dispersion Revision Date 23-May-2015

#### STOT - repeated exposure

• No information available

## Other adverse effects

**Target Organs** 

- Eyes
- Lungs
- · Respiratory system
- Skin
- Lymphatic System

Product Information

- No information available
- Component Information
- · No information available

### **Aspiration hazard**

Product Information

- No information available
- Component Information
- · No information available

# 12. Ecological information

## 12.1 Toxicity

**Ecotoxicity** 

No information available

77.25 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Calcium Sulfonate 61789-86-4	-	LC50: 96 h Pimephales promelas 5.7 - 9.7 mg/L static LC50: 96 h Pimephales promelas 1.0 - 10.0 mg/L semi-static	EC50: 48 h Daphnia magna 6.2 - 12 mg/L

# 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

Discharge into the environment must be avoided

## 12.4 Mobility in soil

No information available.

#### 12.5 Other adverse effects

No information available

# 13. Disposal Considerations

#### 13.1 Waste Disposal Guidance

Dispose of in accordance with federal, state, and local regulations.

# 14. Transport Information

POP4342 - Black Dispersion Revision Date 23-May-2015

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

## 15. Regulatory information

### 15.1 International Inventories

TSCA Complies DSL Complies

EINECS/ELINCS -

**ENCS** Complies

IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

#### 15.2 U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## 15.3 Pesticide Information

Not applicable

## 15.4 U.S. State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
CARBON BLACK - 1333-86-4	Carcinogen

## 16. Other information

NFPA Health Hazard - Flammability - Instability - Physical and chemical

HMIS Health Hazard 1\* Flammability 1 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

hazards -

Revision Date 23-May-2015

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value)

TWA (time-weighted average)

**Prepared By** DayGlo Color Corp.

Regulatory Affairs/Product Safety

23-May-2015

**Revision Date Revision Note** 

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

23-May-2015 - POP4342 - 3 - AGHS - English -