

Pimp My Office

www.pimpmyoffice.com.au

NEW PARAMOUNT RANGE

MINI CATALOGUE 2019

WORKSTATIONS - FURNITURE - SEATING - STORAGE - ACCESSORIES



NEW & IMPROVED PARAMOUNT HEIGHT ADJUSTABLE WORKSTATION SYSTEM

Features:

- New natural oak or brilliant white work surfaces
- Tops with scalloped cable access
- Now available with both white and black powdercoated under-frame options
- 1500mm wide x 750mm deep and 1800mm wide x 750mm deep options now available
- New cable tray design with provisions to hold up to 12 GPO or data points per user
- Choose from black fabric with white extrusion or grey fabric with black extrusion
- Improved screen design with full width now available
- Powdercoated 3 stage frame with a single heavy duty motor
- 100kg lifting capacity
- New desk mounted & clamp on shelf options
- Optional pre-set controller available
- 5 year warranty



NEW PARAMOUNT SINGLE WORKSTATION

Features:

- Single sided electric height adjustable workstation
 - 25mm thick table top with 50mm deep scalloped edge for cable access
 - New cable tray design with provisions to hold up to 12 GPO or data points per user
 - Modular wiring components not included - See softwiring range
 - Powdercoated 3 stage frame with a single heavy duty motor
 - New desk mounted and clamp on shelf options
 - Optional pre-set controller available
 - 100kg lifting capacity
-
- Available in brilliant white or natural oak tops
 - Available in white or black powdercoated frame
 - Available in 1500mm or 1800mm wide tops

NPM1P1875: Single workstation 1800mm wide

Width: 1800mm

Depth: 750mm

Height: 655mm - 1259mm

NPM1P1575: Single workstation 1500mm wide

Width: 1500mm

Depth: 750mm

Height: 655mm - 1259mm



NEW PARAMOUNT SINGLE WITH SCREEN

Features:

- Single sided electric height adjustable workstation with screen
 - 25mm thick table top with 50mm deep scalloped edge for cable access
 - New cable tray design with provisions to hold up to 12 GPO or data points per user
 - Modular wiring components not included - See softwiring range
 - 1500mm or 1800mm W x 800mm H x 30mm T privacy screen - Fabric with powdercoated frame
 - Powdercoated 3 stage frame with a single heavy duty motor
 - New desk mounted and clamp on shelf options
 - Optional pre-set controller available
 - 100kg lifting capacity
-
- Available in brilliant white or natural oak tops
 - Available in white or black powdercoated frame
 - Available in 1500mm or 1800mm wide tops
 - Available with grey fabric screen with black frame or black fabric screen with white frame

NPM1PWS1875: Single workstation 1800mm wide with screen

Width: 1800mm

Depth: 750mm

Height: 655mm - 1259mm

NPM1PWS1575: Single workstation 1500mm wide with screen

Width: 1500mm

Depth: 750mm

Height: 655mm - 1259mm



NEW PARAMOUNT BACK TO BACK

Features:

- 2 person back to back electric height adjustable workstation
 - 25mm thick table top with 50mm deep scalloped edge for cable access
 - New cable tray design with provisions to hold up to 12 GPO or data points per user
 - Modular wiring components not included - See softwiring range
 - Powdercoated 3 stage frame with a single heavy duty motor
 - New desk mounted and clamp on shelf options
 - Optional pre-set controller available
 - 100kg lifting capacity
-
- Available in brilliant white or natural oak tops
 - Available in white or black powdercoated frame
 - Available in 1500mm or 1800mm wide tops

NPM2P1875: Back to back workstation 1800mm wide

Width: 1800mm

Depth: 1500mm

Height: 655mm - 1259mm

NPM2P1575: Back to back workstation 1500mm wide

Width: 1500mm

Depth: 1500mm

Height: 655mm - 1259mm



NEW PARAMOUNT BACK TO BACK WITH SCREEN

Features:

- 2 person back to back electric height adjustable workstation with screen
 - 25mm thick table top with 50mm deep scalloped edge for cable access
 - New cable tray design with provisions to hold up to 12 GPO or data points per user
 - Modular wiring components not included - See softwiring range
 - 1500mm or 1800mm W x 800mm H x 30mm T privacy screen - Fabric with powdercoated frame
 - Powdercoated 3 stage frame with a single heavy duty motor
 - New desk mounted and clamp on shelf options
 - Optional pre-set controller available
 - 100kg lifting capacity
-
- Available in brilliant white or natural oak tops
 - Available in white or black powdercoat frame
 - Available in 1500mm or 1800mm wide tops
 - Available with grey fabric screen with black frame or black fabric screen with white frame



NPM2PWS1875: Back to back 1800mm wide with screen

Width: 1800mm

Depth: 1500mm

Height: 655mm - 1259mm

NPM2PWS1575: Back to back 1500mm wide with screen

Width: 1500mm

Depth: 1500mm

Height: 655mm - 1259mm



DESK MOUNTED SHELVING OPTIONS

Features:

- Desk mounted shelf
- Available in 2 colours
- 25mm thick board with drilled provisions for wire dividers
- 4 x chrome wire dividers included
- Powdercoated bolt through desk provisions for fixing purposes
- E1 rated enviroboard

- Available in brilliant white melamine shelf with chrome dividers and white powdercoated bolts
- Available in natural oak melamine shelf with chrome dividers and black powdercoated bolts

DMSHELF BW/WS: Desk mounted shelf - Brilliant white

Width: 600mm

Depth: 300mm

Height: 450mm h (overall)

Desk top to underneath of shelf: 208mm


DMSHELF NO/BL: Desk mounted shelf - Natural oak

Width: 600mm

Depth: 300mm

Height: 450mm h (overall)

Desk top to underneath of shelf: 208mm



CLAMP SHELVING OPTIONS

Features:

- Clamp mount shelf
 - 25mm thick board with drilled provisions for wire dividers
 - 4 x chrome wire dividers included
 - Powdercoated clamp on desk provisions for fixing purposes
 - E1 rated enviroboard
-
- Available in brilliant white melamine shelf with chrome dividers and white powdercoated uprights
 - Available in natural oak melamine shelf with chrome dividers and black powdercoated uprights

CMSHELF600 BW/WS: Clamp mount shelf - Brilliant white

Width: 600mm

Depth: 270mm

Height: 475mm h (above desk top)

CMSHELF600 NO/BL: Clamp mount shelf - Natural oak

Width: 600mm

Depth: 270mm

Height: 475mm h (above desk top)

