

LAMP - PIN BASE

QUAD STYLE - HORIZONTAL

LUXRITE



LR24565

LED11DD/E/3CCT/B-H



- **POWER** 11W
- **VOLTS** 120-277V
- **LUMEN** 1450
- **CRI** 83
- **EFFICACY** 139
- **LIFE** 50,000
- **CCT SELECTABLE** 3500K 4000K 5000K
- **WATT REPLACEMENT** 26/36/42W
- **BASE** G24D/G24Q
- **FLOOD** 120°
- **DIMENSIONS:** 5.90" x 1.61" x 1.22"



3CCT SWITCH



QUAD STYLE - VERTICAL



LR24567

LED11DD/E/3CCT/B-V



- **POWER** 11W
- **VOLTS** 120-277V
- **LUMEN** 1450
- **CRI** 83
- **EFFICACY** 139
- **LIFE** 50,000
- **CCT SELECTABLE** 3500K 4000K 5000K
- **WATT REPLACEMENT** 26/36/42W
- **BASE** G24D/G24Q
- **FLOOD** 120°
- **DIMENSIONS:** 4.64" x 2.12" x 1.81"



3CCT SWITCH





24"



LR34231
LED8T8/3CCT/24/SG/UNV3



• POWER TYPE A 8W	• VOLTS 120-277V OR BALLAST	• LUMEN 1120
• POWER TYPE B 9.5W		1150
		1150
• CRI 83	• EFFICACY 120	• LIFE 50,000
• CCT SELECTABLE	3500K 4000K 5000K	
• BASE G13	• FLOOD 200°	
• DIMENSIONS: 23.7" MOL		

36"



LR34233
LED12T8/3CCT/36/SG/UNV3



• POWER TYPE A 12W	• VOLTS 120-277V OR BALLAST	• LUMEN 1440
• POWER TYPE B 11W		1500
		1500
• CRI 83	• EFFICACY 130	• LIFE 50,000
• CCT SELECTABLE	3500K 4000K 5000K	
• BASE G13	• FLOOD 200°	
• DIMENSIONS: 35.73" MOL		

48"



LR34235
LED18T8/3CCT/48/SG/UNV3



• POWER TYPE A 18W	• VOLTS 120-277V OR BALLAST	• LUMEN 2200
• POWER TYPE B 18W		2300
		2250
• CRI 83	• EFFICACY 130	• LIFE 50,000
• CCT SELECTABLE	3500K 4000K 5000K	
• BASE G13	• FLOOD 200°	
• DIMENSIONS: 47.73" MOL		

RETROFIT TUBE

T8 CLEAR 4FT – 3 WAY UNIVERSAL

LUXRITE



LR34195
LED13T8/30K/48/CL/UNV3 1900 LUMENS LISTED

• **COLOR TEMPERATURE** 3000K – SOFT WHITE

LR34196
LED13T8/35K/48/CL/UNV3

• **COLOR TEMPERATURE** 3500K – NATURAL

• **POWER** 13W • **VOLTS** 120-277V OR BALLAST • **LUMEN** 1900

• **EFFICACY** 123 • **BASE** G13 • **FLOOD** 240°

LR34197
LED13T8/40K/48/CL/UNV3 2000 LUMENS LISTED

• **COLOR TEMPERATURE** 4000K – COOL WHITE

LR34198
LED13T8/50K/48/CL/UNV3

• **COLOR TEMPERATURE** 5000K – BRIGHT WHITE

LR34199
LED13T8/65K/48/CL/UNV3

• **COLOR TEMPERATURE** 6500K – DAYLIGHT

• **POWER** 13W • **VOLTS** 120-277V OR BALLAST • **LUMEN** 2000

• **EFFICACY** 123 • **BASE** G13 • **FLOOD** 240°

• **DIMENSIONS:** 48" MOL



48"

T5 4 FT – 3 WAY UNIVERSAL



LR34156
LED24T5/30K/48/UNV3 3000 LUMENS LISTED

• **COLOR TEMPERATURE** 3000K – SOFT WHITE

LR34157
LED24T5/35K/48/UNV3

• **COLOR TEMPERATURE** 3500K – NATURAL

LR34158
LED24T5/40K/48/UNV3

• **COLOR TEMPERATURE** 4000K – COOL WHITE

LR34159
LED24T5/50K/48/UNV3

• **COLOR TEMPERATURE** 5000K – BRIGHT WHITE

• **POWER** 24W • **VOLTS** 120-277V OR BALLAST • **LUMEN** 3000

• **EFFICACY** 125 • **BASE** G5 • **FLOOD** 180°

• **DIMENSIONS:** 45.78" MOL



48"



HIGH OUTPUT

96"



LR34135
LED42T8HO/40K/96/B

6000 LUMENS LISTED

- POWER 42W
- VOLTS 120-277V
- LUMEN 6000
- EFFICACY 131
- COLOR 4000K - COOL WHITE
- DIMENSIONS: 96" MOL
- BASE R17D
- FLOOD 160°

LR34136
LED42T8HO/50K/96/B

6000 LUMENS LISTED

- POWER 42W
- VOLTS 120-277V
- LUMEN 6000
- EFFICACY 131
- COLOR 5000K - BRIGHT WHITE
- DIMENSIONS: 96" MOL
- BASE R17D
- FLOOD 160°

LR34137
LED42T8HO/65K/96/B

6000 LUMENS LISTED

- POWER 42W
- VOLTS 120-277V
- LUMEN 6000
- EFFICACY 131
- COLOR 6500K - DAYLIGHT
- DIMENSIONS: 96" MOL
- BASE R17D
- FLOOD 160°

T8 8FT BYPASS BALLST



96"



LR34130
LED42T8/40K/96/B

5500 LUMENS LISTED

- POWER 42W
- VOLTS 120-277V
- LUMEN 5500
- EFFICACY 131
- COLOR 4000K - COOL WHITE
- DIMENSIONS: 96" MOL
- BASE FA8
- FLOOD 160°

LR34131
LED42T8/50K/96/B

5500 LUMENS LISTED

- POWER 42W
- VOLTS 120-277V
- LUMEN 5500
- EFFICACY 131
- COLOR 5000K - BRIGHT WHITE
- DIMENSIONS: 96" MOL
- BASE FA8
- FLOOD 160°

LR34132
LED42T8/65K/96/B

5500 LUMENS LISTED

- POWER 42W
- VOLTS 120-277V
- LUMEN 5500
- EFFICACY 131
- COLOR 6500K - DAYLIGHT
- DIMENSIONS: 96" MOL
- BASE FA8
- FLOOD 160°

RETROFIT TUBE

LUXRITE

T8 UNIVERSAL



LR34070

LED12T8/30K/24/SG/UNV



• **COLOR TEMPERATURE** 3000K – SOFT WHITE

LR34071

LED12T8/35K/24/SG/UNV

• **COLOR TEMPERATURE** 3500K – NATURAL

LR34072

LED12T8/40K/24/SG/UNV

• **COLOR TEMPERATURE** 4000K – COOL WHITE

LR34073

LED12T8/50K/24/SG/UNV

• **COLOR TEMPERATURE** 5000K – BRIGHT WHITE

LR34074

LED12T8/65K/24/SG/UNV

• **COLOR TEMPERATURE** 6500K – DAYLIGHT

• **POWER** 11W • **VOLTS** 120-277V OR BALLAST • **LUMEN** 1100

• **EFFICACY** 100 • **BASE** G13 • **FLOOD** 240°

• **DIMENSIONS:** 48" MOL

24"



LR34075

LED16T8/30K/36/SG/UNV



• **COLOR TEMPERATURE** 3000K – SOFT WHITE

LR34076

LED16T8/35K/36/SG/UNV

• **COLOR TEMPERATURE** 3500K – NATURAL

LR34077

LED16T8/40K/36/SG/UNV

• **COLOR TEMPERATURE** 4000K – COOL WHITE

LR34078

LED16T8/50K/36/SG/UNV

• **COLOR TEMPERATURE** 5000K – BRIGHT WHITE

LR34079

LED16T8/65K/36/SG/UNV

• **COLOR TEMPERATURE** 6500K – DAYLIGHT

• **POWER** 16W • **VOLTS** 120-277V OR BALLAST • **LUMEN** 1600

• **EFFICACY** 100 • **BASE** G13 • **FLOOD** 240°















• **DIMENSIONS:** 36" MOL

36"














48"

LR34180 LED18T8/30K/48/SG/UNV	  
• EFFICACY 111	• COLOR 3000K – SOFT WHITE
LR34181 LED18T8/35K/48/SG/UNV	  
• EFFICACY 117	• COLOR 3500K – NATURAL
LR34182 LED18T8/40K/48/SG/UNV	  
• EFFICACY 117	• COLOR 4000K – COOL WHITE
LR34183 LED18T8/50K/48/SG/UNV	  
• EFFICACY 122	• COLOR 5000K – BRIGHT WHITE
LR34184 LED18T8/65K/48/SG/UNV	 
• EFFICACY 122	• COLOR 6500K – DAYLIGHT
• POWER 18W	• VOLTS 120-277V OR BALLAST
• DIMENSIONS: 48" MOL	• FLOOD 240°
	• BASE G13

T8 UNIVERSAL GLASS



48"

LR34190 LED13T8/30K/48/SG/UNV3	  
• COLOR TEMPERATURE	3000K – SOFT WHITE
LR34191 LED13T8/35K/48/SG/UNV3	
• COLOR TEMPERATURE	3500K – NATURAL
LR34192 LED13T8/40K/48/SG/UNV3	 
• COLOR TEMPERATURE	4000K – COOL WHITE
LR34193 LED13T8/50K/48/SG/UNV3	 
• COLOR TEMPERATURE	5000K – BRIGHT WHITE
LR34194 LED13T8/65K/48/SG/UNV3	
• COLOR TEMPERATURE	6500K – DAYLIGHT
• POWER 13W	• VOLTS 120-277V OR BALLAST
• EFFICACY 146	• LUMEN 1900
• DIMENSIONS: 48" MOL	• BASE G13
	• FLOOD 240°

RETROFIT TUBE

TUBE SERIES - U6 CCT SELECTABLE 3 WAY

LUXRITE



LR23519

LED15T8/U6/3CCT/SG/UNV3



• POWER 15W	• VOLTS 120-277V OR BALLAST	• LUMEN 1950
• CRI 83	• EFFICACY 130	• LIFE 50,000
• CCT SELECTABLE	3500K	4000K
• DIMENSIONS: 22.5" x 7.25"		5000K

TUBE SERIES - U6 3 WAY



LR23510

LED18T8/30K/U6/UNV



• POWER 18W	• VOLTS 120-277V OR BALLAST	• LUMEN 2000
• CRI 83	• EFFICACY 111	• LIFE 50,000
• BASE G13	• COLOR 3000K - SOFT WHITE	
• DIMENSIONS: 22.5" x 7.25"		

LR23511

LED18T8/35K/U6/UNV



• POWER 18W	• VOLTS 120-277V OR BALLAST	• LUMEN 2100
• CRI 83	• EFFICACY 117	• LIFE 50,000
• BASE G13	• COLOR 3500K - NATURAL	
• DIMENSIONS: 22.5" x 7.25"		

LR23512

LED18T8/40K/U6/UNV



• POWER 18W	• VOLTS 120-277V OR BALLAST	• LUMEN 2200
• CRI 83	• EFFICACY 122	• LIFE 50,000
• BASE G13	• COLOR 4000K - COOL WHITE	
• DIMENSIONS: 22.5" x 7.25"		

LR23513

LED18T8/50K/U6/UNV



• POWER 18W	• VOLTS 120-277V OR BALLAST	• LUMEN 2200
• CRI 83	• EFFICACY 122	• LIFE 50,000
• BASE G13	• COLOR 5000K - BRIGHT WHITE	
• DIMENSIONS: 22.5" x 7.25"		





E26 BASE



LR41605
LEDHID36/3WO/3CCT/MED/B



• POWER	18W 27W 36W	• LUMEN	2,852 4,209 5,447	• EFFICACY	158 155 151
• CRI	80	• VOLTS	100-277V	• LIFE	50,000
• CCT SELECTABLE	3000K 4000K 5000K				
• DIMENSIONS:	Ø3.34" x 7.55"	• BASE	E26	• FLOOD	193°



5 CCT SWITCH



E39 BASE



LR41607
LEDHID63/3WO/3CCT/MOG/B



• POWER	36W 54W 63W	• LUMEN	5,638 8,124 9,305	• EFFICACY	156 150 147
• CRI	80	• VOLTS	100-277V	• LIFE	50,000
• CCT SELECTABLE	3000K 4000K 5000K				
• DIMENSIONS:	Ø3.34" x 10.11"	• BASE	E39	• FLOOD	190°



5 CCT SWITCH



E39 BASE



LR41609
LEDHID120/3WO/3CCT/MOG/B



• POWER	80W 100W 120W	• LUMEN	12,224 14,827 17,503	• EFFICACY	152 148 145
• CRI	80	• VOLTS	100-277V	• LIFE	50,000
• CCT SELECTABLE	3000K 4000K 5000K				
• DIMENSIONS:	Ø5.11" x 11.14"	• BASE	E39	• FLOOD	137°



5 CCT SWITCH



SAFETY CHAIN

LAMP - A SHAPE

A SERIES - A19 DUSK TO DAWN

LUXRITE



LR21471

LED9A19/830/D2D



• POWER 9W	• VOLTS 120V	• LUMEN 800
• CRI 80	• EFFICACY 89	• LIFE 25,000
• COLOR TEMPERATURE	3000K - SOFT WHITE	
• DIMENSIONS: 2.36" x 4.25"	• BASE E26	• FLOOD 240°

A19



DUSK TO DAWN SENSOR

LR21473

LED9A19/850/D2D



• POWER 9W	• VOLTS 120V	• LUMEN 800
• CRI 80	• EFFICACY 89	• LIFE 25,000
• COLOR TEMPERATURE	5000K - BRIGHT WHITE	
• DIMENSIONS: 2.36" x 4.25"	• BASE E26	• FLOOD 240°

A SERIES - A19 DUSK TO DAWN



LR21481

LED9A19/830/D2D/PIR



• POWER 9W	• VOLTS 120V	• LUMEN 800
• CRI 80	• EFFICACY 89	• LIFE 15,000
• COLOR TEMPERATURE	3000K - SOFT WHITE	
• DIMENSIONS: 2.36" x 4.56"	• BASE E26	• FLOOD 240°

A19



DUSK TO DAWN + PIR SENSOR

LR21483

LED9A19/850/D2D/PIR



• POWER 9W	• VOLTS 120V	• LUMEN 800
• CRI 80	• EFFICACY 89	• LIFE 15,000
• COLOR TEMPERATURE	5000K - BRIGHT WHITE	
• DIMENSIONS: 2.36" x 4.56"	• BASE E26	• FLOOD 240°



A15
40W

LR21350
LED7A15/D827/E2 40W REPLACEMENT 600 LUMENS UL LISTED

• **COLOR TEMPERATURE** 2700K - WARM WHITE

LR21351
LED7A15/D830/E2

• **COLOR TEMPERATURE** 3000K - SOFT WHITE

LR21352
LED7A15/D840/E2

• **COLOR TEMPERATURE** 4000K - COOL WHITE

LR21353
LED7A15/D850/E2

• **COLOR TEMPERATURE** 5000K - BRIGHT WHITE

• **POWER** 7W • **VOLTS** 120V • **LUMEN** 600
• **EFFICACY** 86 • **BASE** E26 • **FLOOD** 220°

• **DIMENSIONS:** 1.96" x 3.5"

A SERIES - A19 60W



A19
60W

LR21420
LED9A19/D827/E2 60W REPLACEMENT 800 LUMENS UL LISTED ENERGY STAR

• **COLOR TEMPERATURE** 2700K - WARM WHITE

LR21421
LED9A19/D830/E2

• **COLOR TEMPERATURE** 3000K - SOFT WHITE

LR21424
LED9A19/D835/E2

• **COLOR TEMPERATURE** 3500K - NATURAL

LR21422
LED9A19/D840/E2

• **COLOR TEMPERATURE** 4000K - COOL WHITE

LR21423
LED9A19/D850/E2

• **COLOR TEMPERATURE** 5000K - BRIGHT WHITE

• **POWER** 9W • **VOLTS** 120V • **LUMEN** 800
• **EFFICACY** 89 • **BASE** E26 • **FLOOD** 220°

• **DIMENSIONS:** 2.3" x 4.25"

LAMP - A SHAPE

LUXRITE

A SERIES - A19 60W 4 PACK



LR21425

LED9A19/D827/RP4/E2



• **COLOR TEMPERATURE** 2700K - WARM WHITE

LR21426

LED9A19/D830/RP4/E2

• **COLOR TEMPERATURE** 3000K - SOFT WHITE

LR21427

LED9A19/D840/RP4/E2

• **COLOR TEMPERATURE** 4000K - COOL WHITE

LR21428

LED9A19/D850/RP4/E2

• **COLOR TEMPERATURE** 5000K - BRIGHT WHITE

• **POWER** 9W • **VOLTS** 120V • **LUMEN** 800

• **EFFICACY** 89 • **BASE** E26 • **FLOOD** 220°

• **DIMENSIONS:** 2.3" x 4.25"

A19
60W



A SERIES - A19 75W



LR21430

LED11A19/D827/E2



• **COLOR TEMPERATURE** 2700K - WARM WHITE

LR21431

LED11A19/D830/E2

• **COLOR TEMPERATURE** 3000K - SOFT WHITE

LR21434

LED11A19/D835/E2

• **COLOR TEMPERATURE** 3500K - NATURAL

LR21432

LED11A19/D840/E2

• **COLOR TEMPERATURE** 4000K - COOL WHITE

LR21433

LED11A19/D850/E2

• **COLOR TEMPERATURE** 5000K - BRIGHT WHITE

• **POWER** 11W • **VOLTS** 120V • **LUMEN** 1100

• **EFFICACY** 100 • **BASE** E26 • **FLOOD** 220°

• **DIMENSIONS:** 2.3" x 4.25"

A19
75W





A19
100W



LR21440

LED15A19/D827/E2



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21441

LED15A19/D830/E2

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21444

LED15A19/D835/E2

• COLOR TEMPERATURE 3500K - NATURAL

LR21442

LED15A19/D840/E2

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21443

LED15A19/D850/E2

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 15W • VOLTS 120V • LUMEN 1600

• EFFICACY 107 • BASE E26 • FLOOD 220°

• DIMENSIONS: 2.3" x 4.60"

A SERIES - A19 100W 4 PACK



A19
100W



LR21445

LED15A19/D827/RP4/E2



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21446

LED15A19/D830/RP4/E2

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21447

LED15A19/D840/RP4/E2

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21448

LED15A19/D850/RP4/E2

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 15W • VOLTS 120V • LUMEN 1600

• EFFICACY 107 • BASE E26 • FLOOD 220°

• DIMENSIONS: 2.3" x 4.60"

LAMP - A SHAPE

LUXRITE

A SERIES - A19 GU24 60W



LR21460

LED9A19/GU24/D827/E2



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21461

LED9A19/GU24/D830/E2

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21462

LED9A19/GU24/D840/E2

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21463

LED9A19/GU24/D850/E2

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

- POWER 9W • VOLTS 120V • LUMEN 800
- EFFICACY 89 • BASE GU24 • FLOOD 220°
- DIMENSIONS: 2.3" x 4.25"

A19 GU24 60W



A SERIES - A21 150W



LR21450

LED22A21/D827/E2



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21451

LED22A21/D830/E2

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21452

LED22A21/D840/E2

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21453

LED22A21/D850/E2

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

- POWER 22W • VOLTS 120V • LUMEN 2550
- EFFICACY 116 • BASE E26 • FLOOD 220°
- DIMENSIONS: 2.7" x 5.47"

A21 150W





A19



LIGHTS UP
YELLOW

LR21490
LED8A19/YELLOW



- **POWER** 8W
 - **FLOOD** 240°
 - **COLOR**
 - **DIMENSIONS:** 2.36" x 4.25"
 - **VOLTS** 120V
 - **LIFE** 10,000
 - **BASE** E26
- LIGHTS UP YELLOW



A19



LIGHTS UP
BLUE

LR21491
LED8A19/BLUE



- **POWER** 8W
 - **FLOOD** 240°
 - **COLOR**
 - **DIMENSIONS:** 2.36" x 4.25"
 - **VOLTS** 120V
 - **LIFE** 10,000
 - **BASE** E26
- LIGHTS UP BLUE



A19



LIGHTS UP
GREEN

LR21492
LED8A19/GREEN



- **POWER** 8W
 - **FLOOD** 240°
 - **COLOR**
 - **DIMENSIONS:** 2.36" x 4.25"
 - **VOLTS** 120V
 - **LIFE** 10,000
 - **BASE** E26
- LIGHTS UP GREEN



A19



LIGHTS UP
PURPLE

LR21494
LED8A19/PURPLE



- **POWER** 8W
 - **FLOOD** 240°
 - **COLOR**
 - **DIMENSIONS:** 2.36" x 4.25"
 - **VOLTS** 120V
 - **LIFE** 10,000
 - **BASE** E26
- LIGHTS UP PURPLE

FLOOD LAMP

LUXRITE

BR SERIES - BR20



LR31840

LED6.5BR20/27K/DIM



• COLOR TEMPERATURE 2700K - WARM WHITE

LR31841

LED6.5BR20/30K/DIM



• COLOR TEMPERATURE 3000K - SOFT WHITE

LR31842

LED6.5BR20/35K/DIM



• COLOR TEMPERATURE 3500K - NATURAL

LR31843

LED6.5BR20/41K/DIM



• COLOR TEMPERATURE 4000K - COOL WHITE

LR31844

LED6.5BR20/50K/DIM



• COLOR TEMPERATURE 5000K - BRIGHT WHITE

LR31845

LED6.5BR20/65K/DIM



• COLOR TEMPERATURE 6500K - DAYLIGHT

• POWER 6.5W • VOLTS 120V • LUMEN 460

• EFFICACY 71 • BASE E26 • FLOOD 120°

• DIMENSIONS: 2.48" x 3.66"



BR20

BR SERIES - BR30



LR31850

LED9BR30/27K/DIM



• COLOR TEMPERATURE 2700K - WARM WHITE

LR31851

LED9BR30/30K/DIM



• COLOR TEMPERATURE 3000K - SOFT WHITE

LR31852

LED9BR30/35K/DIM



• COLOR TEMPERATURE 3500K - NATURAL

LR31853

LED9BR30/41K/DIM



• COLOR TEMPERATURE 4000K - COOL WHITE



BR30



BR30







LR31854
 LED9BR30/50K/DIM 

• COLOR TEMPERATURE	5000K - BRIGHT WHITE
---------------------	----------------------

LR31855
 LED9BR30/65K/DIM 

• COLOR TEMPERATURE	6500K - DAYLIGHT	
• POWER	9W	• VOLTS 120V
• EFFICACY	72	• LUMEN 650
• DIMENSIONS:	3.74" x 4.96"	
	• BASE E26	• FLOOD 120°



BR40







LR31820
 LED14BR40/27K/DIM   

• COLOR TEMPERATURE	2700K - WARM WHITE
---------------------	--------------------

LR31821
 LED14BR40/30K/DIM

• COLOR TEMPERATURE	3000K - SOFT WHITE
---------------------	--------------------

LR31822
 LED14BR40/35K/DIM

• COLOR TEMPERATURE	3500K - NATURAL
---------------------	-----------------

LR31823
 LED14BR40/41K/DIM

• COLOR TEMPERATURE	4000K - COOL WHITE
---------------------	--------------------

LR31824
 LED14BR40/50K/DIM

• COLOR TEMPERATURE	5000K - BRIGHT WHITE
---------------------	----------------------

LR31825
 LED14BR40/65K/DIM

• COLOR TEMPERATURE	6500K - DAYLIGHT	
• POWER	14W	• VOLTS 120V
• EFFICACY	79	• LUMEN 1100
• DIMENSIONS:	4.68" x 6.29"	
	• BASE E26	• FLOOD 120°

FLOOD LAMP

LUXRITE

BR SERIES – R30 CCT SELECTABLE



LR31857

LED10BR30/3CCT/D




• POWER 10W	• VOLTS 120V	• LUMEN 850	
• CRI 80	• EFFICACY 85	• LIFE 25,000	
• CCT SELECTABLE	2700K	3000K	5000K
• DIMENSIONS: 2.36" x 4.25"	• BASE E26	• FLOOD 110°	

R30



PAR SERIES – PAR38 DUSK TO DAWN



LR31631

LED15PAR38/FL40/30K/D2D



• POWER 15W	• VOLTS 120V	• LUMEN 1250
• CRI 80	• EFFICACY 83	• LIFE 25,000
• COLOR TEMPERATURE	3000K – SOFT WHITE	
• DIMENSIONS: 4.72" x 5.11"	• BASE E26	• FLOOD 40°

PAR38



LR31634

LED15PAR38/FL40/50K/D2D



• POWER 15W	• VOLTS 120V	• LUMEN 1250
• CRI 80	• EFFICACY 83	• LIFE 25,000
• COLOR TEMPERATURE	5000K – BRIGHT WHITE	
• DIMENSIONS: 4.72" x 5.11"	• BASE E26	• FLOOD 40°



PAR16



LR21400

LED5.5PAR16/FL/27K/D



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21401

LED5.5PAR16/FL/30K/D

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21402

LED5.5PAR16/FL/40K/D

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21403

LED5.5PAR16/FL/50K/D

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 5.5W • VOLTS 120V • LUMEN 450

• EFFICACY 82 • BASE E26 • FLOOD 40°

• DIMENSIONS: 1.97" x 2.76"

PAR SERIES - PAR20



PAR20



LR31600

LED7PAR20/FL40/27K/D



• COLOR TEMPERATURE 2700K - WARM WHITE

LR31601

LED7PAR20/FL40/30K/D

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR31602

LED7PAR20/FL40/35K/D

• COLOR TEMPERATURE 3500K - NATURAL

LR31603

LED7PAR20/FL40/40K/D

• COLOR TEMPERATURE 4000K - COOL WHITE

LR31604

LED7PAR20/FL40/50K/D

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 7W • VOLTS 120V • LUMEN 500

• EFFICACY 71 • BASE E26 • FLOOD 40°

• DIMENSIONS: 2.48" x 3.18"

FLOOD LAMP

LUXRITE

PAR SERIES – PAR30



LR31605

LED11PAR30L/FL40/27K/D



• COLOR TEMPERATURE 2700K – WARM WHITE

LR31606

LED11PAR30L/FL40/30K/D

• COLOR TEMPERATURE 3000K – SOFT WHITE

LR31607

LED11PAR30L/FL40/35K/D

• COLOR TEMPERATURE 3500K – NATURAL

LR31608

LED11PAR30L/FL40/40K/D

• COLOR TEMPERATURE 4000K – COOL WHITE

LR31609

LED11PAR30L/FL40/50K/D

• COLOR TEMPERATURE 5000K – BRIGHT WHITE

• POWER 11W

• VOLTS 120V

• LUMEN 850

• EFFICACY 77

• BASE E26

• FLOOD 40°

• DIMENSIONS: 3.74" x 4.52"



PAR 30

PAR SERIES – PAR38



LR31615

LED15PAR38/FL40/27K/D



• COLOR TEMPERATURE 2700K – WARM WHITE

LR31616

LED15PAR38/FL40/30K/D

• COLOR TEMPERATURE 3000K – SOFT WHITE

LR31617

LED15PAR38/FL40/35K/D

• COLOR TEMPERATURE 3500K – NATURAL

LR31618

LED15PAR38/FL40/40K/D

• COLOR TEMPERATURE 4000K – COOL WHITE

LR31619

LED15PAR38/FL40/50K/D

• COLOR TEMPERATURE 5000K – BRIGHT WHITE

• POWER 15W

• VOLTS 120V

• LUMEN 1250

• EFFICACY 83

• BASE E26

• FLOOD 40°

• DIMENSIONS: 4.72" x 5.11"



PAR 38



**MR16
GU5.3**



LR21404

LED6.5MR16/FL40/27K/D



• **COLOR TEMPERATURE** 2700K – WARM WHITE

LR21405

LED6.5MR16/FL40/30K/D

• **COLOR TEMPERATURE** 3000K – SOFT WHITE

LR21406

LED6.5MR16/FL40/40K/D

• **COLOR TEMPERATURE** 4000K – COOL WHITE

LR21407

LED6.5MR16/FL40/50K/D

• **COLOR TEMPERATURE** 5000K – BRIGHT WHITE

• **POWER** 6.5W • **VOLTS** 12V • **LUMEN** 500

• **EFFICACY** 77 • **BASE** GU5.3 • **FLOOD** 40°

• **DIMENSIONS:** 1.97" x 1.97"

MR SERIES – MR16 GU10



**MR16
GU10**



LR21500

LED6.5GU10/FL40/27K/D



• **COLOR TEMPERATURE** 2700K – WARM WHITE

LR21501

LED6.5GU10/FL40/30K/D

• **COLOR TEMPERATURE** 3000K – SOFT WHITE

LR21502

LED6.5GU10/FL40/40K/D

• **COLOR TEMPERATURE** 4100K – COOL WHITE

LR21503

LED6.5GU10/FL40/50K/D

• **COLOR TEMPERATURE** 5000K – BRIGHT WHITE

• **POWER** 6.5W • **VOLTS** 120V • **LUMEN** 500

• **EFFICACY** 77 • **BASE** GU10 • **FLOOD** 40°

• **DIMENSIONS:** 1.97" x 2.76"

LAMP - FILAMENT SERIES

LUXRITE

A-SHAPE - A15



LR21623

LED4A15/CL/27K/D



• POWER 4W	• VOLTS 120V	• LUMEN 350
• CRI 80	• EFFICACY 88	• LIFE 10,000
• COLOR TEMPERATURE	2700K - WARM WHITE	
• DIMENSIONS: 1.96" x 3.46"	• BASE E26	• FLOOD 330°

A15



A-SHAPE - A19



LR21612

LED8A19/CL/27K/D



• COLOR TEMPERATURE	2700K - WARM WHITE	
---------------------	--------------------	--

LR21613

LED8A19/CL/30K/D

• COLOR TEMPERATURE	3000K - SOFT WHITE	
---------------------	--------------------	--

LR21614

LED8A19/CL/50K/D

• COLOR TEMPERATURE	5000K - BRIGHT WHITE	
---------------------	----------------------	--

• POWER 8W	• VOLTS 120V	• LUMEN 800
• EFFICACY 100	• BASE E26	• FLOOD 330°
• DIMENSIONS: 2.36" x 4.29"		

A19



4W - CTC CANDLE



4W
CTC

LR21572
LED4CTC/CL/27K/D



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21574
LED4CTC/CL/30K/D

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21576
LED4CTC/CL/40K/D

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21578
LED4CTC/CL/50K/D

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 4W • VOLTS 120V • LUMEN 400

• EFFICACY 100 • BASE E12 • FLOOD 330°

• DIMENSIONS: 1.37" x 3.97"

5W - CTC CANDLE



5W
CTC

LR21592
LED5CTC/CL/27K/D



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21594
LED5CTC/CL/30K/D

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21645
LED5CTC/CL/35K/D

• COLOR TEMPERATURE 3500K - NATURAL

LR21596
LED5CTC/CL/40K/D

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21598
LED5CTC/CL/50K/D

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 5W • VOLTS 120V • LUMEN 500

• EFFICACY 110 • BASE E12 • FLOOD 330°

• DIMENSIONS: 1.37" x 3.97"

7W - CTC CANDLE



HIGH LUMENS

7W
CTC



LR21632 LED7CTC/CL/27K/D	100W REPLACEMENT	800 LUMENS	UL LISTED
• COLOR TEMPERATURE	2700K - WARM WHITE		
LR21634 LED7CTC/CL/30K/D			
• COLOR TEMPERATURE	3000K - SOFT WHITE		
LR21648 LED7CTC/CL/35K/D			
• COLOR TEMPERATURE	3500K - NATURAL		
LR21636 LED7CTC/CL/40K/D			
• COLOR TEMPERATURE	4000K - COOL WHITE		
LR21638 LED7CTC/CL/50K/D			
• COLOR TEMPERATURE	5000K - BRIGHT WHITE		
• POWER 7W	• VOLTS 120V	• LUMEN 800	
• EFFICACY 114	• BASE E12	• FLOOD 330°	
• DIMENSIONS: 1.37" x 3.97"			

4W & 5W WHITE - CTC CANDLE



4W



5W

LR21552 LED4CTC/W/27K/D	40W REPLACEMENT	400 LUMENS	UL LISTED
• POWER 4W	• VOLTS 120V	• LUMEN 400	
• CRI 80	• EFFICACY 100	• LIFE 10,000	
• COLOR TEMPERATURE	2700K - WARM WHITE		
• DIMENSIONS: 1.37" x 3.97"	• BASE E12	• FLOOD 330°	

LR21562 LED5CTC/W/27K/D	60W REPLACEMENT	550 LUMENS	UL LISTED
• POWER 5W	• VOLTS 120V	• LUMEN 550	
• CRI 80	• EFFICACY 110	• LIFE 10,000	
• COLOR TEMPERATURE	2700K - WARM WHITE		
• DIMENSIONS: 1.37" x 3.97"	• BASE E12	• FLOOD 330°	

5W - CFC CANDLE



4W
CFC

LR21573
LED4CFC/CL/27K/D



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21575
LED4CFC/CL/30K/D

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21577
LED4CFC/CL/40K/D

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21579
LED4CFC/CL/50K/D

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 4W • VOLTS 120V • LUMEN 400

• EFFICACY 100 • BASE E12 • FLOOD 330°

• DIMENSIONS: 1.37" x 4.09"

5W - CFC CANDLE



5W
CFC

LR21593
LED5CFC/CL/27K/D



• COLOR TEMPERATURE 2700K - WARM WHITE

LR21595
LED5CFC/CL/30K/D

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR21646
LED5CFC/CL/35K/D

• COLOR TEMPERATURE 3500K - NATURAL

LR21597
LED5CFC/CL/40K/D

• COLOR TEMPERATURE 4000K - COOL WHITE

LR21599
LED5CFC/CL/50K/D

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 5W • VOLTS 120V • LUMEN 550

• EFFICACY 110 • BASE E12 • FLOOD 330°

• DIMENSIONS: 1.37" x 4.09"

FILAMENT SERIES

LUXRITE

7W - CFC CANDLE



HIGH LUMENS

7W
CFC



LR21633 LED7CFC/CL/27K/D	100W REPLACEMENT	800 LUMENS	UL LISTED
• COLOR TEMPERATURE	2700K - WARM WHITE		
LR21635 LED7CFC/CL/30K/D			
• COLOR TEMPERATURE	3000K - SOFT WHITE		
LR21649 LED7CFC/CL/35K/D			
• COLOR TEMPERATURE	3500K - NATURAL		
LR21637 LED7CFC/CL/40K/D			
• COLOR TEMPERATURE	4000K - COOL WHITE		
LR21639 LED7CFC/CL/50K/D			
• COLOR TEMPERATURE	5000K - BRIGHT WHITE		
• POWER 7W	• VOLTS 120V	• LUMEN 800	
• EFFICACY 114	• BASE E12	• FLOOD 330°	
• DIMENSIONS: 1.37" x 4.09"			

4W & 5W WHITE - CTC CANDLE



4W



5W

LR21553 LED4CFC/W/27K/D	40W REPLACEMENT	400 LUMENS	UL LISTED
• POWER 4W	• VOLTS 120V	• LUMEN 400	
• CRI 80	• EFFICACY 100	• LIFE 10,000	
• COLOR TEMPERATURE	2700K - WARM WHITE		
• DIMENSIONS: 1.37" x 3.97"	• BASE E12	• FLOOD 330°	

LR21563 LED5CFC/W/27K/D	60W REPLACEMENT	550 LUMENS	UL LISTED
• POWER 5W	• VOLTS 120V	• LUMEN 550	
• CRI 80	• EFFICACY 110	• LIFE 10,000	
• COLOR TEMPERATURE	2700K - WARM WHITE		
• DIMENSIONS: 1.37" x 4.09"	• BASE E12	• FLOOD 330°	



5W
ETC

LR21602
LED5ETC/CL/27K/D



- **POWER** 5W
- **VOLTS** 120V
- **LUMEN** 550
- **CRI** 80
- **EFFICACY** 108
- **LIFE** 15,000
- **COLOR TEMPERATURE** 2700K – WARM WHITE
- **BASE** E12
- **FLOOD** 330°
- **DIMENSIONS:** 1.37" x 4.09"

LR21608
LED5ETC/CL/50K/D



- **POWER** 5W
- **VOLTS** 120V
- **LUMEN** 550
- **CRI** 80
- **EFFICACY** 108
- **LIFE** 15,000
- **COLOR TEMPERATURE** 5000K – BRIGHT WHITE
- **BASE** E12
- **FLOOD** 330°
- **DIMENSIONS:** 1.37" x 4.09"

G25 – DECORATIVE



G25

LR21619
LED5G25/CL/27K/D



- **POWER** 5W
- **VOLTS** 120V
- **LUMEN** 550
- **CRI** 80
- **EFFICACY** 110
- **LIFE** 10,000
- **COLOR TEMPERATURE** 2700K – WARM WHITE
- **BASE** E26
- **FLOOD** 330°
- **DIMENSIONS:** 3.14" x 4.60"

LR21620
LED5G25/CL/50K/D



- **POWER** 5W
- **VOLTS** 120V
- **LUMEN** 550
- **CRI** 80
- **EFFICACY** 110
- **LIFE** 10,000
- **COLOR TEMPERATURE** 5000K – BRIGHT WHITE
- **BASE** E26
- **FLOOD** 330°
- **DIMENSIONS:** 3.14" x 4.60"

LAMP - FILAMENT SERIES

LUXRITE

T6.5 - DECORATIVE



LR21622
LED5T6.5/C/CL/27K



T6.5



- **POWER** 5W
- **VOLTS** 120V
- **LUMEN** 500
- **CRI** 80
- **EFFICACY** 100
- **LIFE** 10,000
- **COLOR TEMPERATURE** 2700K - WARM WHITE
- **DIMENSIONS:** 3.83" MOL
- **BASE** E12
- **FLOOD** 330°

G16.5 - DECORATIVE



LR21610
LED4G16.5/C/CL/27K/D



- **COLOR TEMPERATURE** 2700K - WARM WHITE

LR21611
LED4G16.5/C/CL/50K/D

- **COLOR TEMPERATURE** 5000K - BRIGHT WHITE
- **POWER** 4W
- **VOLTS** 120V
- **LUMEN** 400
- **EFFICACY** 110
- **BASE** E12
- **FLOOD** 330°
- **DIMENSIONS:** 2.04" x 3.30"

G16.5



T10 - DECORATIVE



LR21626
LED5T10/CL/27K/D



T10

- **COLOR TEMPERATURE** 2700K - WARM WHITE

LR21627
LED5T10/CL/30K/D

- **COLOR TEMPERATURE** 3000K - SOFT WHITE
- **POWER** 5W
- **VOLTS** 120V
- **LUMEN** 500
- **EFFICACY** 100
- **BASE** E26
- **FLOOD** 330°
- **DIMENSIONS:** 1.25" x 5.70"



T9 - DECORATIVE



T9

LR21625
LED5T9/CL/27K/D

• POWER 5W	• VOLTS 120V	• LUMEN 550
• CRI 80	• EFFICACY 110	• LIFE 10,000
• COLOR TEMPERATURE	2700K - WARM WHITE	
• DIMENSIONS: 5.70" MOL	• BASE E26	• FLOOD 330°

ST19 - DECORATIVE



ST19

LR21616
LED5ST19/CL/27K/D

• POWER 5W	• VOLTS 120V	• LUMEN 550
• CRI 80	• EFFICACY 110	• LIFE 10,000
• COLOR TEMPERATURE	2700K - WARM WHITE	
• DIMENSIONS: 2.51" x 5.43"	• BASE E26	• FLOOD 330°

MINI SERIES

E12 - MINI SCREW



E12

LR24650
LED5W/E12/30K/D

• COLOR TEMPERATURE	3000K - SOFT WHITE
---------------------	--------------------

LR24652
LED5W/E12/40K/D

• COLOR TEMPERATURE	4000K - COOL WHITE
---------------------	--------------------

LR24655
LED5W/E12/50K/D

• COLOR TEMPERATURE	5000K - BRIGHT WHITE	
• POWER 4.2W	• VOLTS 120V	• LUMEN 500
• EFFICACY 119	• BASE E12	• FLOOD 350°
• DIMENSIONS: 0.68" x 2.08"		

LAMP - MINI SERIES

LUXRITE

G9 - MINI PIN



LR24640

LED5T4G9/27K/DIM



• COLOR TEMPERATURE 2700K - WARM WHITE

LR24641

LED5T4G9/30K/DIM

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR24642

LED5T4G9/40K/DIM

• COLOR TEMPERATURE 4100K - COOL WHITE

LR24644

LED5T4G9/50K/DIM

• COLOR TEMPERATURE 5000K - BRIGHT WHITE

• POWER 5W • VOLTS 120V • LUMEN 550

• EFFICACY 110 • BASE G9 • FLOOD 350°

• DIMENSIONS: 0.66" x 1.92"

G9



G4 - MINI PIN



LR24630

LED2T3G4/27K



• COLOR TEMPERATURE 2700K - WARM WHITE

LR24631

LED2T3G4/30K

• COLOR TEMPERATURE 3000K - SOFT WHITE

LR24632

LED2T3G4/41K

• COLOR TEMPERATURE 4100K - COOL WHITE

• POWER 1.5W • VOLTS 12V • LUMEN 200

• EFFICACY 133 • BASE G4 • FLOOD 350°

• DIMENSIONS: 0.39" x 1.25"

G4





DC

LR24629
LED3W/DC/27K



• POWER 3W	• VOLTS 120V	• LUMEN 200
• CRI 80	• EFFICACY 67	• LIFE 30,000
• COLOR TEMPERATURE	2700K - WARM WHITE	
• DIMENSIONS: 0.66" x 1.77"	• BASE BA15D	• FLOOD 360°

GY635 - MINI PIN



GY6.35

LR24607
LED3T4GY6.35/27K



• POWER 3W	• VOLTS 12V	• LUMEN 200
• CRI 80	• EFFICACY 67	• LIFE 30,000
• COLOR TEMPERATURE	2700K - WARM WHITE	
• DIMENSIONS: 0.59" x 1.35"	• BASE GY6.35	• FLOOD 360°

G8 - MINI PIN



G8

LR24609
LED2T4G8/27K



• POWER 2W	• VOLTS 120V	• LUMEN 140
• CRI 80	• EFFICACY 70	• LIFE 30,000
• COLOR TEMPERATURE	2700K - WARM WHITE	
• DIMENSIONS: 2.51" x 5.43"	• BASE G8	• FLOOD 360°