

CERTIFICATE OF ANALYSIS

No. C-AR0296-3-1

Sample Information

Description: 1000mg Full Spectrum Paste	Sample condition: Good	Test performed date: 22.03.19
PV ID: AR0296-3	Received date: 15.03.19	Test method: PVSOP-01
Batch no: XTR1000	Test location: On Site	

Customer Information

Name: UK CBD OILS LTD	Address: 409 Linthorpe Rd. Middlesbrough, TS5 6JN
-----------------------	---

Method Information

Results apply to sample as received

CANNABINOID PROFILE

Analyte	%w/w	Visual Representation
CBDV	ND	
CBDVA	0.11	Short bar
CBG	0.05	Very short bar
CBD	2.52	Medium bar
THCV	ND	
CBDA	7.09	Long bar
CBGA	0.12	Short bar
CBN	0.02	Very short bar
$\Delta 9$ -THC	0.16	Short bar
$\Delta 8$ -THC	ND	
THCVA	ND	
CBC	0.27	Short bar
THCA	0.25	Short bar
CBCA	0.52	Short bar

CBC = Cannabichromene
CBDV = Cannabidivarin
CBGA = Cannabigerolic acid
 $\Delta 9$ -THC = $\Delta 9$ -tetrahydrocannabinol
THCVA = Tetrahydrocannabivarinic acid

CBD = Cannabidiol
CBDVA = Cannabidivarinic acid
CBN = Cannabinol
 $\Delta 9$ -THCA = $\Delta 9$ -tetrahydrocannabinolic acid
 $\Delta 8$ -THC = $\Delta 8$ -tetrahydrocannabinol

CBDA = Cannabidiolic acid
CBG = Cannabigerol
CBCA = Cannabachromenic acid
THCV = Tetrahydrocannabivarin

Additional Information:

ND= Not Detected



Use the QR code to check your results and find out more information on how to read them.



The test results apply to the sample as received from the client. By placing the order for services with PhytoVista Laboratories, terms and conditions are deemed to be accepted by the submitter. Report shall not be reproduced, except in full, without the approval of the testing laboratory.