


RP-E-1503



Bella Series











PRODUCT TECHNICAL SPECIFICATION

NAME: BELLA DESIGN: RAKUMBA

STYLE: TABLE AND FLOOR LAMP

MATERIALS & FINISH: STAND - POWDERCOATED STEEL AND ALUMINIUM // POLISHED BRASS DETAIL (OPTIONAL)

SHADE - CUSTOMISABLE FABRIC (CONTACT RAKUMBA FOR EXTENSIVE RANGE OF OPTIONS)

LIGHT SOURCE: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED MAX. 14W CORDSET: 1 X E27 LAMPHOLDER // 240V // CFL BULB RECOMMENDED // 240V // CFL BULB RE

OPTIONAL: 2m TEXTILE SLEEVED FLEX WITH INLINE OR FOOT RELCO DIMMER




RP-E-1418P

Canterbury Pendant



Canterbury Pendant



PRODUCT TECHNICAL SPECIFICATION

NAME: **CANTERBURY** PENDANT

MATERIALS & FINISH: EXTERIOR - MATERIAL FROM RAKUMBA SELECTION OR CUSTOM BONDED FABRIC

INTERIOR - CUSTOMER SPECIFIED SILK, HAND MADE RUFFLE PLEAT

DIFFUSER - OPTIONAL FLOATING DIFFUSER

LIGHT SOURCE:

CANTERBURY600 - 1 X E27 // 240v // LED OR CFL GLOBES RECOMMENDED MAX. 24W
CANTERBURY800 - 3 X E27 HUB // 240v // LED OR CFL GLOBES RECOMMENDED MAX. 24W
CANTERBURY1000 - 3 X E27 HUB // 240v // LED OR CFL GLOBES RECOMMENDED MAX. 24W

 ${\tt OPTIONAL-2 \times TRIDONIC \ LED \ DISKS \ (UP+DOWN \ CONFIG.) \ //240V \ DRIVER \ // \ 29.2W \ PER \ DISK \ // \ 3800 Im \ PER \ DISK \ // \ 3000 K}$

CANTERBURY600 - BRAIDED TEXTILE FLEX // SEAMLESS CANOPY SUSPENSION:

CANTERBURY800 & 1000 - STEEL CABLES // BRAIDED TEXTILE FLEX // SEAMLESS CANOPY



RP-E-1402P

Cirque Pendant Series



Cirque Pendant Series

ALL DIMENSIONS IN MILLIMETRES

CIRQUE 5-3: Ø500 x 300H CIRQUE 5-4: Ø500 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 1 x E27 // CFL OR LED GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 1.5m CLEAR FLEX

CIRQUE 6-3: Ø600 x 300H CIRQUE 6-4: Ø600 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 1 x E27 // CFL OR LED GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 1.5m CLEAR FLEX

CIRQUE 7-1.5: Ø700 x 150H CIRQUE 7-3: Ø700 x 300H CIRQUE 7-4: Ø700 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E27 HUB // CFL OR LED GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 3 x STEEL CABLES TO CANOPY

CIRQUE 8-1.5: Ø800 x 150H CIRQUE 8-3: Ø800 x 300H CIRQUE 8-4: Ø800 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: $3 \times E27 + B / CFL + CFL +$

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 3 x STEEL CABLES TO CANOPY

CIRQUE 9-1.5: Ø900 x 150H CIRQUE 9-3: Ø900 x 300H CIRQUE 9-4: Ø900 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E-27 HUB // CFL OR LED GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 4 x STEEL CABLES TO CANOPY



Cirque Pendant Series

CIRQUE 10-1.5: Ø1000 x 150H CIRQUE 10-3: Ø1000 x 300H CIRQUE 10-4: Ø1000 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: $3\times E27\ HUB\ //\ CFL\ GLOBES\ ARE$

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX

1.5m // 4 x STEEL CABLES TO CANOPY

CIRQUE 11-1.5: Ø1100 x 150H CIRQUE 11-4: Ø1100 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

4 x E27 HUB // CFL GLOBES ARE LIGHT SOURCE:

RECOMMENDED MAX. 24W SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX

1.5m // 4 x STEEL CABLES TO

CANOPY

CIRQUE 12-1.5: Ø1200 x 150H CIRQUE 12-4: Ø1200 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: $4\times E27\ HUB\ //\ CFL\ GLOBES\ ARE$

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m //

4 x STEEL CABLES TO CANOPY

CIRQUE 15-1.5: Ø1500 x 150H CIRQUE 15-4: Ø1500 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE


INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 4 x E27 EXTENDED HUB // CFL GLOBES ARE RECOMMENDED MAX. 24W SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m //

4 x STEEL CABLES TO PUCKS




Cirque Pendant Series

ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.

CUSTOM INSPIRATION - MATERIALS*

SELECT FROM AUSTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLY YOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A











EXTERNAL MATERIAL

EXTERNAL & INTERNAL MATERIAL

CUSTOM DIGITAL PRINT CUSTOM CNC CUT PATTERN

(ALSO SEE RP-E-1306P 'MOTIF')

HAND PLEAT (VARIOUS STYLES AVAILABLE)

*EDGE FINISH IS TAPED OR HAND-ROLLED (OPTIONAL)


CUSTOM INSPIRATION - DIFFUSERS

DIFFUSERS ARE AVAILABLE IN A WIDE RANGE OF PARCHMENTS, BONDED FABRICS, AND ACRYLICS (PMMA) IN VARYING SURFACE TEXTURES AND LIGHT TRANSMISSION









FULL FIT DIFFUSER


INSET DIFFUSER

SUSPENDED DIFFUSER

FLOATING DIFFUSER (ADJUSTABLE HEIGHT)

CUSTOM INSPIRATION - SUSPENSIONS


CHOOSE FROM AN EXTENSIVE RANGE OF SUSPENSION TYPES, ALL WITH EMPHASIS ON HIGH QUALITY COMPONENTRY REFER TO OUR COMPONENT BROCHURES FOR DETAILS ON STANDARD FLEX, BRAIDED FLEX, PRINTED DECORATIVE FLEX, AND OUR PROPRIETARY SEAMLESS CANOPY





CUSTOM INSPIRATION - LIGHT SOURCES

OPTIMISE THE LIGHTING EFFECT FOR YOUR LUMINAIRE WITH ONE OF OUR STANDARD LIGHT SOURCES, OR CONTACT US TO DISCUSS BESPOKE ALTERNATIVES









SINGLE E27

HUB (3 x E27 OR 4 x E27)

HUB (3 x E27 OR 4 x E27) WITH CUSTOM LENGTH EXTENSION ARMS

INTEGRATED LED

Rakumba has been producing custom-made feature lighting for the Australian design industry since 1968. Collaborating with designers across a wide range of sectors from commercial to residential, we take pride in our bespoke service, attention to design detailing and ability to deliver on any scale of project.

SURFACE MOUNT



RP-E-1404P

Cirque Taper Pendant Series



Cirque Taper Pendant Series

ALL DIMENSIONS IN MILLIMETRES

 CIRQUE TAPER 3:
 Ø200T x Ø300B x 400H

 CIRQUE TAPER 4:
 Ø300T x Ø400B x 500H

 CIRQUE TAPER 6:
 Ø500T x Ø600B x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 1 x E27 // CFL OR LED GLOBES ARE

RECOMMENDED MAX. 24W
SUSPENSION: SEAMLESS CANOPY // 1.5m CLEAR

FLEX

CIRQUE TAPER 8: Ø700T x Ø800B x 300H CIRQUE TAPER 10: Ø900T x Ø1000B x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 3 x E27 HUB // CFL OR LED GLOBES

ARE RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX

1.5m // 3 x STEEL CABLES TO CANOPY






Cirque Taper Pendant Series

ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.


CUSTOM INSPIRATION - MATERIALS*

SELECTFROM A USTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLYYOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A UNIQUE FINISH PROBLEM OF STREET OF THE PROBLEM OF TH






*EDGE FINISH IS TAPED OR HAND-ROLLED (OPTIONAL)




EXTERNAL & INTERNAL MATERIAL CUSTOM DIGITAL PRINT (RECOMMENDEDWHENDIFFUSER IS NOT FULL FIT)






CUSTOM CNC CUT PATTERN (ALSOSEERP-E-1306P'MOTIF') (VARIOUS STYLES AVAILABLE)




HAND PLEAT

CUSTOM INSPIRATION - DIFFUSERS


DIFFUSERS ARE AVAILABLE IN A WIDE RANGE OF PARCHMENTS, BONDED FABRICS, AND ACRYLICS (PMMA) IN VARYING SURFACE TEXTURES AND LIGHT TRANSMISSION LEVELS



INSET DIFFUSER



SUSPENDED DIFFUSER



FLOATING DIFFUSER (ADJUSTABLE HEIGHT)


CUSTOM INSPIRATION - SUSPENSIONS

CHOOSE FROM AN EXTENSIVE RANGE OF SUSPENSION TYPES, ALL WITH EMPHASIS ON HIGH QUALITY COMPONENTRY REFER TO OUR COMPONENT BROCHURES FOR DETAILS ON STANDARD FLEX, BRAIDED FLEX, PRINTED DECORATIVE FLEX, AND OUR PROPRIETARY SEAMLESS CANOPY











CABLES TO CANOPY



CABLES TO CEILING PUCKS



(OPTIONAL SWIVEL FOR BAKED CELLINGS)

CUSTOM INSPIRATION - LIGHT SOURCES

OPTIMISE THE LIGHTING EFFECT FOR YOUR LUMINAIRE WITH ONE OF OUR STANDARD LIGHT SOURCES, OR CONTACT US TO DISCUSS BESPOKE ALTERNATIVES



SINGLE E27



HUB (3 x E27 OR 4 x E27)



HUB (3 x E27 OR 4 x E27) WITH CUSTOM LENGTH **EXTENSION ARMS**



INTEGRATED LED

Rakumba has been producing custom-made feature lighting for the Australian design industry since 1968. Collaborating with designers across a wide range of sectors from commercial to residential, we take pride in our bespoke service, attention to design detailing and ability to deliver on any scale of project.

SURFACE MOUNT





RP-E-1304P

City Hall Pendant Series



City Hall Pendant Series





PRODUCT TECHNICAL SPECIFICATION

NAME: CITY HALL STYLE: PENDANT

MATERIALS & FINISH: FRAME - POWDERCOATED STEEL (INTERPON SABLE SILVER OR INTERPON SABLE ASTEROID)

SHADE - BONDED FABRIC (CHOOSE FROM RAKUMBA RANGE)

DIFFUSER - FULL FIT OPAL ACRYLIC (PMMA) WITH DECORATIVE CENTRE FLANGE

LIGHT SOURCE: STANDARD - 4 x E27 HUB // 240V // 24W MAX CFL OR LED RECOMMENDED

OPTIONAL - TRIDONIC LED DISK // 29.2W // 3800lm // 3000K

DIMMING: DIMMING OPTIONS FOR LED DISK - PHASE-CUT // DALI

SUSPENSION: 4 X STEEL CABLE // CLEAR PLASTIC FLEX // RAKUMBA SEAMLESS CANOPY

Rakumba

Lampshades

From elegant hand-crafted classics to intriguing contemporary styles, Rakumba is capable of bringing any of your lampshade designs from concept to reality. Drawing from our extensive range of materials or your own custom supply, we can produce shades that range from simple to elaborate in single units or for commercial projects.



Specification - Ordering Detail

STANDARD LAMPSHADE ORDER CHECKLIST - PLEASE CONTACT RAKUMBA FOR ANY CUSTOM SHADES OR SPECIAL REQUIREMENTS

1. SELECT STYLE AND SPECIFY DIMENSIONS

PLEASE NOTE THE UNITS USED (MILLIMETERS, CENTIMETERS OR INCHES)

| PLEASE NOTE THE UNITS USED (MILLIMETERS, CENTIMETERS OR INCHES) | | | |
|--|--|--|--|
| ROUND DRUM | | TAPERED ROUND | |
| OVAL | | TAPERED OVAL | |
| SQUARE DRUM | | TAPERED SQUARE | |
| RECTANGLE | | TAPERED RECTANGLE | |
| SOFT/WAISTED PLEASE CONTACT RAKUMBA TO SPECIFY | | CUSTOM PLEASE CONTACT RAKUMBA TO SPECIFY | |
| ES LAMPHOLDER WASHER SET 2" UP FROM BOTTOM OF SHADE AS STANDARD BC LAMPHOLDER ADAPTOR SUPPLIED ON REQUEST | | | |
| 2. FABRIC / WALLPAPER ADDITIONAL NOTES | | | |
| DAKIMADA DANGE | | | |

RAKUMBA RANGE **CUSTOMER SUPPLIED**

3. EDGE FINISH **ROLLED EDGE** TAPED EDGE CUSTOM

At Rakumba, we stand for beauty, detail and going beyond the ordinary. This belief is at the core of why we do what we do. Rakumba has been producing custom-made feature lighting for the Australian design industry since 1968. Collaborating with designers across a wide range of sectors from commercial to residential, we take pride in our bespoke service, onsite prototyping skills and ability to deliver on any scale of project. Telephone +613 9579 2355




RP-E-1307P

Geometry-8 Pendant



Geometry-8 Pendant



ORDERING OPTION 2 - SHADE FABRIC (CUSTOM FABRIC ALSO AVAILABLE ON REQUEST)



PRODUCT TECHNICAL SPECIFICATION

NAME: GEOMETRY-8 STYLE: PENDANT

MATERIALS & FINISH: FRAME - POWDERCOATED STEEL

SHADE - INTERNAL AND EXTERNAL BONDED FABRIC

DIFFUSER (GEO8W) - WITH MATCHING BONDED FABRIC

LIGHT SOURCES: GEO8W // 3 X E27 HUB // 240v // CFL GLOBES RECOMMENDED 24W MAX.

GEO8T // 1 X E27 // 240v // CFL GLOBE RECOMMENDED 24W MAX.

SUSPENSION: CLEAR FLEX





RP-E-1302P

Introvert & Extrovert Pendant Series



Introvert & Extrovert Pendant Series





PRODUCT TECHNICAL SPECIFICATION

NAME: INTROVERT & EXTROVERT

STYLE: PENDANT

MATERIALS & FINISH: POWDER COATED STEEL, STAINLESS STEEL,

ALUMINIUM, PVC, PS, FABRIC

LIGHT SOURCE:

SUSPENSION:

300 & 550 SIZES // 1 x E27 // 240V // MAX. 60W GLOBE 900 SIZE // 3 x E27 HUB // MAX. 60W GLOBES

OPTIONAL - TRIDONIC LED DISK // 29.2W // 3800LM // 3000K 300 & 550 SIZES //1 x STAINLESS STEEL CABLE // BRAIDED

TEXTILE FLEX

900 SIZE // 3 x STEEL CABLES // BRAIDED TEXTILE FLEX





RP-E-1303P

Iris Pendant Series



Iris Pendant Series





PRODUCT TECHNICAL SPECIFICATION

NAME: IRIS STYLE: PENDANT

MATERIALS & FINISH: FRAME - POWDERCOATED STEEL

OUTER SHADE - BLACK FABRIC PLEATING INNER SHADE - PVC / PS WITH BONDED FABRIC

DIFFUSER - WHITE FABRIC

LIGHT SOURCES: STANDARD - STANDARD - 3 x E27 HUB // 240V // CFL/LED GLOBES RECOMMENDED 24W MAX.

OPTIONAL - 2 x TRIDONIC LED DISKS (UP + DOWN CONFIG) // 240V CONVERTER // 30W // 4090lm // 3000K // CRI 80 DIMMING

STANDARD - PHASE-CUT


OPTIONAL - 1-10V / DALI

SUSPENSION: 4 x STAINLESS STEEL CABLE // BLACK DECORATIVE CLOTH FLEX




RP-E-1417W

Kis Wall Series



Kis Wall Series







PRODUCT TECHNICAL SPECIFICATION

NAME: KIS

STYLE: WALL LIGHT

MATERIALS & FINISH: BRACKET - POWDERCOATED STEEL AND ALUMINIUM

SHADE - CUSTOMISABLE FABRIC (CONTACT RAKUMBA FOR EXTENSIVE RANGE OF OPTIONS)

LIGHT SOURCE: 1 X E27 // 240v // CFL GLOBES RECOMMENDED MAX. 24W




RP-E-1305P


Loft Pendant Series



Loft Pendant Series







PRODUCT TECHNICAL SPECIFICATION

NAME: LOFT

STYLE: PENDANT SERIES

MATERIALS & FINISH: FRAME - POWDERCOATED STEEL

SHADE - INTERNAL AND EXTERNAL BONDED FABRIC (CUSTOM OPTIONS AVAILABLE)

LIGHT SOURCE: LOFT270/400/590: 1 X E27 // 240v // CFL GLOBES RECOMMENDED 24W MAX.

LOFT800: 4 X E27 // 240v // CFL GLOBES RECOMMENDED 24W MAX.

SUSPENSION: 1.5m BRAIDED TEXTILE FLEX // SEAMLESS CANOPY




RP-E-1411P

Metro Pendant



Metro Pendant



PRODUCT TECHNICAL SPECIFICATION

NAME: METRO STYLE: PENDANT

MATERIALS & FINISH: FRAME - POWDERCOATED STEEL (INTERPON ASTEROID)

SUSPENSION - POWDERCOATED ALUMINIUM (INTERPON ASTEROID)

SHADE - BONDED FABRIC ON WHITE STYRENE BACKING (EXPRESSED FRAME EDGE DETAILING)

DIFFUSER - GLOSS OPAL ACRYLIC (PMMA)

LIGHT SOURCE: STANDARD - 4 x E27 BAR // 240v // CFL/LED GLOBES RECOMMENDED 24W MAX.

OPTIONAL - TRIDONIC LED // 240V DRIVER // 35.2W // 4800lm // 3000K

DIMMING: LED LIGHT SOURCE STANDARD - NON-DIMMABLE

LED LIGHT SOURCE OPTIONS - SWITCH-DIM // DALI

SUSPENSION: 2 X 800mm RODS // 2 X SEAMLESS CANOPIES



RP-E-1403P

Quad Pendant Series



Quad Pendant Series

ALL DIMENSIONS IN MILLIMETRES

QUAD 5-3: 500 x 500 x 300H QUAD 5-4: 500 x 500 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 1 x E27 // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 1.5m CLEAR FLEX

QUAD 6-3: 600 x 600 x 300H QUAD 6-4: 600 x 600 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 1 x E27 // CFL GLOBES ARE RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 1.5m CLEAR FLEX

QUAD 7-1.5: 700 x 700 x 150H QUAD 7-3: 700 x 700 x 300H QUAD 7-4: 700 x 700 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E27 HUB // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 4 x STEEL CABLES TO CANOPY

QUAD 8-1.5: 800 x 800 x 150H

QUAD 8-3: 800 x 800 x 300H QUAD 8-4: 800 x 800 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING


DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E27 HUB // CFL GLOBES ARE RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 4 x STEEL CABLES TO CANOPY



Quad Pendant Series

QUAD 9-1.5: 900 x 900 x 150H QUAD 9-3: 900 x 900 x 300H QUAD 9-4: 900 x 900 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E-27 HUB // CFL GLOBES ARE BECOMMENDED MAX 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 4 x STEEL CABLES TO CANOPY

// 4 x STEEL CABLES TO CANOPY

QUAD 10-1.5: 1000 x 1000 x 150H QUAD 10-3: 1000 x 1000 x 300H QUAD 10-4: 1000 x 1000 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E27 HUB // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m

// 4 x STEEL CABLES TO CANOPY

QUAD 11-1.5: 1100 x 1100 x 150H QUAD 11-4: 1100 x 1100 x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 4 x E27 HUB // CFL GLOBES ARE


RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // CLEAR FLEX 1.5m


// x STEEL CABLES TO CANOPY





ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW AND OVERLEAF HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.



Quad Pendant Series







CUSTOM INSPIRATION - LIGHT SOURCES OPTIMISE THE LIGHTING EFFECT FOR YOUR LUMINAIRE WITH ONE OF OUR STANDARD LIGHT SOURCES, OR CONTACT US TO DISCUSS BESPOKE ALTERNATIVES SINGLE E27 HUB (3 x E27 OR 4 x E27) HUB (3 x E27 OR 4 x E27) WITH CUSTOM LENGTH EXTENSION ARMS



RP-E-1406P

Quad Taper Pendant Series



Quad Taper Pendant Series

ALL DIMENSIONS IN MILLIMETRES

QUAD TAPER 3: 200°T x 300°B x 400H 300°T x 400°B x 500H QUAD TAPER 4: QUAD TAPER 6: 500°T x 600°B x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVCBACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: **FLOATING**

LIGHT SOURCE: 1 x E27 // CFL GLOBES ARE RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 1.5m CLEAR FLEX

QUAD TAPER 8: 700°T x 800°Bx 300H QUAD TAPER 10: 900²T x 1000²B x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITESTYRENE OR CLEAR PVCBACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

FLOATING DIFFUSER STYLE:


SUSPENSION:

LIGHT SOURCE: 3 x E27 HUB // CFL GLOBES ARE


RECOMMENDED MAX. 24W

SEAMLESS CANOPY // CLEAR FLEX

1.5m // 4 x STEEL CABLES TO CANOPY




ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW AND OVERLEAF HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.




CUSTOM INSPIRATION - MATERIALS*

SELECT FROM AUSTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLYYOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A UNIQUE FINISH




EXTERNAL MATERIAL



EXTERNAL & INTERNAL MATERIAL CUSTOM DIGITAL PRINT (RECOMMENDEDWHENDIFFUSER IS NOT FULL FIT)





CUSTOM CNC CUT PATTERN (ALSOSEERP-E-1306P'MOTIF') (VARIOUS STYLES AVAILABLE)




HAND PLEAT

*EDGE FINISH IS TAPED OR HAND-ROLLED (OPTIONAL)


Quad Taper Pendant Series

CUSTOM INSPIRATION - DIFFUSERS


DIFFUSERS ARE AVAILABLE IN A WIDE RANGE OF PARCHMENTS, BONDED FABRICS, AND ACRYLICS (PMMA) IN VARYING SURFACE TEXTURES AND LIGHT TRANSMISSION LEVELS



INSET DIFFUSER




SUSPENDED DIFFUSER



FLOATING DIFFUSER (ADJUSTABLE HEIGHT)


CUSTOM INSPIRATION - SUSPENSIONS

CHOOSE FROM AN EXTENSIVE RANGE OF SUSPENSION TYPES, ALL WITH EMPHASIS ON HIGH QUALITY COMPONENTRY REFER TO OUR COMPONENT BROCHURES FOR DETAILS ON STANDARD FLEX, BRAIDED FLEX, PRINTED DECORATIVE FLEX, AND OUR PROPRIETARY SEAMLESS CANOPY



CUSTOM INSPIRATION - LIGHT SOURCES

OPTIMISE THE LIGHTING EFFECT FOR YOUR LUMINAIRE WITH ONE OF OUR STANDARD LIGHT SOURCES, OR CONTACT US TO DISCUSS BESPOKE ALTERNATIVES



WITH CUSTOM LENGTH **EXTENSION ARMS**



RP-E-1405P

Ratio Pendant Series



Ratio Pendant Series

ALL DIMENSIONS IN MILLIMETRES

RATIO 8-2: 800 x 200 x 250H 800 x 300 x 300H RATIO 8-3:

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 2 x E27 BAR // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SEAMLESS CANOPY // 2 x STAINLESS STEEL SUSPENSION:

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO 9-2: 900 x 200 x 250H RATIO 9-3: 900 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E27 BAR // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STAINLESS STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO 10-2: 1000 x 200 x 250H **RATIO 10-3:** 1000 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT LIGHT SOURCE: 3 x E27 BAR // CFL GLOBES ARE RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STAINLESS STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO 11-2: 1100 x 200 x 250H 1100 x 300 x 300H **RATIO 11-3:**

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 3 x E27 BAR // CFL GLOBES ARE RECOMMENDED MAX. 24W

SEAMLESS CANOPY // 2 x STAINLESS STEEL

SUSPENSION: CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO 12-2: 1200 x 200 x 250H RATIO 12-3: 1200 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

4 x E27 BAR // CFL GLOBES ARE LIGHT SOURCE:

RECOMMENDED MAX. 24W

SEAMLESS CANOPY // 2 x STAINLESS STEEL SUSPENSION:

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO 15-2: 1500 x 200 x 250H RATIO 15-3: 1500 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FULL-FIT

4 x E27 BAR // CFL GLOBES ARE LIGHT SOURCE:

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STAINLESS STEEL


CABLES TO PUCKS // 1.5m CLEAR FLEX



Ratio Pendant Series



ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW AND OVERLEAF HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.



CUSTOM INSPIRATION - MATERIALS*

SELECT FROM AUSTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLYYOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A UNIQUE FINISH




EXTERNAL MATERIAL



EXTERNAL & INTERNAL MATERIAL (RECOMMENDEDWHENDIFFUSER IS NOT FULL FIT)



CUSTOM DIGITAL PRINT





CUSTOM CNC CUT PATTERN (ALSOSEERP-E-1306P'MOTIF')




HAND PLEAT (VARIOUS STYLES AVAILABLE)

Ratio Pendant Series









RP-E-1407P

Ratio Taper Pendant Series



Ratio Taper Pendant Series

ALL DIMENSIONS IN MILLIMETRES

RATIO TAPER 8-2: (700×250) T × (800×300) B × 300H RATIO TAPER 8-3: (700×250) T × (800×300) B × 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 2 x E27 BAR // CFL GLOBES ARE RECOMMENDED MAX. 24W
SUSPENSION: SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO TAPER 10-3: (900 x 250)T x (1000 x 300)B x 300H RATIO TAPER 10-4: (900 x 250)T x (1000 x 300)B x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 3 x E27 BAR // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO TAPER 12-3: (1100 x 350)T x (1200 x 400)B x 300H RATIO TAPER 12-4: (1100 x 350)T x (1200 x 400)B x 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 4 x E27 BAR // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

RATIO TAPER 11-2: (1300 x 330)T x (1400 x 430)B x 500H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 4 x E27 BAR // CFL GLOBES ARE


RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX



Ratio Taper Pendant Series



ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW AND OVERLEAF HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.

CUSTOM INSPIRATION - CORNERS CREATE A DISTINCTIVE LOOK WITH OUR ALTERNATIVE CORNER DETAILS SQUARE RADIUS CHAMFER

CUSTOM INSPIRATION - MATERIALS*

SELECTFROMAUSTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLY YOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A UNIQUE FINISH PROBLEM OF SHADE MATERIALS.




EXTERNAL MATERIAL




EXTERNAL & INTERNAL MATERIAL (RECOMMENDEDWHENDIFFUSER IS NOT FULL FIT)



CUSTOM DIGITAL PRINT




CUSTOM CNC CUT PATTERN (ALSOSEERP-E-1306P'MOTIF')




HAND PLEAT (VARIOUS STYLES AVAILABLE)

Ratio Taper Pendant Series

CUSTOM INSPIRATION - DIFFUSERS DIFFUSERS ARE AVAILABLE IN A WIDE RANGE OF PARCHMENTS, BONDED FABRICS, AND ACRYLICS (PMMA) IN VARYING SURFACE TEXTURES AND LIGHT TRANSMISSION LEVELS INSET DIFFUSER SUSPENDED DIFFUSER (ADJUSTABLE HEIGHT)







RP-E-1408P

Stadium Pendant Series



Stadium Pendant Series

ALL DIMENSIONS IN MILLIMETRES

STADIUM 8-2: 800 x 200 x 250H STADIUM 8-3: 800 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

2 x E27 BAR // CFL GLOBES ARE LIGHT SOURCE: RECOMMENDED MAX. 24W SEAMLESS CANOPY // 2 x STEEL CABLES TO PUCKS // 1.5m CLEAR FLEX SUSPENSION:

STADIUM 9-2: 900 x 200 x 250H STADIUM 9-3: 900 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: **FULL-FIT**

3 x E27 BAR // CFL GLOBES ARE LIGHT SOURCE: RECOMMENDED MAX. 24W SEAMLESS CANOPY // 2 x STEEL SUSPENSION: CABLES TO PUCKS // 1.5m CLEAR FLEX

STADIUM 10-2: 1000 x 200 x 250H 1000 x 300 x 300H STADIUM 10-3:

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT FULL-FIT

DIFFUSER STYLE:

3 x E27 BAR // CFL GLOBES ARE LIGHT SOURCE: RECOMMENDED MAX. 24W SEAMLESS CANOPY // 2 x STEEL SUSPENSION:

CABLES TO PUCKS // 1.5m CLEAR FLEX

1100 x 200 x 250H STADIUM 11-2: STADIUM 11-3: 1100 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FULL-FIT

3 x E27 BAR // CFL GLOBES ARE LIGHT SOURCE: RECOMMENDED MAX. 24W SEAMLESS CANOPY // 2 x STEEL SUSPENSION:

CABLES TO PUCKS // 1.5m CLEAR FLEX

STADIUM 12-2: 1200 x 200 x 250H STADIUM 12-3: 1200 x 300 x 300H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: **FULL-FIT**

LIGHT SOURCE: 4 x E27 BAR // CFL GLOBES ARE RECOMMENDED MAX. 24W
SEAMLESS CANOPY // 2 x STEEL SUSPENSION:

CABLES TO PUCKS // 1.5m CLEAR FLEX

STADIUM 15-2: 1500 x 200 x 250H 1500 x 300 x 300H STADIUM 15-3:

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE


INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC

BACKING DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FULL-FIT

LIGHT SOURCE: 4 x E27 BAR // CFL GLOBES ARE RECOMMENDED MAX. 24W SEAMLESS CANOPY // 2 x STEEL SUSPENSION:

CABLES TO PUCKS // 1.5m CLEAR FLEX



Stadium Pendant Series



ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW AND OVERLEAF HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.

CUSTOM INSPIRATION - MATERIALS*

SELECT FROM AUSTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLY YOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A UNIQUE FINISH




EXTERNAL MATERIAL



EXTERNAL & INTERNAL MATERIAL (RECOMMENDED WHEN DIFFUSER IS NOT FULL FIT)



CUSTOM DIGITAL PRINT




CUSTOM CNC CUT PATTERN (ALSO SEE RP-E-1306P 'MOTIF')




HAND PLEAT (VARIOUS STYLES AVAILABLE)

Stadium Pendant Series

CUSTOM INSPIRATION - DIFFUSERS DIFFUSERS ARE AVAILABLE IN A WIDE RANGE OF PARCHMENTS, BONDED FABRICS, AND ACRYLICS IN VARYING SURFACE TEXTURES AND LIGHT TRANSMISSION LEVELS FULL FIT DIFFUSER INSET DIFFUSER SUSPENDED DIFFUSER FLOATING DIFFUSER (ADJUSTABLE HEIGHT)







RP-E-1409P

Stadium Taper Pendant Series



Stadium Taper Pendant Series

ALL DIMENSIONS IN MILLIMETRES

STADIUM TAPER 8-2: (700×250) T × (800×300) B × 300H STADIUM TAPER 8-3: (700×250) T × (800×300) B × 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: $2 \times E27 \; BAR // \; CFL \; GLOBES \; ARE$ RECOMMENDED MAX. 24W SUSPENSION: SEAMLESS CANOPY // $2 \times STEEL$

CABLES TO PUCKS // 1.5m CLEAR FLEX

STADIUM TAPER 10-3: (900×250) T × (1000×300) B × 300H STADIUM TAPER 10-4: (900×250) T × (1000×300) B × 400H

STANDARD SPECIFICATION

SUSPENSION:

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 3 x E27 BAR // CFL GLOBES ARE

RECOMMENDED MAX. 24W SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

STADIUM TAPER 12-3: (1100 × 350)T × (1200 × 400)B × 300H STADIUM TAPER 12-4: (1100 × 350)T × (1200 × 400)B × 400H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT

DIFFUSER STYLE: FLOATING

LIGHT SOURCE: 4 x E27 BAR // CFL GLOBES ARE

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX

STADIUM TAPER 11-2: (1300 x 330)T x (1400 x 430)B x 500H

STANDARD SPECIFICATION

EXTERIOR MATERIAL: RAKUMBA RANGE

INTERIOR MATERIAL: WHITE STYRENE OR CLEAR PVC BACKING

DIFFUSER MATERIAL: WHITE PARCHMENT


DIFFUSER STYLE: FLOATING

LIGHT SOURCE: $4 \times E27 \; BAR \; // \; CFL \; GLOBES \; ARE$

RECOMMENDED MAX. 24W

SUSPENSION: SEAMLESS CANOPY // 2 x STEEL

CABLES TO PUCKS // 1.5m CLEAR FLEX



Stadium Taper Pendant Series



ALL PRODUCT DETAILS ARE HIGHLY CUSTOMISABLE ON REQUEST - THE ILLUSTRATIONS BELOW AND OVERLEAF HIGHLIGHT JUST SOME OF THE AVAILABLE METHODS.

CUSTOM INSPIRATION - MATERIALS*

SELECT FROM AUSTRALIA'S MOST COMPREHENSIVE RANGE OF SHADE MATERIALS, SUPPLY YOUR OWN, OR DESIGN CUSTOM PRINTS AND CUT PATTERNS FOR A UNIQUE FINISH



EXTERNAL MATERIAL



EXTERNAL & INTERNAL MATERIAL (RECOMMENDED WHEN DIFFUSER IS NOT FULL FIT)



CUSTOM DIGITAL PRINT



CUSTOM CNC CUT PATTERN (ALSO SEE RP-E-1306P 'MOTIF')



HAND PLEAT (VARIOUS STYLES AVAILABLE)

Stadium Taper Pendant Series


CUSTOM INSPIRATION - DIFFUSERS

DIFFUSERS ARE AVAILABLE IN A WIDE RANGE OF PARCHMENTS, BONDED FABRICS, AND ACRYLICS (PMMA) IN VARYING SURFACE TEXTURES AND LIGHT TRANSMISSION



CUSTOM INSPIRATION - SUSPENSIONS

CHOOSE FROM AN EXTENSIVE RANGE OF SUSPENSION TYPES, ALL WITH EMPHASIS ON HIGH QUALITY COMPONENTRY REFER TO OUR COMPONENT BROCHURES FOR DETAILS ON STANDARD FLEX, BRAIDED FLEX, PRINTED DECORATIVE FLEX, AND OUR PROPRIETARY SEAMLESS CANOPY



CUSTOM INSPIRATION - LIGHT SOURCES

OPTIMISE THE LIGHTING EFFECT FOR YOUR LUMINAIRE WITH ONE OF OUR STANDARD LIGHT SOURCES, OR CONTACT US TO DISCUSS BESPOKE ALTERNATIVES



E27 DOUBLE DROP


E27 BAR (NUMBER OF LAMPHOLDERS CAN BE CUSTOMISED)

INTEGRATED LED





RP-E-1401W

Switch




Switch





ORDERING OPTION 2 - PROFILE (custom profiles also available)



PRODUCT TECHNICAL SPECIFICATION

NAME: **SWITCH**

STYLE: WALL LIGHT (HIDDEN BRACKET) MATERIALS & FINISH: BRACKET - POWDERCOATED STEEL

CUSTOMISABLE FABRIC (CONTACT RAKUMBA FOR EXTENSIVE RANGE OF OPTIONS) SHADE -

DIFFUSER- OPTIONAL

LIGHT SOURCES: $STANDARD - CLASSIC, WIDE, TALL \mathbin{//} 1~X~E27~//~240v~//~CFL~GLOBES~RECOMMENDED~MAX.~24W$

DOUBLE // 2 X E27 // 240v // CFL GLOBES RECOMMENDED MAX. 24W

OPTIONAL - CLASSIC, WIDE, TALL // TRIDONIC LED // 240V INTEGRATED CONVERTER // 12.8W // 1460lm // 3000K

DOUBLE // TRIDONIC LED// 240V INTEGRATED CONVERTER // 25.6W // 2920lm // 3000K





RP-E-1308P

Tessellate Series



Tessellate Series





PRODUCT TECHNICAL SPECIFICATION

NAME: TESSELLATE SERIES

STYLE: PENDANT

MATERIALS & FINISH: SHADE - CUSTOMISABLE FABRIC (CONTACT RAKUMBA FOR EXTENSIVE RANGE OF OPTIONS)

DIFFUSER - OPAL PMMA (ACRYLIC)

LIGHT SOURCE: STANDARD - 3 X E27 HUB // 240V // CFL GLOBES RECOMMENDED MAX. 24W

OPTION - TRIDONIC LED DISK // 240V CONVERTER (INTEGRATED) // 29.2W // 3800lm // 3000K // DIMMING OPTIONS AVAILABLE

SUSPENSION: STANDARD - 4 X STEEL CABLES // 1.5m BRAIDED TEXTILE FLEX // SEAMLESS CANOPY

OPTION - ROD SUSPENSION (LENGTH CUSTOMISABLE)