

STAPLE SET CYLINDER BRUSHES (PUNCH ROLLER) CUSTOM DESIGN FORM

Date: _____


Company: _____ Contact Name: _____

Address: _____

Phone: _____ Fax: _____ Email: _____

PART NUMBER _____

STAGGERED BRUSH PATTERN



Brush Specifications

- (A) Brush Face _____ (B) Core Length: _____ (C) Core I/D: _____
 (D) Tuft hole dia _____ (E) Core O/D: _____ (F) Filament material: _____
 (G) Brush Dia: _____ (H) Brush Pattern: Straight Staggered
 (I) Brush Filament Type: a. Bristle diameter: _____
 b. Color: _____
 c. Crimped or Level: _____
 (J) No. of rows around circumference: _____
 (K) No. of rows end to end or pitch along: _____
 (L) Comments _____

Tooling Sizes:
 3.0mm 4.5mm 6mm 8mm
 10mm 12mm

Filament Size Range Per Filling Tool	
Min – Max Filament Diameter	
3.0mm/3.5mm	= 0.2mm – 0.5mm / 0.008” – 0.020”
4.5mm/5.0mm	= 0.2mm – 0.8mm / 0.008” – 0.030”
6.0mm/6.5mm	= 0.2mm – 1.1mm / 0.008” – 0.045”
8.0mm/8.5mm	= 0.2mm – 1.5mm / 0.008” – 0.060”
10mm	= 0.4mm – 3mm / 0.015” – 0.120”
12mm	= 0.4mm – 3mm / 0.015” – 0.120”