

In Pursuit of Perfection



iBasso Audio
www.iBasso.cn
400-1678-627




iBasso Audio

SR3

High Definition
Headphone

Quick Start Guide
用户快速指南



Thank you for selecting the SR3 high definition headphone. Please take a few minutes to read this instructions carefully before using the product.

感谢您选择SR3高保真头戴耳机。请您在使用本产品前花几分钟时间仔细阅读本说明书。

Safety Instructions

When first wearing your headphone please reduce the volume to its lowest level. Once you have worn your headphones with music playing, adjust the volume to your normal listening level. This is to protect your ears and headphones from accidentally having the volume set too high. Also it is important to not listen to high levels of sound for any length of time. Listening at high volumes can potentially damage your hearing and may result in permanent hearing loss. A good gauge of a normal volume level is the ability to hear yourself or others speaking. Also for safety reasons, you should be able to hear your surroundings.

当您准备使用耳机时，请确保音量设置为最小。为了避免声音太大损伤到您的耳朵，建议在戴上耳机后再调整音量到正常听音音量。同时请注意，音量过大和听力时间过长均有可能造成听力损伤且听力损伤是永久性的损害。正常的听音音量是在使用耳机时能听到自己或别人的说话声音。同时，为了安全原因，最好能听到周边环境的声音。

SR3 High Definition Headphone

The SR3 is a Hi-definition, open back headphone that meets the requirements of a high quality audiophile monitor. It combines the strengths of the silicone suspension drivers for a headphone, with Tesla magnetic flux technology, and Bio-cellulose dome diaphragms. The superb elasticity of the silicon surround in tandem with the powerful Tesla flux produces a very powerful sound while retaining excellent micro details. These qualities contribute to the ability of the SR3 to function as an excellent audiophile monitor with the ability to retrieve the full scope of the music with all the micro details intact. The soft and conforming ear pads, adjustable leather headband invite long listening sessions and the high quality detachable cable adds to the ease of changing cables for any amplifier output.

SR3是一款发烧级高保真开放式耳机，可以满足HIFI发烧友更高质量的聆听需求。它融合了硅胶悬边，特斯拉磁路，碳纤维菌丝振膜三大优势。硅胶悬边极佳的弹性配以强大的特斯拉磁场，在呈现出饱满有力的声音的同时，保持着完整的弱音还原。这些特征让SR3成为一款能完整勾画声音细节的发烧级耳机。柔软舒适的耳套，真皮制作的可调节头梁，为长时间聆听提供了更好的舒适性。而高品质可换线设计，增加了更换其他耳机线时的便利性。



SR3 HIGH DEFINITION
HEADPHONE



Storage Case

Box Contents

- SR3 high definition headphone
- 4.4mm balanced headphone cable
- 4.4mm to 6.3mm cable adapter
- Spare perforated pads
- Storage case
- Warranty card
- This quick start guide

- SR3高保真头戴耳机
- 标配4.4mm插头平衡线
- 4.4mm转6.3mm转换线
- 备用穿孔耳机套
- 保护盒
- 保修卡
- 快速入门指南

Specifications

ENGLISH

Transducer Type:	dynamic
Operating Principle:	open back
Frequency Response:	3Hz-40KHz
Sensitivity:	106dB at 1KHz
Impedance:	150ohm
Rated Power:	50mW
T.H.D.:	<1% (at 1kHz /1mW)
Plug Size:	4.4mm gold-plated
Cord Length :	160cm
Weight:	395g without cable

简体中文


发声单元: 动圈
 结构: 开放式
 频响范围: 3Hz-40kHz
 灵敏度: 106dB at 1kHz
 阻抗: 150Ohm
 额定功率: 50mW
 失真: <1% (at 1kHz /1mW)
 插头规格: 镀金4.4mm
 线材长度: 160cm
 产品净重: 395g (不含线材)

繁體中文

發聲單元: 動圈
 結構: 開放式
 頻響範圍: 3Hz-40kHz
 靈敏度: 106dB at 1kHz
 阻抗: 150 Ohm
 額定功率: 50mW
 失真: <1% (at 1kHz /1mW)
 插頭規格: 鍍金4.4mm
 線材長度: 160cm
 產品淨重: 395g (不含線材)

日本語

型式: ダイナミック型
 構造: 開放式
 再生周波数帯域: 3Hz-40kHz
 感度: 106dB at 1KHz
 インピーダンス: 150 Ω
 定格出力: 50mW
 T.H.D.: <1% (at 1kHz /1mW)
 プラグ: 4.4mm金メッキ
 付属ケーブル: 長さ160cm
 重量: 395g (ケーブル含まない)





Silicone
Suspension
液态硅胶悬边


SR3 HIGH DEFINITION
HEADPHONE

Silicone Suspension

The SR3 is our third generation of the extremely well received SR1 headphone. With the SR3 using a driver with a silicone suspension, that was the world's first in the SR1, it has the ability to convey both the micro and macro dynamics and transients with precision, which is one of the hallmarks of this driver. It is the use of a silicone suspension over the often used polyester such as PET or PEN, that allows our driver to obtain this higher level of accuracy in instrument and voice reproduction rendering a natural and realistic portrayal of the recording. Furthermore, silicone has better stability, maintaining its elasticity from -60°C to $+250^{\circ}\text{C}$, which means the SR3 has a natural consistency of sound in varying environments.

SR3, 是我们曾经推出并倍获好评的耳机——SR1的第三代产品。SR1上的全球首款硅胶悬边动圈单元, 同样延续到了SR3上。硅胶悬边动圈单元最显著的标志是, 拥有优秀的动态和瞬态反应。相对于传统的聚酯悬边耳机(PET, PEN悬边等), SR3的低频更为饱满有力, 定位更为精确。同时更能呈现音乐中的微小细节。除此以外, 硅胶有良好的热稳定性, 在 -60°C 到 $+250^{\circ}\text{C}$ 可以长期稳定的工作与使用, 可以在不同环境下, 营造出较于相等的听感。


Measurements



FREQ Response:

FR L —
FR R —

Measurements



THD <1% @1kHz:

THD L —
THD R —

iBasso Audio

In Pursuit of Perfection

iBasso products are warranted to be free from malfunctions and defects in both materials and workmanship for one year from date of purchase, excluding the accessories. buyer must retain the warranty card, which will be requested at the time of warranty repair.

This warranty does not apply when failure is due to accident, alteration, water damage, misuse, use with incompatible accessories or attachments or failure to follow operating instructions.

产品自购买之日起一年内(不包含配件)提供保修服务。

如因使用不当(拆装、进水、未按照说明使用等因素)造成的损坏,由于可能存在无法修复的风险, iBasso Audio有权拒绝服务。

