

Ford GT® (Model 83056-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Doorings o Duchings		Driveline Components
	Bearings & Bushings		Driveline Components
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	0050	pins (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	8353	Drive cups, inner (2)/ screw pins (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	8355X 8355G	Driveshaft, center, aluminum (blue-anodized)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)	8355R	Driveshaft, center, aluminum (green-anodized) Driveshaft, center, aluminum (red-anodized)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	8355 8355	Driveshaft, center, aluminum / pin
	Body & Accessories	8350	Driveshaft, front (2)
8319	Body bumper, foam	8351	Driveshaft, rear (2)
1834A	Body clips, black (12) (standard size)	8350X	Driveshafts, steel constant-velocity (assembled), front (2)
8315	Body mounts, front & rear (fits #8311 body) (2)	8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
8316	Body mounts, front & rear/ body mount posts/ body mount sliders	8382	O-rings (12)
8317	Body washers, foam	2754	Stub axle pins (4)
8391	Body, Cadillac CTS-V (clear, requires painting)/ decal sheet	8354	Stub axles (front or rear) (2)
	(includes side mirrors, spoiler, & mounting hardware)	8356	Wheel hubs, hex (disc brake rotors) (4)
8391A	Body, Cadillac CTS-V, blue (painted, decals applied)		Front Suspension & Steering
8391X	Body, Cadillac CTS-V, silver (painted, decals applied)		
8386	Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal	8330	Bulkhead, front
	sheet (includes side mirrors, spoiler, & mounting hardware)	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8386X	Body, Chevrolet Corvette Z06, blue (painted, decals applied)	8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8386A	Body, Chevrolet Corvette Z06, graphite (painted, decals applied)	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8386R	Body, Chevrolet Corvette Z06, red (painted, decals applied)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front &
8311	Body, Ford GT® (clear, requires painting)/ decal sheet (includes	02240	rear)/ hinge pin retainers (12)/ inserts (6)
8311X	tail lights, exhaust tips, & mounting hardware)	8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
03117	Body, Ford GT®, black (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)	0224D	, • , , , , , , , , , , , , , , , , , ,
8311A	Body, Ford GT®, blue (painted, decals applied) (tail lights, exhaust	8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
001171	tips, & mounting hardware (part #8314) sold separately)	5347	Rod ends, Revo® (large) with hollow balls (12)
8311R	Body, Ford GT®, red (painted, decals applied) (tail lights, exhaust	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
	tips, & mounting hardware (part #8314) sold separately)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
8312	Body, Ford Mustang (clear, requires painting)/ window masks/	00400	(1))
	decal sheet	8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8312X	Body, Ford Mustang, black (painted, decals applied)	8344	Servo saver/ servo saver spring/ servo horn, steering
8336	Bumper, rear (1)/ rear body mount (1)	8338	Shock towers, front & rear
8393	Decal sheet, Cadillac CTS-V	8343	Steering bellcranks/ hardware
8387	Decal sheets, Chevrolet Corvette Z06	8337	Steering block (2)
8385	LED tail light kit (fits #8311 body)	2754	Stub axle pins (4)
8392	Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips	8354	Stub axles (front or rear) (2)
	(4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS	8333	Suspension arms, front (left & right)
	(self-tapping) (3) (fits #8391 body)	8340	Suspension pin set, complete (front & rear)
8388	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler,	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear
	black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS (self-tapping) (2) (fits #8386 body)		sway bars and adjustable linkage)
8314	Tail lights (2)/ tail light mounts (4) / exhaust tips (2)/ exhaust tip mount	8342	Toe links, steel (34mm) (2)
0314	(1)/ 3x10 flat-head screws (2)/ 3x8 BCS (2)	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
			(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	Brake Components	8341G	aluminum wrench
8367	Brake calipers (red), front (2)/ rear (2)	03410	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8356	Wheel hubs, hex (disc brake rotors) (4)		aluminum wrench
	Center Driveline	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
8381	Housing, differential (front)		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8380	Housing, differential (rear)		aluminum wrench
	Chassis & Attachments		Hardware
0007		8347	
8327	Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post	8347 5347	Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12)
0240	Screw	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
8319	Body bumper, foam Roy, receiver (coaled) (steering can/o mount)/ receiver cover/ general	3236	Screws, 2.5x10mm cap-nead machine (nex drive) (6) Screws, 2.5x12mm cap-head machine (6)
8324	Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)	3235	Screws, 2.5x6mm cap-head machine (b) Screws, 2.5x6mm cap-head machine (hex drive) (6)
8335	Bumper, front (1 each, upper & lower)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8336	, , , , , , , , , , , , , , , , , , , ,	2587	Screws, 3x10mm cap-head machine (6) (no washer)
8322	Bumper, rear (1)/ rear body mount (1) Chassis	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
8321	Chassis brace (front)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
8323	Gear cover (rear chassis brace)/ wire retainer	2578	Screws, 3x12mm button-head machine (hex drive) (6)
		2552	Screws, 3x12mm countersunk machine (6) (hex drive)
	Differential Components	2593	Screws, 3x14mm button-head machine (hex drive) (6)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW	2579	Screws, 3x15mm button-head machine (hex drive) (6)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)	2553	Screws, 3x15mm countersunk machine (6) (hex drive)
8381	Housing, differential (front)	8356	Wheel hubs, hex (disc brake rotors) (4)
8380	Housing, differential (rear)		Motors & Electronics
8379	Housing, spool / spool shaft/ bushing	0000	
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral	2260	BEC assembly (complete)
6070	cut) (rear)	2072A	Gear set (for 2070, 2075 servos)
6879	Ring gear, differential/ pinion gear, differential (rear)	3354R	Motor cover, endbell (Velineon® 3500)
		3785	Motor, Titan® 12T (12-Turn, 550 size)

Page 2	Ford GT®: TQi Traxxas Link Enabled 2.4GHz Radio &	TSM (Model 83056-4) Parts List
rayez	I OIU GI . I UI II AAAAS LIIIK LIIADIGU 2.70112 KAUIU G	i Jim (Model 03030 -4) Parts List

Palest, rotor Palest, rotor Palest, rotor Palest professor P	Page 2	Ford GT®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 83056-4) Parts List				
Servo casegusteshes (for 2056 and 2075 valesproof servos) Servo server nuts, aluminum, grean another (her, it, serrated (1)) Servo server nuts, aluminum, grean another (her, it, serrated (1)) Servo server nuts, aluminum, grean another (her, it, serrated (1)) Servo server nuts, aluminum, grean another (her, it, serrated (1)) Servo server nuts, aluminum, grean another (her, it, serrated (1)) Servo server lasto another (her, it is always to the server of control (her) Servo server lasto another (her, it is always to the server) Servo server lasto another (her, it is always to the server) Servo server lasto another (her, it is always to the server) Servo server lasto another (her, it is always to the server) Servo server lasto another (her) Servo server	8390	Plate, motor	6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-		
Service server mits, aluminum, green-anoidared (nex (1), serrated (1) Annual Control	2074			channel (transmitter only)		
(1) Serve saver must, aluminum, red-anodized (thex (1), serrated (1) Serve saver must, aluminum, red-anodized (thex (1), serrated (1) Serve saver saver) savery sav			6529			
Service search search search search serving some horn, shorting 775 Service light lingh-functing table bearing, waterproof of property of the property of the search sear		(1))	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-		
Sorror S			6511	•		
rincludes VXL-3e waterproof ESC, Valineon 3800 motor, and specific control mounting better gard 1972-50. 33558 Valineon SVAL-3e Electronic Speed Control, waterproof decide control mounting better gards. See Electronic Speed Control, waterproof gards valined to the seed of the seed						
spectionarion desirance palse gine ed control, waterproof (providence) (providence	3350R					
Veilneomb W.LS. Electronic Speed Control, waterproof (pursues) (Verlovoltess) (Worker) (Wor				Ready-To-Race Model		
Britance Seed Control (Auditrior Order) Britance Seed Control (Auditrior Order) Britance Seed Control (Auditrior Order) Seed Seed Seed Seed Seed Seed Seed Se	3355R		83056-4			
### Control of Special Control Number proof land version, invivoling and the street of	••••					
### BRITION STIGITURES CLIPS CHIP CAPT 2424X SERVING AT A 74 X-Cell 25C LIPS Battery 2424X SERVING AT A 74 X-Cell 25C LIPS Battery 2425 SERVING AT A 74 X-Cell 25C LIPS Battery 2426 AC to DC converter, 40W 2427 AC to DC converter, 40W 2428 Battery charge indicators (green (a), blue (4), grey (4)) 2428 Battery charge indicators (green (a), blue (4), grey (4)) 2429 Battery charge indicators (green (a), blue (4), grey (4)) 2420 Battery, Power Call AA (Ikatinin (f)) 2421 Battery, Power Call AA (Ikatinin (f)) 2422 Battery, Servise 3 Power Cell, 3000Anh (NMMH, 7-C flat, 8-4V) 2423 Battery, Servise 3 Power Cell, 3000Anh (NMMH, 7-C flat, 8-4V) 2424 Battery, Servise 3 Power Cell, 3000Anh (NMMH, 7-C flat, 8-4V) 2425 Battery, Servise 3 Power Cell, 3000Anh (NMMH, 7-C flat, 8-4V) 2426 Battery, Servise 3 Power Cell, 3000Anh (NMMH, 7-C flat, 8-4V) 2427 Battery charger complete pack (includes 25820 - amy NMMH battery (f)) 2428 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2429 Battery charger complete pack (includes 25820 - amy NMMH battery (f)) 2420 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2420 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2421 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2422 Battery charger complete pack (includes 25820 - amy NMMH battery (f)) 2423 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2424 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2425 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2426 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2427 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2428 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2429 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2420 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2420 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2421 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2422 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2423 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2424 Battery (f), #225X 300Anh (RMMH, 7-C flat, 8-4V) 2425 Battery (f), #225X	3018R					
59572 Sarger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery (Infilication Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.PBake Live, 1909, NiMH/LIP owith IDB Auto Battery Identification Charger, E.P			0000			
Section 1. A v 2-cell 22C LIPO Battery Section 1. A v 2-cell 22C LIPO Battery AC to DC converter, 40W						
2880X 7600mAh 7.4v 2-Cell 25C LiPo Battery (apapt Fraxxas ii Dattery Adapter, Traxxas ii Bib LiPo hattery (apapt fa binance port (ephalement for 4805), 517, 6328, 6529, 6830 parante binance policy deplacement for 4805), 517, 6328, 6529, 6830 parante binance policy deplacement for 4805), 517, 6328, 6529, 6830 parante binance policy deplacement for 4805), 517, 6328, 6529, 6830 parante binance policy deplacement for 4805), 517, 6328, 6529, 6830 parante binance policy deplacement for 4805), 517, 6328, 6529, 6830 paranteristics (ephalement for 4805), 517, 6328, 6529, 6830 paranteristics (ephalement for 4805), 6317, 6328, 6329, 6320 paranteristics (ephalement for 4805), 6317, 6328, 6329, 6320 paranteristics (ephalement for 4805), 6317, 6328, 6329, 6320 paranteristics (ephalement for 4805), 6317, 6328, 6328, 6328, 6328, 6329, 632		<u> </u>		· • • • • • • • • • • • • • • • • • • •		
AC to DC converter, 40W Sattery, Fraxxass Bib Bib Lirb o hattery (adapts Traxxass ID batteries to separate balance ports) Sattery charge indicators (green (4), blue (4), grey (4)) Sattery, Power Cell A, Alkalina (4) Battery, Series a Power Cell, 300mAh (NiMH, 7-C flat, 8-AV) Battery, Series a Power Cell, 300mAh (NiMH, 7-C flat, 8-AV) Battery, Series a Power Cell, 300mAh (NiMH, 7-C flat, 8-AV) Battery, Series a Power Cell, 300mAh (NiMH, 7-C flat, 8-AV) Battery, Series a Power Cell, 300mAh (NiMH, 7-C flat, 8-AV) Battery, Series a Power Cell, 300mAh (NiMH, 7-C flat, 8-AV) Battery (3) Battery (4) Battery (4) Battery (5) Battery (5) Battery (6) Battery (6) Battery (7) B			8334X	, , , , , , , , , , , , , , , , , , , ,		
sayara balance ports) so sparate balance (e), low class (e), sparate (
by sparato balance ports] by superson in control of the control o		•	8334G			
Battery Charge inclusions' (gene inclusions' (gene inclusions' (gene inclusions' (gene) (gene) with hollow balls (12) Battery, Power Cell AA Alkalina (4) Battery, Power Cell AA Alkalina (4) Battery, Power Cell AGOMAN (NIMH, 7-C flat, 8-4V) Battery, Series 4 Power Cell, 300mAh (NIMH, 7-C flat, 8-4V) Battery, Series 4 Power Cell, 300mAh (NIMH, 7-C flat, 8-4V) Battery, Series 4 Power Cell, 400			8334R	, • , , , , , , , , , , , , , , , , , ,		
9530 fransmitters) 9544 Battery, Power Cell, 300mAh (NiMH, 7-C flat, 8-4V) 9540X Battery, Series 2 Power Cell, 300mAh (NiMH, 7-C flat, 8-4V) 9550X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9560X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9560X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9560X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9570X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9580X Battery, Series 4 Power Cell, 320mAh (NiMH, 7-C flat, 8-4V) 9590X Battery (Individual Cell Power Cell Powe						
2914	0040					
2921 Sattery, Power Coll, 300mAn (NIMH, 7-C flat, 8-AV) 2924 Sattery, Saries 3 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2925 Sattery, Saries 4 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2926 Sattery, Saries 4 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2926 Sattery, Saries 4 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2926 Sattery, Saries 5 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2926 Sattery, Saries 4 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2927 Sattery (Saries 4 Power Coll, 3200mAn (NIMH, 7-C flat, 8-AV) 2928 Sattery/charger completer pack (includes #2970 ID® charger (1), 2929 Sattery/charger completer pack (includes #2970 ID® charger (1), 2929 Sattery/charger completer pack (includes #2970 ID® charger (1), 2929 Sattery/charger completer pack (includes #2970 ID® charger (1), 2929 Sattery/charger completer pack (includes #2970 ID® charger (1), 2929 Sattery/charger completer pack (includes #2970 ID® charger (1), 2929 Sattery/charger completer pack (includes #2970 ID® charger (1), 2920 Sattery (Saminum (1) Power (1), 2921 Sattery (Saminum (1) Power (1), 2921 Charger, C.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2921 Charger, C.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2921 Charger, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2922 Sattery (Saminum (1), 2923 Charger, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2932 Sattery (Saminum (1), 2933 Charger, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2934 Sarvager, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2934 Sarvager, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2935 Sattery (Saminum (1), 2936 Sattery (Saminum (1), 2937 Charger, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2936 Sattery (Saminum (1), 2937 Charger, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2937 Charger, E.P.—Pack® Dual, 100W, NIMHLILPo with ID® Auto 2938 Sattery (Saminum (1), 2939 Sattery (Saminum (1), 2939 Sattery (Saminum (1), 2930 Sattery (Saminum (1), 2931 Sattery (Saminum (1), 2932 Sattery (Saminum (1), 2933 Sattery (Saminum (1), 2934 Sattery (Saminum (1), 2934 Sat	2914	,				
2940X Battery, Series 4 Power Cell, 300mAh (NMH, 7-C flat, 5-4V) 2950X Battery, Series 5 Power Cell, 400mAh (NMH, 7-C flat, 5-4V) 2950B Battery, Series 5 Power Cell, 400mAh (NMH, 7-C flat, 5-4V) 2950B Battery (Charger (1), #229X 3000mAh (AWH, 7-C flat, 5-4V) 2950B Battery (Charger (1), #229X 3000mAh (AWH, 7-C flat, 5-4V) 2950B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2951B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952B Battery (Charger (1), #229X 3000mAh 7-4V -2-cell XMH 2952C Charger, EZ-Peak® Luc Dual, 100W, NIMH/LIP owith ID® Auto Battery (Charger, EZ-Peak® Dua, 100W, NIMH/LIP owith ID® Auto Battery (Indification 2973 Charger, EZ-Peak® Luc Dual, 200W, NIMH/LIP owith ID® Auto Battery (Indification Batter	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		,		
Suspension pins std, complete (front & raw) Suspension pins std, c						
sway bark and educting AC charger (1), #2232X 3000mAh 34V r-cell NiMH battery (11) 2992 Battery/charger completer pack (includes #2970 ID® charger (1), #2243X 5800mAh 7.4V 2-cell 25C LIP o battery (11) 2995 Battery/charger completer pack (includes #2970 ID® charger (1), #2243X 5800mAh 7.4V 2-cell 25C LIP o battery (11) 2996 Battery/charger completer pack (includes #2970 ID® charger (1), #2243X 5800mAh 7.4V 2-cell 25C LIP o battery (11) 2977 Charger, E2-Pack® Dul, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Dul, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Dul, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, E2-Pack® Live, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger, 100W, NiMH/LIP o with ID® Auto Battery (2) Charger (2)				• • • • • • • • • • • • • • • • • • • •		
peak detecting AC charger (1), #2923 3000mAh 8.4V7-cell NIMH 2894 Battery(ching ac Charger (1), #2923 3000mAh 8.4V7-cell NIMH 2894 Battery(charger complete pack (includes #2970 ID® charger (1), #2924 S800mAh 7.4V 2-cell 22C IJP o battery (1)		· · · · · · · · · · · · · · · · · · ·	8398	, , , , , , , , , , , , , , , , , , , ,		
battery (11) battery (11) battery (11) #2992 Battery (12) #2983 Battery (14) #29843 \$800mAh 7.4V 2-cell 25C LIPo battery (10) #2985 Battery (harger completer pack (includes #2970 ID® charger (1), #20883 7800mAh 7.4V 2-cell 25C LIPo battery (10) #2985 Battery (harger completer pack (includes #2970 ID® charger (1), #20883 7800mAh 7.4V 2-cell 25C LIPo battery (10) #2986 Battery (14) #2987 Charger, EZ-Pack® Dual, 100W, NIMH/LIPo with ID® Auto Battery (12) #2987 Charger, EZ-Pack® Live, 100W, NIMH/LIPo with ID® Auto Battery identification #2987 Battery identification #2988 Battery (International Pack Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2988 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2988 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2988 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2988 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2988 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2989 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® Live, 100W, NIMH/LIPO with ID® Auto Battery identification #2980 Battery (International Pack® L	2303		00447	· · · · · · · · · · · · · · · · · · ·		
### ### ### ### ### ### ### ### ### ##			8341X			
### Batterycharger completer pack (includes #2970 iD® charger (1), ### #20	2992					
### ### ### ### ### ### ### ### ### ##	2005	• · · ·	8341G			
SEC assembly (complete) Security (complete)	2333					
Charger, EZ-Peak® Dual, 100W, NiMH/LIP with iD® Auto Battery identification Battery Identification 2971 Charger, EZ-Peak® Live Dual, 200W, NiMH/LIP with iD® Auto Battery identification 2972 Charger, EZ-Peak® Live, 100W, NiMH/LIP with iD® Auto Battery identification 2973 Charger, EZ-Peak® Live, 100W, NiMH/LIP with iD® Auto Battery identification 2974 Charger, EZ-Peak® Plus, 4 amp, NiMH/LIP with iD® Auto Battery identification 2975 Charger, EZ-Peak® Plus, 4 amp, NiMH/LIP with iD® Auto Battery identification 2976 Charger, EZ-Peak® Plus, 4 amp, NiMH/LIP with iD® Auto Battery identification 2978 Fuse, charger, 52 (7) (10 to 2874, 2975, 2977) 2072A Gear set (for 2070, 2075 servos) 2988 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2988 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2986 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2986 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2986 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2987 Fuse case (15 cong 3 4 short) hollow ball connectors (18) ball screws (27) 2988 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2980 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2980 Mount, telemetry expander (fits 4-Teo® 2.0) 2990 Mount, telemetry expander (fits 4-Teo® 2.0) 2991 Mount, telemetry expander (fits 4-Teo® 2.0) 2992 Mount, telemetry expander (fits 4-Teo® 2.0) 2993 Mount, telemetry expander (fits 4-Teo® 2.0) 2994 Mount, telemetry expander (fits 4-Teo® 2.0) 2995 Mount, telemetry expander (fits 4-Teo® 2.0) 2996 Mount, telemetry expander (fits 4-Teo® 2.0) 2996 Mount, telemetry expander (fits 4-Teo® 2.0) 2996 Mount, telemetry expander (fits 4-Teo® 2.0) 2997 Mount, telemetry expander (fits 4-Teo® 2.0) 2998 Mount, telemetry expander (fits 4-Teo® 2.0) 2999 Mount, t	2260	- · · · · · · · · · · · · · · · · · · ·	8341R			
Identification Battery Identification Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Sattery Identificati		• · · · · · · · · · · · · · · · · · · ·	007111			
Early identification Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery identification Early identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery identification Extra dentification Extr	2972					
Battery Identification 7970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with ID® Auto Battery Identification 8525 Communication link, telemetry expander 8526 Cover plate, Traxxas Link™ Wireless Module 87272 Fuse, charger, SA (2) (for #2974, 2975, 2977) 87288X Plus, charger, SA (2) (for #2974, 2975, 2977) 87298X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas Dia batteries) 87298 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas Dia batteries) 87298 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas Dia batteries) 87298 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas Dia batteries) 87298 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas Dia batteries) 87298 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas Dia batteries) 87298 Exposer control of the secolety micro, Tol 2 4GHz with telemetry & TSM (5-channel) pad 872072 Seal kit, expander box (includes o-ring, seals, and silicone grease) 87208 Sensor, auto-detectable, voltage 87208 Sensor, auto-detectable, voltage 87209 Sensor, auto-detectable, voltage 87209 Servo saver nuts, aluminum, pren-anodized (hex (1), serrated (1)) 87209 Servo saver nuts, aluminum, pren-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, pren-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 87200 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1	2973			Shocks (Aluminum)		
Identification			1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		
Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Shock caps (black) (4) (assembled with hollow balls) Shock shafts, hardened steel, titanium nitride coated (29mm) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (29mm) (2) Shock shafts, steel, c	2971	-				
Battery Identification Cover plate, Traxxas Link™ Wireless Module 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977) 2968X Puse, charger, 5A (2) (for #2974, 2975, 2977) 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iblo batteries) 2978 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iblo batteries) 2988 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iblo batteries) 2989 Mount, telemetry expander (fits 4-Tec® 2.0) 2565 Mount, telemetry expander (fits 4-Tec® 2.0) 2565 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 2565 Seasor, auto-detectable, temperature 2566 Seasor, auto-detectable, temperature and voltage (long) 2577 Sensor, auto-detectable, voltage 2578 Servo saver nuts, aluminum, pdu-anodized (hex (1), serrated (1)) 2587 Servo saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) 2588 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 2589 Telemetry expander 2.0, TQl radio system 2598 Telemetry expander 2.0, TQl radio system (compatible only with #6550X telemetry expander 2.0, TQl radio system 2598 Total 2.4 GHz High Output radio system 25097 TQl 2.4 GHz High Output radio system, 2-channel, Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 2500 Telemetry expander (2) and GPS module 2.0, TQl radio system (compatible only with #6550X telemetry expander) 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel with Traxxas 25098 TQl 2.4 GHz High Output radio system, 4-channel	2070					
S252 Communication link, telemetry expander 6512 Cover plate, Traxxas Link™ Wireless Module 2978 Puse, charger, 5A (2) (for #2974, 2975, 2977) 2072A Gear set (for 2070, 2075 servos) 2968X Link™ expander (includes #2938X adapter for Traxxas® iD® batteries) 2968 Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 2968 Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 2969 Sear six (for 2070, 2075 servos) 2969 Mount, telemetry expander (ifits 4-Tec® 2.0) 2969 Mount, telemetry expander (ifits 4-Tec® 2.0) 3970 Seal kit, expander box (includes o-ring, seals, and silicone grease) 3970 Sensor, auto-detectable, temperature 3970 Sensor, auto-detectable, voltage 3971 Servo saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) 3970 Servo case/gaskets (for 2056 and 2075 waterproof servos) 3970 Telemetry expander 2.0 and GPS module 2.0, TQi radio system 3970 Telemetry expander 2.0, TQi radio system 3970 Telemetry expander 2.0, TQi radio system 3970 Telemetry expander 7.0 ir adio system 3970 Tol 2.4 GHz High Output radio system, 4-channel with Traxxas 3970 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3970 Tol 2.4 GHz High Output radio system, 4-channel with Traxxas 3970 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3970 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3980 Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 3980 Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 3980 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3980 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3990 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3990 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 3990 Link™ wireless Module, TSM (2-ch transmitter, 5-ch micro receiver)	2970		0301			
Syring shate, Traxxas and Start New Heless Module 2978 LiPo cell votage checker/balancer (includes #2938X adapter for Traxxas iDio batteries) 2968 LiPo cell votage checker/balancer (requires #2938X adapter for Traxxas iDio batteries) 2968 LiPo cell votage checker/balancer (requires #2938X adapter for Traxxas iDio batteries) 2968 LiPo cell votage checker/balancer (requires #2938X adapter for Traxxas iDio batteries) 2968 LiPo cell votage checker/balancer (requires #2938X adapter for Traxxas iDio batteries) 2968 LiPo cell votage checker/balancer (requires #2938X adapter for Traxxas iDio batteries) 2968 LiPo cell votage checker/balancer (requires #2938X adapter for Traxxas iDio batteries) 2974 Some for	6525					
2072A Gear set (for 2070, 2075 servos) 2082X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries) 2088 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) 2088 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) 2088 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 2088 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 2089 Seal kit, expander box (includes o-ring, seals, and silicone grease) 2080 Sensor, auto-detectable, temperature 2091 Sensor, auto-detectable, voltage 2092 Sensor, temperature and voltage (long) 2093 Servo case/gaskets (for 2056 and 2075 waterproof servos) 2094 Servo saver nuts, aluminum, plue-anodized (hex (1), serrated (1)) 2095 Servo saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) 2095 Servo saver nuts, aluminum, plue-anodized (hex (1), serrated (1)) 2096 Telemetry expander 2.0 and GPS module 2.0, TQi radio system (compatible only with #5551X GPS module 2.0, TQi radio system (compatible only with #5551X GPS module 2.0, TQi radio system (compatible only with #5551X GPS module 2.0, TQi radio system (compatible only with #5550X telemetry expander, TQi radio system (compatible only with #5550X telemetry expander) 2090 TQi 2.4 GHz High Output radio system (compatible only with #6550X telemetry expander) 2090 TQi 2.4 GHz High Output radio system (compatible only with #6550X telemetry expander) 2090 TQi 2.4 GHz High Output radio system (compatible only with #6550X telemetry expander) 2090 TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 2090 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) 2090 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) 2090 TQi 2.4 GHz High Output radio system, 5-ch micro receiver) 2091 TQi 2.4 GHz High Output radio			2658			
Dead set (10 2010, 2013 selvols) Lipo cell voldage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) Lipo cell voldage checker/balancer (requires #2938X adapter for Traxxas #2938X adapter for 1942 #2816 #2948						
Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telmerty expander (fits 4-Tec® 2.0) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Sesal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo asser nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver spring servo horn, steering Servo saver spring servo horn, steering Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Telemetry expander 2.0, and GPS module 2.0, TQi radio system Sesost Telemetry expander 2.0, and GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system (compatible only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0 and GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system		,	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings		
LIPO cell voltage checker/balancer (requires #2938X adapter for Traxxasg iD® batteries) 6560 Mount, telemetry expander (fits 4-Tec® 2.0) 6575 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 6575 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 6575 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 6575 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 6576 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad 6577 Seal kit, expander for Tray in the lemetry & TSM (5-channel) (5-channel) 6578 Sensor, auto-detectable, temperature 4261 6579 Sensor, auto-detectable, voltage 4262 6570 Sensor, auto-detectable, voltage 4262 6571 Sensor, auto-detectable, voltage 4262 6572 Sensor, auto-detectable, voltage 4262 6573 Servo asver nuts, aluminum, blue-anodized (hex (1), serrated (1)) 6574 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 6575 Servo, digital high-torque (ball bearing), waterproof 6575 Telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander) 6570 Telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander) 6570 TQi 2.4 GHz High Output radio system (compatible only with #6550X telemetry expander) 6570 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6570 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6570 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) 6570 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) 6570 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) 6570 TQi 2.4 GHz High Output radio system, 4-chann	20000		4040			
Mount, telemetry expander (fits 4-Tec® 2.0) Shock caps (black) (4) (assembled with hollow balls) Shock caps (black) (4) (assembled with hollow balls (for the condition of the condition	2968		1942	, , , , , , , , , , , , , , , , , , , ,		
Mount, ternetry expander (inits 4-1ece 2.0)	0500		2742X			
pad Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Slock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Servor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servor case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) 1va Servor saver nuts, aluminum, preen-anodized (hex (1), serrated (1)) Silicone diaphragms (4) Silic						
Seal kit, expander box (includes o-ring, seals, and silicone grease) Seal kit, expander box (includes o-ring, seals, and silicone grease) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) 8345 Servo saver nuts, aluminum, gren-anodized (hex (1), serrated (1)) 8346 Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8347 Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8348 Servo saver spring/ servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6550 Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6550R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6509R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6508R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)	0000					
Seal kit, expander box (includes o-ring, seals, and slincone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum,	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	42611	, ,		
Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver servo saver servo saver spring/ servo horn, steering Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Seson Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) Telemetry gPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) Servo saver, TQi radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4261 Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4) / 1.5mm (2)/ 2mm (2)/ 8mm (2) (Big Bore Shocks) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4) / 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4) / 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4) / 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4) / 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4) / 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Spring retainers, upper & lower (2)/ spring pre-load spacers) (2) Spring shock (fed) (3.0 rate) (2) (3.0 rate) (2) (3.0 rate) (2) (3	6552	· · · · · · · · · · · · · · · · · · ·	4262T	, , , ,		
Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo, digital high-torque (ball bearing), waterproof Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo, digital high-torque (ball bearing), waterproof Servo, d	6526	· ·				
Sensor, temperature and voltage (long) 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos) 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) 8345 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 8346 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 8347 Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8348 Servo saver/ servo saver spring/ servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6550 Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6550 Toli 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6509R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 6501 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 6502 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 6503 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 6504 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 6507 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro						
Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8344 Servo saver servo saver spring/ servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6551X Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6550 Tolemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) 6550 Tolemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6550 Tolemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) 6509 TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 6507R Ultra Sinock (1) long & lower (2) / spring teratiners, upper & lower (2) / spring (4) / 1.5mm (2) / 2mm (2) / 4mm (2) / 5mm (2) / 4mm (
Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8344 Servo saver/servo saver spring/servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6550 Telemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6551X Telemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 8344 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 8345 Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) 8346 Shocks) 8347 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 8361 Shock caps (black) (4) (assembled with hollow balls) 8362 Spring, shock (blue) (3.7 rate) (2) 8363 Spring, shock (red) (2.8 rate, white stripe) (2) 8364 Spring, shock (red) (3.7 rate) (2) 8365 Spring, shock (red) (3.7 rate) (2) 8366 Spring, shock (red) (4.075 rate, green stripe) (2) 8367 Spring, shock (red) (4.075 rate, green stripe) (2) 8368 Spring, shock (red) (4.075 rate, green stripe) (2) 8369 Ultra Shocks (grev) (short) (includes spring pre-load spacers) (2)		9 (,		
Servo saver nuts, aluminum, green-anodized (nex (1), serrated (1)) 8345 Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8344 Servo saver/servo saver spring/servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with 86551X GPS module) 6550 Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system (compatible only with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro Shocks) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Shock caps (black) (4) (assembled with hollow balls) Shock caps (black) (4) (assembled with hollow balls) Spring, shock (green) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2) Spring, shock (red) (3.7 rate) (2) Spring, shock (red) (4.075 rate, green stripe) (2) Ultra Shocks			2000			
Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) 8344 Servo saver/servo saver spring/ servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6550 Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander) 6551X Telemetry expander 2.0, TQi radio system (compatible only with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 8361 Shock and ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 8362 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 8362 Spring, shock (loue) (3.7 rate) (2) 8362 Spring, shock (green) (3.7 rate) (2) 8363 Spring, shock (red) (3.325 rate, orange stripe) (2) 8364 Spring, shock (red) (3.7 rate) (2) 8365 Spring, shock (red) (4.075 rate, green stripe) (2) 8366 Spring, shock (red) (4.075 rate, green stripe) (2) 8367 Spring, shock (red) (4.075 rate, green stripe) (2) 8368 Spring, shock (red) (4.075 rate, green stripe) (2) 8369 Ultra Shocks (grev) (short) (includes spring pre-load spacers) (2)	8345G					
Servo saver/ servo saver spring/ servo horn, steering 2075 Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6550 Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander) 6550 Telemetry expander 6551X Telemetry expander 6551X Telemetry expander 6551X Telemetry expander 6551X Telemetry expander 6550 Telemetry expander 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends (16 long & 4 short)/ hollow balls (6) 8361 Shock caps (black) (4) (assembled with hollow balls) 8362X Spring, shock (green) (3.7 rate) (2) 8366S Spring, shock (red) (2.8 rate, white stripe) (2) 8366S Spring, shock (red) (3.7 rate) (2) 8367S Spring, shock (red) (3.7 rate) (2) 8368S Spring, shock (red) (4.075 rate, green stripe) (2) 8369S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2) 8360S Spring, shock (red) (4.075 rate, green stripe) (2)	8345R			Shocks (Ultra Shocks)		
Servo, digital high-torque (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) 6550 Telemetry expander, TQi radio system 6551X Telemetry expander, TQi radio system 6551X Telemetry expander (compatible only with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Shock caps (black) (4) (assembled with hollow balls) Shock (green) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2) Spring, shock (red) (3.325 rate, orange stripe) (2) Spring, shock (red) (3.7 rate) (2) Spring, shock (red) (4.075 rate, green stripe) (2) Spring, shock (red) (4.075 rate, green stripe) (2) Ultra Shocks (grev) (short) (includes spring pre-load spacers) (2)			1942			
Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) Telemetry expander, TQi radio system Spring, shock (green) (3.7 rate) (2) Spring, shock (green) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2) Spring, shock (red) (3.325 rate, orange stripe) (2) Spring, shock (red) (3.7 rate) (2) Spring, shock (red) (4.7 rate) (2) Spring, shock (red) (4.7 rate) (2) Spring, shock (red) (4.7 rate, green stripe) (2) Spring, shock (red) (4.4 rate, black stripe) (2) Spring, shock (red) (4.4 rate, black stripe) (2) Ultra Shocks (grev) (short) (includes spring pre-load spacers) (2)				(2)		
#6551X ĞPS module) 8362X Spring, shock (blue) (3.7 rate) (2) 8362G Spring, shock (green) (3.7 rate) (2) 8362G Spring, shock (green) (3.7 rate) (2) 8362G Spring, shock (green) (3.7 rate) (2) 8362 Spring, shock (green) (3.7 rate) (2) 8362 Spring, shock (red) (2.8 rate, white stripe) (2) 8363 Spring, shock (red) (3.325 rate, orange stripe) (2) 8364 Spring, shock (red) (3.7 rate) (2) 8365 Spring, shock (red) (3.7 rate) (2) 8366 Spring, shock (red) (3.7 rate) (2) 8367 Spring, shock (red) (3.7 rate) (2) 8368 Spring, shock (red) (4.7 rate, green stripe) (2) 8369 Spring, shock (red) (4.4 rate, black stripe) (2) 8360 Ultra Shocks (grev) (short) (includes spring pre-load spacers) (2)		· · · · · · · · · · · · · · · · · · ·				
Telemetry expander, TQi radio system 8362G Spring, shock (green) (3.7 rate) (2) 8366 Spring, shock (red) (2.8 rate, white stripe) (2) 8365 Spring, shock (red) (3.7 rate) (2) 8366 Spring, shock (red) (3.325 rate, orange stripe) (2) 8362 Spring, shock (red) (3.7 rate) (2) 8362 Spring, shock (red) (3.7 rate) (2) 8362 Spring, shock (red) (3.7 rate) (2) 8363 Spring, shock (red) (4.7 rate) (2) 8364 Spring, shock (red) (4.7 rate) (2) 8365 Spring, shock (red) (4.7 rate) (2) 8366 Spring, shock (red) (4.7 rate) (2) 8367 Spring, shock (red) (4.7 rate) (2) 8368 Spring, shock (red) (4.7 rate) (2) 8369 Spring, shock (red) (4.7 rate) (2) 8360 Spring, shock (red) (3.7 rate) (2) 8360 Spring, shock (red) (4.7 rate) (2)	6550X					
Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	6550					
with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro With #6550X telemetry expander) 8365 Spring, shock (red) (3.325 rate, orange stripe) (2) Spring, shock (red) (4.075 rate, green stripe) (2) Spring, shock (red) (4.4 rate, black stripe) (2) Spring, shock (red) (4.4 rate, black stripe) (2) Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)						
TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro Spring, shock (red) (3.7 rate) (2) Spring, shock (red) (4.075 rate, green stripe) (2) Spring, shock (red) (4.4 rate, black stripe) (2) Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)		with #6550X telemetry expander)				
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 8360 Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)	6509R			Spring, shock (red) (3.7 rate) (2)		
Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro 8360 Ultra Shocks (grev) (short) (includes spring pre-load spacers) (2)	6507R					
		• • • •				
		receiver)	5550			

Page 3	Ford GT®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 83056-4) Parts List				
	Spur Gears & Pinion Gears	8721	Speed bit handle, medium (one piece)		
		8720	Speed bit handle, premium, large (rubber overmold)		
2728	Ball bearings (5x8x2.5mm) (2)	8722	Speed bit handle, premium, medium (rubber overmold)		
8323	Gear cover (rear chassis brace)/ wire retainer	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes		
2419	Gear, 19-T pinion (48-pitch) / set screw		premium handle (medium), travel pouch, hex drivers (straight:		
2421	Gear, 21-T pinion (48-pitch) / set screw		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,		
2422	Gear, 22-T pinion (48-pitch) / set screw		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,		
2423	Gear, 23-T pinion (48-pitch) / set screw		7.00mm, 8.00mm),		
2424	Gear, 24-T pinion (48-pitch) / set screw	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,		
2426	Gear, 26-T pinion (48-pitch)/set screw		includes premium handle (medium), travel pouch, hex drivers		
4725	Gear, pinion (25-tooth) (48-pitch) / set screw		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,		
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw		2.5mm, 3.0mm), 1/4" drive		
8359	Spur gear, 62-tooth	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium		
8357	Spur gear, 70-tooth		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,		
			5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
	Steering Components	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"		
5347	Rod ends, Revo® (large) with hollow balls (12)		drive		
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,		
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated		3.0mm), 1/4" drive		
	(1))	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,		
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))		2.5mm), 1/4" drive		
8344	Servo saver/ servo saver spring/ servo horn, steering	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,		
8343	Steering bellcranks/ hardware		2.5mm, 3.0mm), 1/4" drive		
8342	Toe links, steel (34mm) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,		
	Suspension Linkage		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut		
			drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,		
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/		
5347	Rod ends, Revo® (large) with hollow balls (12)		driver handle		
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm		Turnbuckles & Threaded Rods		
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	0244			
	aluminum wrench	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)		
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm	8342	Toe links, steel (34mm) (2)		
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm		
	aluminum wrench		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm	00440	aluminum wrench		
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm		
	aluminum wrench		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		
	Team Traxxas Items	00440	aluminum wrench		
0544		8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm		
2514	Decal sheet, racing sponsors		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)		aluminum wrench		
9909	Traxxas® racing banner, red & black (3x7 feet)				
	Tires & Wheels				
8375	Tires & wheels, assembled, glued (split-spoke black chrome				
03/3	wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra				
	wide) (2)) (VXL rated)				
8378	Tires and wheels, assembled, glued (split-spoke black chrome				
0370	wheels, 1.9" Drift tires) (front and rear)				
0070			If you have questions or need technical assistance, call Traxxas at:		
8373	Tires and wheels, assembled, glued (split-spoke black chrome				
027/	wheels, 1.9" Response tires) (front) (2)		1-888-TRAXXAS		
8374	Tires and wheels, assembled, glued (split-spoke black chrome		(1-888-872-9927) (U.S. residents only)		
02760	wheels, 1.9" Response tires) (extra wide, rear) (2)		(1 555 57 2 5527) (5.6. Tooldolla billy)		
8376G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)		For orders, calls outside the U.S., and other information, call 972-549-3000,		
	, , ,		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com		
8377G	Tires and wheels, assembled, glued (split-spoke green wheels,		TRAXXAS.COM		
00740	1.9" Drift tires) (rear)				
8374G	Tires and wheels, assembled, glued (split-spoke green wheels,				
	1.9" Response tires) (extra wide, rear) (2) (VXL rated)				
8373G	Tires and wheels, assembled, glued (split-spoke green wheels,				
	1.9" Response tires) (front) (2) (VXL rated)				
8376A	Tires and wheels, assembled, glued (split-spoke orange wheels,				
	1.9" Drift tires) (front)				
8377A	Tires and wheels, assembled, glued (split-spoke orange wheels,				
	1.9" Drift tires) (rear)				
8374A	Tires and wheels, assembled, glued (split-spoke orange wheels,				
	1.9" Response tires) (extra wide, rear) (2) (VXL rated)				
8373A	Tires and wheels, assembled, glued (split-spoke orange wheels,				
	1.9" Response tires) (front) (2) (VXL rated)				
8370	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits				
	#8372 wide wheel)				
8369	Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)				
8371	Wheels, 1.9" split-spoke (black chrome) (front) (2)				
8372	Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)				
	Traxxas Tools				
3433¥	Rody reamer (aluminum handle)				

3433X

3433

3436

3432

3431

8712

Body reamer (aluminum handle)

Speed Bit Essentials Set, hex and nut driver, 7-piece, includes

premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,

Body reamer (plastic handle)

Cap, body reamer

Scissors, curved tip

Scissors, straight tip

and 8.0mm), 1/4" drive