

Chevrolet® Corvette® Stingray (Model 93054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	8382	O-rings (12)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2) Ball bearings, blue rubber sealed (12x18x4mm) (2)	2754	Stub axle pins (4)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	8354	Stub axles (front or rear) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	8356	Wheel hubs, hex (disc brake rotors) (4)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)		Front Suspension & Steering
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	8330	Bulkhead, front
	Body & Accessories	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
9311	Body, Chevrolet Corvette Stingray (clear, trimmed, requires	8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
	painting)/ decal sheet (includes side mirrors, spoiler, grilles,	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
	vents, hardware, & clipless mounting)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
9311A	Body, Chevrolet Corvette Stingray, complete (black) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)	8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
9311X	Body, Chevrolet Corvette Stingray, complete (blue) (painted, decals applied) (includes side mirrors, spoiler, grilles, vents, & clipless	8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
	mounting)	5347	Rod ends, Revo® (large) with hollow balls (12)
9311R	Body, Chevrolet Corvette Stingray, complete (red) (painted, decals	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
	applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)	8345G 8345R	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
9311T	Body, Chevrolet Corvette Stingray, complete (silver) (painted, decals	8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering
	applied) (includes side mirrors, spoiler, grilles, vents, & clipless mounting)	8338	Shock towers, front & rear
9316	Grille, Chevrolet Corvette Stingray/ grille mount (3)/ headlight housing	8343	Steering bellcranks/ hardware
0010	(2)/ lens (2)/ headlight mount (2)/ 2.6x6mm BCS (4)/ 2.6x8mm BCS	8337	Steering block (2)
	(8)	2754	Stub axle pins (4)
9313	Latch, body mount, front (for clipless body mounting) (attaches to	8354	Stub axles (front or rear) (2)
0045	#9311 body)	8333	Suspension arms, front (left & right)
9315	Latch, body mount, rear (with engine bay) (for clipless body mounting) (attaches to #9311 body)	8340	Suspension pin set, complete (front & rear)
9317	Mirrors, side (left & right)/ mounts (left & right)/ trim, side (left & right)/	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
	trim mounts (left & right)/ 2.6x8mm BCS (2)/ 1.6x7mm BCS (8)	8342	Toe links, steel (34mm) (2)
9321	Rear window/ rear window retainer/ engine cover/ 2.6x8mm BCS (8)	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
9319	Tail lights (2)/ tail light mounts (2)/ wing/ wing mount/ vent, rear (2)/		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	vent mount, rear (2)/ 2.6x8mm BCS (2)/ 1.6x5mm BCS (4)/ 1.6x7mm		aluminum wrench
	BCS (6)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	Brake Components		aluminum wrench
8367	Brake calipers (red), front (2)/ rear (2)		
		8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
8356	Wheel hubs, hex (disc brake rotors) (4)	8341R	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
		8341R	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8356	Wheel hubs, hex (disc brake rotors) (4) Center Driveline		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8356 8381	Wheel hubs, hex (disc brake rotors) (4) Center Drive inc Housing, differential (front) Housing, differential (rear)	8341R 8347 5347	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8356 8381 8380	Wheel hubs, hex (disc brake rotors) (4) Genter Driveline Housing, differential (froat) Housing, differential (rear) Chassis & Attachments	8347	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8356 8381	Wheel hubs, hex (disc brake rotors) (4) Genter Driveline Housing, differential (front) Housing, differential (rear) Chassis & Attachments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw	8347 5347 3229 3236	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8356 8381 8380	Wheel hubs, hex (disc brake rotors) (4) Genter Driveline Housing, differential (froat) Housing, differential (rear) Chassis & Attachments	8347 5347 3229 3236 3215	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)
8356 8381 8380 8326	Wheel hubs, hex (disc brake rotors) (4) Center Driveline Housing, differential (front) Housing, differential (rear) Chassis & Attachments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin	8347 5347 3229 3236 3215 2577	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)
8356 8381 8380 8326 9314 8324	Wheel hubs, hex (disc brake rotors) (4) CONTROL DIVELLING Housing, differential (front) Housing, differential (rear) Chassis & Attachinents Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)	8347 5347 3229 3236 3215 2577 2587	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RTTWETC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer)
8356 8381 8380 8326 9314 8324 9320	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam	8347 5347 3229 3236 3215 2577 2587 2551	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITUMNIC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive)
8356 8381 8380 8326 9314 8324 9320 8325	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis	8347 5347 3229 3236 3215 2577 2587 2551 4859	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITUWATC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4)
8356 8381 8380 8326 9314 8324 9320 8325 8321	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachiments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)
8356 8381 8380 8326 9314 8324 9320 8325	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachiments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Intimate Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323	Wheel hubs, hex (disc brake rotors) (4) CONTROL DIVENTING Housing, differential (front) Housing, differential (rear) Chassis & Attachments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachiments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Components Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm cap-head machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x14mm button-head machine (hex drive) (6)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachingents Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Components Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITURATE** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Circsis & Attroining Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITURATC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attrolling S Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (rear)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench RTGWRTG Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379	Wheel hubs, hex (disc brake rotors) (4) CONTROL DIVELLING Housing, differential (front) Housing, differential (rear) CIRSS & AURCHINGS Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, spool / spool shaft/ bushing	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITURATE** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attrolling S Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (rear)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2260 2072A 3354R	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITUWRITC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379	Wheel hubs, hex (disc brake rotors) (4) CONTROL DIVELLING Housing, differential (front) Housing, differential (rear) CIRSS & ATTROLLING Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2260 2072A 3354R 3785	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Harriwarc Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) ###################################
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879R	Wheel hubs, hex (disc brake rotors) (4) Conter Drive inc Housing, differential (front) Housing, differential (rear) Chassis & Attaching is Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Connomics Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (rear) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2072A 3354R 3785 8390	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Hartiware Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (6) (no washer) Screws, 3x10mm cap-head machine (6) (nex drive) Screws, 3x10mm cap-head machine (6) (hex drive) Screws, 3x10mm cap-head machine (hex drive) (4) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) ### ### ############################
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879	Wheel hubs, hex (disc brake rotors) (4) Conter Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attachiments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Components Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (front) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2260 2072A 3354R 3785 8390 2074	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench RIGIMPIC Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm countersunk machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) MOTOTS & FORTIONIES BEC assembly (complete) Gear set (for 2070, 2075 servos) Motor cover, endbell (Velineon® 3500) Motor, Titan® 12T (12-Turn, 550 size) Plate, motor Servo case/gaskets (for 2056 and 2075 waterproof servos)
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879R	Wheel hubs, hex (disc brake rotors) (4) Conter Drive inc Housing, differential (front) Housing, differential (rear) Chassis & Attaching is Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Connomics Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (rear) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2072A 3354R 3785 8390 2074 8345	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attaching to Sattaching the Sattaching the Sattaching to Sattaching the Sattachin	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2260 2072A 3354R 3785 8390 2074	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITUWAITC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) **IDIOIS & FICTIOIICS** BEC assembly (complete) Gear set (for 2070, 2075 servos) Motor cover, endbell (Velineon® 3500) Motor, Titan® 12T (12-Turn, 550 size) Plate, motor Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879R 6879R	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attaching (some spacer) screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Components Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (front) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear) Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2072A 3354R 3785 8390 2074 8345 8345G	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Hartiware Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x10mm button-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm countersunk machine (6) (no washer) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) ###################################
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879 8879 8853X	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attrolling S Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential X-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (front) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear) Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2) Drive cups, inner (2)/ screw pins (2) Driveshaft, center, steel (266mm)/ pin/ support, center driveshaft/ 5x11x4 bearing	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2072A 3354R 3785 8390 2074 8345	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITUWAITC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) **IDIOIS & FICTIOIICS** BEC assembly (complete) Gear set (for 2070, 2075 servos) Motor cover, endbell (Velineon® 3500) Motor, Titan® 12T (12-Turn, 550 size) Plate, motor Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879R 6879 8353X 8353 9355	Wheel hubs, hex (disc brake rotors) (4) Contert Drive inc Housing, differential (front) Housing, differential (rear) Chassis & Attachiments Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount// receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential Foil Foil Doubletts Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (front) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear) Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2) Drive cups, inner (2)/ screw pins (2) Drive cups, inner (2)/ screw pins (2) Driveshaft, center, steel (266mm)/ pin/ support, center driveshaft/ 5x11x4 bearing Driveshaft, front (2)	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2072A 3354R 3785 8390 2074 8345 8345G	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Hartiware Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) MOTORS EFOCITOTION BEC assembly (complete) Gear set (for 2070, 2075 servos) Motor cover, endbell (Velineon® 3500) Motor, Titan® 12T (12-Turn, 550 size) Plate, motor Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8356 8381 8380 8326 9314 8324 9320 8325 8321 8323 5381 5136X 8381 8380 8379 6879 6879 8353X	Wheel hubs, hex (disc brake rotors) (4) Center Driveling Housing, differential (front) Housing, differential (rear) Chassis & Attrolling S Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw pin Body mount, rear (for clipless body mounting) Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Bumper, front/ bumper mount/ splitter/ bumper foam Chassis Chassis brace (front) Gear cover (rear chassis brace)/ wire retainer Differential X-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW Differential oil kit (1 each: 10K, 30K, 50K weights) Housing, differential (front) Housing, differential (front) Housing, spool / spool shaft/ bushing Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) Ring gear, differential/ pinion gear, differential (rear) Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2) Drive cups, inner (2)/ screw pins (2) Driveshaft, center, steel (266mm)/ pin/ support, center driveshaft/ 5x11x4 bearing	8347 5347 3229 3236 3215 2577 2587 2551 4859 2578 2552 2593 2579 2553 8356 2260 2072A 3354R 3785 8390 2074 8345 8345 8345 8345 8345 8344	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench **RITIWATC** Nuts, 4mm flanged nylon locking, serrated (black) (10) Rod ends, Revo® (large) with hollow balls (12) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4) ***IDIOTS & FIGUROLIES** BEC assembly (complete) Gear set (for 2070, 2075 servos) Motor cover, endbell (Velineon® 3500) Motor, Titan® 12T (12-Turn, 550 size) Plate, motor Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver servo saver spring/ servo horn, steering

Page 2	Chevrolet® Corvette®	Stingray: TQ 2.4GHz Radio	(Model 93054-4) Parts List
--------	----------------------	---------------------------	----------------------------

Page 2	2 Chevrolet® Corvette® Stingray: TQ 2.4GHz Radio (Model 93054-4) Parts List				
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)		
3355R	speed control mounting plate (part #3725R)) Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	6511 3018R	Traxxas Link™ Wireless Module XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)		
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	00054.4	Ready-To-Race Model		
	Radio System, Batteries & Chargers	93054-4	Chevrolet® Corvette® Stingray: 1/10 Scale AWD Supercar with TQ 2.4GHz Radio System		
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery		Rear Suspension		
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery	8329	Bulkhead, rear		
2869X 2976	7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W	8352	Carriers, stub axle (left & right)		
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)		
	to separate balance ports)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)		
2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)	8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)		
2914	Battery, Power Cell AA Alkaline (4)	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &		
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	=0.4 =	rear)/ hinge pin retainers (12)/ inserts (6)		
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	5347 8338	Rod ends, Revo® (large) with hollow balls (12)		
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	2754	Shock towers, front & rear Stub axle pins (4)		
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8354	Stub axles (front or rear) (2)		
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8331	Suspension arms, rear (left & right)		
	battery (1))	8340	Suspension pin set, complete (front & rear)		
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear		
	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	00447	sway bars and adjustable linkage)		
2260	BEC assembly (complete)	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)		aluminum wrench		
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm		
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	8341R	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm		
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	0341K	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		
2971 2970	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto		Shock Oil		
	Battery Identification	5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		
6525	Communication link, telemetry expander	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		
6512	Cover plate, Traxxas Link™ Wireless Module	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)		
2978 2072A	Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)		
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)		
	Traxxas® iD® batteries)	5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)		
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)		
6560	Mount, telemetry expander (fits 4-Tec® 2.0)	1667	Silicone shock oil (30 wt), 60cc		
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	5038	Spinning carousel rack		
6519	Receiver, micro, TQ 2.4GHz (3-channel)		Shocks (Pro-level Aluminum)		
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	2658	Big Bore shocks (short) (hard-anodized & PTFE-coated T6		
6552	Seal kit, expander box (includes o-ring, seals, and silicone		aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note:		
6526	grease) Sensor, auto-detectable, temperature	2669	Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings		
6527	Sensor, auto-detectable, voltage	2003	& washers (2) (Big Bore Shocks)		
6521	Sensor, temperature and voltage (long)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)		(2)		
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	2742X	Rod ends, short (6)/ hollow balls (6)		
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated	8361 2667	Shock caps (black) (4) (assembled with hollow balls)		
8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	2667 4261T	Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (29mm)		
8344	Servo saver/ servo saver spring/ servo horn, steering	42011	(front) (2)		
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	4262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)		
2075	Servo, digital high-torque (ball bearing), waterproof	4261	Shock shafts, steel, chrome finish (29mm) (front) (2)		
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	4262	Shock shafts, steel, chrome finish (32mm) (2)		
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	1765	Silicone diaphragms (4)		
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)		
6551X 6509R	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	0000	Shocks (Ultra Shocks)		
	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	2362 1942	Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	2742X	(2) Rod ends, short (6)/ hollow balls (6)		
GE46	receiver)	8361	Shock caps (black) (4) (assembled with hollow balls)		
6516 6528	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)	8360	Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)		
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	9363V			
= -	channel (transmitter only)	8362X 8362G	Spring, shock (blue) (3.7 rate) (2) Spring, shock (green) (3.7 rate) (2)		
		8362P	Spring, shock (gireen) (3.7 rate) (2)		

8377A

8374A

8373A

8370 8369

8371

8372

1.9" Drift tires) (rear)

Tires and wheels, assembled, glued (split-spoke orange wheels,

Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)

Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) (front) (2) (VXL rated)

Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits #8372 wide wheel)

Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)

Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)

Wheels, 1.9" split-spoke (black chrome) (front) (2)

Page 3	age 3 Chevrolet® Corvette® Stingray: TQ 2.4GHz Radio (Model 93054-4) Parts List				
8366	Spring, shock (red) (2.8 rate, white stripe) (2)		Traxxas Tools		
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)	0.4003/			
8362	Spring, shock (red) (3.7 rate) (2)	3433X	Body reamer (aluminum handle)		
8363	Spring, shock (red) (4.075 rate, green stripe) (2)	3433 3436	Body reamer (plastic handle) Cap, body reamer		
8364	Spring, shock (red) (4.4 rate, black stripe) (2)	3432	Scissors, curved tip		
	Spur Gears & Pinion Gears	3431	Scissors, straight tip		
2728	Ball bearings (5x8x2.5mm) (2)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes		
8323	Gear cover (rear chassis brace)/ wire retainer		premium handle (medium), travel pouch, hex drivers (straight:		
1918	Gear, 18-T pinion (48-pitch) / set screw		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		
2419	Gear, 19-T pinion (48-pitch) / set screw		and 8.0mm), 1/4" drive		
2421	Gear, 21-T pinion (48-pitch) / set screw	8721	Speed bit handle, medium (one piece)		
2422	Gear, 22-T pinion (48-pitch) / set screw	8720 8722	Speed bit handle, premium, large (rubber overmold)		
2423	Gear, 23-T pinion (48-pitch) / set screw	8710	Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes		
2424	Gear, 24-T pinion (48-pitch) / set screw	07 10	premium handle (medium), travel pouch, hex drivers (straight:		
2426 4725	Gear, 26-T pinion (48-pitch)/set screw		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,		
4725 4728	Gear, pinion (25-tooth) (48-pitch) / set screw Gear, pinion (28-tooth) (48-pitch)/ set screw		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,		
8359	Spur gear, 62-tooth		7.00mm, 8.00mm),		
8357	Spur gear, 70-tooth	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,		
8368	Spur gear, 72-tooth (48 pitch)		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,		
	Steering Components		2.5mm, 3.0mm), 1/4" drive		
20.45		8719	Speed Bit Master Set, nut driver, 6-piece, includes premium		
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,		
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"		
8344	Servo saver/ servo saver spring/ servo horn, steering		drive		
8343	Steering bellcranks/ hardware	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,		
8342	Toe links, steel (34mm) (2)	8715	3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,		
	Suspension Linkage	0713	2.5mm), 1/4" drive		
8341		8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,		
5347	Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12)		2.5mm, 3.0mm), 1/4" drive		
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,		
55-174	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut		
	aluminum wrench		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,		
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle		
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/				
0244D	aluminum wrench		Turnbuckles & Threaded Rods		
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)		
	aluminum wrench	8342	Toe links, steel (34mm) (2)		
	Team Traxxas Items	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		
0544			aluminum wrench		
2514	Decal sheet, racing sponsors	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm		
9950 9909	Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/		
9909	• , , , ,		aluminum wrench		
	Tires & Wheels	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm		
8375	Tires & wheels, assembled, glued (split-spoke black chrome		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		
	wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra		alullillulli wielicii		
8378	wide) (2)) (VXL rated) Tires and wheels, assembled, glued (split-spoke black chrome				
03/0	wheels, 1.9" Drift tires) (front and rear)				
8373	Tires and wheels, assembled, glued (split-spoke black chrome				
	wheels, 1.9" Response tires) (front) (2)				
9370	Tires and wheels, assembled, glued (split-spoke black chrome				
	wheels, 1.9" Response tires) (front) (2)				
8374	Tires and wheels, assembled, glued (split-spoke black chrome		If you have questions or need technical assistance, call Traxxas at:		
0074	wheels, 1.9" Response tires) (extra wide, rear) (2)		· . ·		
9371	Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires) (extra wide, rear) (2)		1-888-TRAXXAS		
8376G	Tires and wheels, assembled, glued (split-spoke green wheels,		(1-888-872-9927) (U.S. residents only)		
00700	1.9" Drift tires) (front)		For endows college, the U.O. and other information coll 070 540 0000		
8377G	Tires and wheels, assembled, glued (split-spoke green wheels,		For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com		
-	1.9" Drift tires) (rear)		TRAXXAS.COM		
8374G	Tires and wheels, assembled, glued (split-spoke green wheels,				
	1.9" Response tires) (extra wide, rear) (2) (VXL rated)				
8373G	Tires and wheels, assembled, glued (split-spoke green wheels,				
8376A	1.9" Response tires) (front) (2) (VXL rated) Tires and wheels, assembled, glued (split-spoke orange wheels,				
0310A	1.9" Drift tires) (front)				
8377A	Tires and wheels, assembled, glued (split-spoke orange wheels,				