

Factory Five '33 Hot Rod Coupe (Model 93044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	8334G	Mounts, suspension arms, aluminum (green-anodized) (front &
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	8334R	rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front &
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	•••	rear)/ hinge pin retainers (12)/ inserts (6)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5347	Rod ends, Revo® (large) with hollow balls (12)
114 105	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (6x10x3mm) (2)	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
		8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
	Body & Accessories	8344	Serv o saver/ serv o sav er spring/ serv o horn, steering
333	Body, Factory Five '33 Hot Rod Coupe (clear, requires painting)/ foam pads (front & rear)/ decal sheet (includes front grille, side	8343	Steering bellcranks/ hardware
	mirrors, headlights, tail lights, mounting hardware)	8337	Steering block (2)
333X	Body, Factory Five '33 Hot Rod Coupe, complete (blue) (painted,	2754	Stub axle pins (4)
	decals applied) (includes front grille, side mirrors, headlights, tail	8354	Stub axles (front or rear) (2)
	lights, foam pads)	9330 8340	Suspension arms, front (2)
9333R	Body, Factory Five '33 Hot Rod Coupe, complete (red) (painted, decals applied) (includes front grille, side mirrors, headlights, tail	8342	Suspension pin set, complete (front & rear) Toe links, steel (34mm) (2)
	lights, foam pads)	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
336	Grille, Factory Five '33 Hot Rod Coupe/ grille mount/ 2.6x8 BCS (5)	••••	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
334	Headlight housings (left & right)/ headlight lens (2)/ 2.6x8 BCS (2)/		aluminum wrench
	1.6x7 BCS (self-tapping) (2) (fits #9333 or 9335 body)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
339	Side mirrors (left & right)/ mounts (2)/ tail light lens (2)/ retainers (2)/		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	1.6x7 BCS (self-tapping) (6) (fits #9333 or 9335 body)	8341R	aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm
	Brake Components	557 IIV	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
3367	Brake calipers (red), front (2)/ rear (2)		aluminum wrench
356	Wheel hubs, hex (disc brake rotors) (4)		Hardware
	Center Driveline	1834A	Body clips, black (12) (standard size)
381	Housing, differential (front)	8347	Nuts, 4mm flanged ny lon locking, serrated (black) (10)
380	Housing, differential (rear)	5347	Rod ends, Revo® (large) with hollow balls (12)
	Chassis & Attachments	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
324	Battery hold-down/ battery clip/ hold-down post/ screw pin/ piv ot post	3236	Screws, 2.5x12mm cap-head machine (6)
	screw/ foam spacer	3215 2577	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)
325	Body post, rear/ body washers, foam (2)/ piv ot (2)	2587	Screws, 3x10mm cap-head machine (file with e) (b)
924	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 2.5x10	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
322	CS (2)/ 3x15 CCS (3) Chassis (247mm)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
322 3321	Chassis brace (front)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
3323	Gear cov er (rear chassis brace)/ wire retainer	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
9338	Shock towers, front & rear	2593	Screws, 3x14mm button-head machine (hex drive) (6)
9323	Skidplate, front/ serv o mounts, steering (2)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
	Differential Components	2553 8356	Screws, 3x15mm countersunk machine (6) (hex drive) Wheel hubs, hex (disc brake rotors) (4)
381	Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW		
136X	Differential oil kit (1 each: 10K, 30K, 50K weights)		LED Lights
3381	Housing, differential (front)	9385	LED light harness/ power harness/ zip ties (9)/ mounts (2)
380	Housing, differential (rear)		Motors & Electronics
379	Housing, spool / spool shaft/ bushing	2260	BEC assembly (complete)
879R	Ring gear, differential/ pinion gear, differential (machined, spiral	2072A	Gear set (for 2070, 2075 servos)
879	cut) (rear) Ring gear, differential/ pinion gear, differential (rear)	3785	Motor, Titan® 12T (12-Turn, 550 size)
013		8390	Plate, motor
	Driveline Components	2074 8345	Serv o case/gaskets (for 2056 and 2075 waterproof serv os) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)
3353X	Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw	8345G	Servo saver nuts, aluminum, blue-anodized (nex (1), serrated (1) Servo saver nuts, aluminum, green-anodized (hex (1), serrated
3353	pins (2) Drive cups, inner (2)/ screw pins (2)		(1))
9356	Drive cups, littler (2)/ screw pins (2) Driveshaft, center, steel (278mm)/ pin/ support, center driveshaft/	8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)
	5x11x4 bearing	8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering
350	Driv eshaft, front (2)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
351	Driv eshaft, rear (2)	2075 2075X	Serv o, digital high-torque (ball bearing), waterproof
350X	Driveshafts, steel constant-velocity (assembled), front (2)	2075X 3350R	Servo, digital high-torque, metal gear (ball bearing), waterproo Velineon® VXL-3s Brushless Power System, waterproof
3 51X 382	Driveshafts, steel constant-velocity (assembled), rear (2) O-rings (12)	0000K	(includes VXL-3s waterproof ESC, Velineon 3500 motor, and
2754	Stub axle pins (4)		speed control mounting plate (part #3725R))
354	Stub axles (front or rear) (2)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof
356	Wheel hubs, hex (disc brake rotors) (4)	20405	(brushless) (fwd/rev/brake)
	Front Suspension & Steering	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
3330	Bulkhead, front		
3341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)		Radio System, Batteries & Chargers
332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
3334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
334X	Mounts, suspension arms, aluminum (blue-anodized) (front &	2869X 2976	7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W
	rear)/ hinge pin retainers (12)/ inserts (6)		·
	roary milgo più rotamoro (12) moorto (0)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batterie

Page 2	Factory Five '33 Hot Rod Coupe: TQ 2.4GHz Radio	(Model 9	93044-4) Parts List
2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
	6530 transmitters)	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
2914 2923X	Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	5347	rear)/ hinge pin retainers (12)/ inserts (6) Rod ends, Revo® (large) with hollow balls (12)
2923A 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	2754	Stub axle pins (4)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8354	Stub axles (front or rear) (2)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8340	Suspension pin set, complete (front & rear)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
2260 2969	BEC assembly (complete) Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)	8341R	aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)		aluminum wrench
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery		Shock Oil
2072	Identification	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	Identification	5034 5035	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	5036	Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
6525	Battery Identification Communication link, telemetry expander	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
6512	Cover plate, Traxxas Link™ Wireless Module	5029	Shock oil bottle (60cc) (for mixing shock oil)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2072A	Gear set (for 2070, 2075 servos)	1667	80 wt premium shock oils with spinning carousel rack) Silicone shock oil (30 wt), 60cc
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5038	Spinning carousel rack
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for		Shocks (GTR)
2000	Traxxas® iD® batteries)	7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls
6560	Mount, telemetry expander (fits 4-Tec® 2.0)	7000	(4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	7028	Hollow balls (20)
6519	pad Receiv er, micro, TQ 2.4GHz (3-channel)	7028X	Hollow balls, steel (machined)
6 533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	7067	Piston, damper (2x0.5mm hole, red) (4)/ trav el limiters (4)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)	7062 6961	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks) Shaft, GTR shock, steel (2)
6526 6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	6961T	Shaft, GTR shock, TiN-coated (2)
6521 2074	Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos)	9360	Shocks, GTR composite, front or rear (assembled, without springs) (2)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	0004	Springs
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))	9361	Springs, shock (red) (1.029 rate) (2)
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))		Spur Gears & Pinion Gears
8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering	2728	Ball bearings (5x8x2.5mm) (2)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8323 1918	Gear cover (rear chassis brace)/ wire retainer Gear, 18-T pinion (48-pitch) / set screw
2075	Serv o, digital high-torque (ball bearing), waterproof	2419	Gear, 19-T pinion (48-pitch) / set screw
2075X 6553X	Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system	2421	Gear, 21-T pinion (48-pitch) / set screw
6550X	Telemetry expander 2.0, TQi radio system (for use only with	2422	Gear, 22-T pinion (48-pitch) / set screw
••••	#6551X GPS module)	2423	Gear, 23-T pinion (48-pitch) / set screw
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with	2424	Gear, 24-T pinion (48-pitch) / set screw
6509R	#6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	2426 4725	Gear, 26-T pinion (48-pitch)/set screw Gear, pinion (25-tooth) (48-pitch) / set screw
neuco	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	8359	Spur gear, 62-tooth
	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)	8357 8368	Spur gear, 70-tooth Spur gear, 72-tooth (48 pitch)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	0000	
	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	0045	Steering Components
6528	channel (transmitter only)	8345 8345G	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1) Servo saver nuts, aluminum, green-anodized (hex (1), serrated
	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-		(1))
6529	channel (transmitter only)	8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
6528 6529 6530		8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering
6529 6530 6511	channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module	8344 8343	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/servo saver spring/servo horn, steering Steering bellcranks/ hardware
6529 6530	channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only)	8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering

Ready-To-Race Model 8341 Camber link/toe link set (plastic/ non-adjustable) (front & rear) 5347 Factory Five '33 Hot Rod Coupe: 1/10 Scale AWD Electric Supercar with TQ 2.4GHz radio system Rod ends, Revo® (large) with hollow balls (12) 93044-4 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ **Rear Suspension** aluminum wrench 8329 Bulkhead, rear 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm 8352 Carriers, stub axle (left & right) (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4) aluminum wrench 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) REV. 210622 1529

Page 3 Factory Five '33 Hot Rod Coupe: TQ 2.4GHz Radio (Model 93044-4) Parts List

8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
	Team Traxxas Items
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)
	Tires & Wheels
9372	Tires and wheels, assembled, glued (black with chrome wheels, 1.9" Response tires) (front) (2)
9373	Tires and wheels, assembled, glued (black with chrome wheels, 1.9"
	Response tires) (extra wide, rear) (2)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
	Turnbuckles & Threaded Rods
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

If you have questions or need technical assistance, call Traxxas at:

aluminum wrench

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM