

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (Mercedes-Benz® G 63®)
3241	Axle housing, front	8825	Body, Mercedes-Benz® G 63® (clear, requires painting)/ decals
242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		window masks (includes grille, side mirrors, door handles, &
837	Axle housing, rear (TRX-6™)	002ED	windshield wipers)
227	Axle mount set (complete) (front & rear) (for suspension links)	8825R	Body, Mercedes-Benz® G 63®, complete (gloss black metallic) (includes grille, side mirrors, door handles, & windshield wipers)
336	Axle mount set (rear) (for suspension links)	8825A	Body, Mercedes-Benz® G 63®, complete (gloss white metallic)
228	Axle shaft, front (left)/ drive pin/ cross pin	0023A	(includes grille, side mirrors, door handles, & windshield wipers)
229	Axle shaft, front (right)/ drive pin/ cross pin	8825X	Body, Mercedes-Benz® G 63®, complete (matte graphite metallic)
060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	002JA	(includes grille, side mirrors, door handles, & windshield wipers)
	portal drive input gear)	8826	Decals, Mercedes-Benz® G 63®
062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear	8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/
000	(machined) (2) (assembled)	001070	headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/
230	Axle shaft, rear (left)		bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/
231	Axle shaft, rear (right)		turn signal housing retainer (2)/ turn signal len
061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined)	8827	Grille, Mercedes-Benz® G 63®/ roll bar/ mounts, left & right/ 2.6x8
063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal		BCS (self-tapping) (2)/ 2.5x10 CS (4) (fits #8825 body)
003	drive input gear)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left,
233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-
256 256	Portal drive axle mount, rear (left & right)		tapping) (3)
256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
LJUX	(left and right)/ 2.5x16 CS (4)	8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-
256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-		tapping) (2)
LUUA	anodized) (left and right)/ 2.5x16 CS (4)	8815X	Side trim, left & right (black)/ side trim retainers (8)/ door handles, le
256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42)
	anodized) (left and right)/ 2.5x16 CS (4)	8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/
256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		reverse lens (2)/ 1.6x5 BCS (4) (left & right)
	(left and right)/ 2.5x16 CS (4)		Body Accessories
252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	1926	Antenna caps, vinyl (2)/ antenna spool
253	Portal drive housing, inner, rear (left or right) (2)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
251	Portal drive housing, outer (front or rear) (2)	1834	Body clips (12) (standard size)
064	Portal drive input gear, front (machined) (left or right) (requires	1834A	Body clips, black (12) (standard size)
	#8060 front axle shaft)	3934	Body clips, heavy duty (12)
257	Portal drive input gear, front/ drive pin/ cross pin		
259	Portal drive input gear, rear	3934A	Body clips, heavy duty (black) (12)
209 0 65	Portal drive input gear, rear (machined) (left or right) (requires	8215	Body mounts & posts, front & rear (complete set)
003	#8063 rear axle)	8115	Body posts, front & rear
258	Portal drive output gear, front or rear	4915	Body washers, foam adhesive (10)
252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	2514	Decal sheet, racing sponsors
232X	(2)/ 3x12 BCS (2)	8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080
252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-		narrow inner fenders)
	anodized) (2)/ 3x12 BCS (2)	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/
252G	Portal housings, inner (front), 6061-T6 aluminum (green-	0000	battery plate/ 3x8 flat-head screws (4)
	anodized) (2)/ 3x12 BCS (2)	8828	Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batte
	(2)/ 3x12 BCS (2)	0050	plate/ 3x8 flat-head screws (4)
253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
	(2)/ 2.5x10 CS (2)		Bumpers & Skidplates
253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	8234	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)
	anodized) (2)/ 2.5x10 CS (2)	8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	8067	Bumper mounts, front & rear
	anodized) (2)/ 2.5x10 CS (2)	8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	8237	Bumper mounts, front & rear/ screw pins (4)
	(2)/ 2.5x10 CS (2)	8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
	2.5x10 CS (12)	8235	Bumper, front/ winch
251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	8236	Bumper, rear
	anodized) (2)/ 2.5x10 CS (12)	8125	Bumper, rear (176mm wide)
251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	8136	Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)
	2.5x10 CS (12)	8834	Bumper, rear (without trailer hitch receiver)
251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	8820	Bumpers, front & rear
	2.5x10 CS (12)		·
255A	Stub axle, extended (portal drive) (2)	8835	Skid plates, Mercedes-Benz® G 63®, front & rear (satin-plated finis 3x10 CCS (4)/ 3x10 BCS (4)
267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)	8830	Suspension mount, rear, TRX-6 TM (1)/ chassis crossmember, rear (
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	0000	suspension link mounts (left & right)
	Bearings & Bushings		
119A	Ball bearings, black rubber sealed (10x15x4mm) (2)		Chassis & Attachments
120A	Ball bearings, black rubber sealed (10x13x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)	8223	Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072
	• , , ,		inner fenders)
104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	8215	Body mounts & posts, front & rear (complete set)
115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
	Ball bearings, black rubber sealed (5x11x4mm) (2)		BCS (5)/ 2.5x8 CS (2)
	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	8829	Chassis rails, 590mm (steel) (left & right)
114A			. , , , , , , , , , , , , , , , , , , ,
114A 117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	8818	Exhaust pipes (left & right)
114A 117A	Ball bearings, black rubber sealed (6x12x4mm) (2) Ball bearings, black rubber sealed (6x13x5mm) (2)	8818 8081	Exhaust pipes (left & right) Fender extensions (4)/ 3x8 flat-head screws (24) (requires #808)
114A 117A 180A	• , , , ,	8818 8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #808
116A 114A 117A 180A 103A	Ball bearings, black rubber sealed (6x13x5mm) (2)		Exhaust pipes (left & right) Fender extensions (4)/ 3x8 flat-head screws (24) (requires #808/ narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/

Page 2	TRX-6™ Mercedes-Benz® G 63® AMG 6X6: TQi Tra	xxas Lin	k Enabled 2.4GHz Radio (Model 88096-4) Parts List
8828	Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8218	Floor pans, left & right	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8224X	Receiver box cover (compatible with #8224 receiver box & #2260	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
	BEC)/ foam pads/ seals/ silicone grease	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8819	Rock sliders/ rock slider caps (left & right)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
8225	Seal kit, receiver box (includes o-ring, seals, and silicone	2578	Screws, 3x12mm button-head machine (hex drive) (6)
	grease)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	2591	Screws, 3x23mm button-head machine (hex drive) (6)
8239	Servo mount, steering/ chassis crossmember	2581	Screws, 3x25mm button-head machine (hex drive) (6)
8216	Shock towers, front & rear (left & right)	2616	Screws, 3x27mm button-head machine (hex drive) (6)
8830	Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/	2582	Screws, 3x30mm button-head machine (hex drive) (6)
8226	suspension link mounts (left & right) Tray, battery	2575	Screws, 3x6mm button-head machine (hex drive) (6)
0220		3932	Screws, 3x6mm flat-head machine (hex drive) (6)
	Differential Components	2576 3931	Screws, 3x8mm button-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)
8840	Cable, T-lock (4XL)	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8281	Carrier, differential/ differential slider/ T-Lock fork	0300	
8280X	Differential cover, front or rear (chrome-plated)		LED Light Accessories
8280A	Differential cover, front or rear (black)	8031	3-in-1 wire harness, LED light kit
8280 8280R	Differential cover, front or rear (grey) Differential cover, front or rear (red)	8089	4-in-2 wire harness, LED light kit
8846	Differential cover, TRX-6™ intermediate (black)	8897	LED light harness, rock lights, TRX-6™ (requires #8026X for
8847	Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)	8899	complete rock light set)
8195	Differential, locking, front and rear (assembled) (includes T-Lock	0099	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 or #8825 body, requires #8028 power
0.00	cables and servo)		supply)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear	8898	LED light set, complete with power supply (contains headlights, tail
	shaft (2))		lights, roof lights, & distribution block) (fits #8811 or #8825 body)
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup	8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
	(1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/		harness
	cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with TRX-6™ axle configuration)	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup		and #8018, #8072, or #8080 inner fenders)
0230	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)		Motors & Electronics
	(1) 3x6 BCS with threadlock (1))	1926	Antenna caps, vinyl (2)/ antenna spool
8279	Ring gear, differential/ pinion gear, differential	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8279R	Ring gear, differential/ pinion gear, differential (machined)	2262	BEC, complete (includes receiver box cover and seals)
8287	Ring gear, differential/ pinion gear, differential (overdrive,	2064	Gear set (for 2065 waterproof sub-micro servo)
	machined)	2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
8288	Ring gear, differential/ pinion gear, differential (underdrive,	2072X	Gear set, metal (for 2070, 2075 servos)
8297	machined) Spool/ differential housing plug/ e-clip	2252	Gear set, metal (for 2250, 2255 servos)
0237		2072R 8290X	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized)
	Driveline Components	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8850	Half shafts, center (internal splined, extra short (1)/ external splined,	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
0050	extra short (1)) (plastic parts only)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)	3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8255A	Stub axle, extended (portal drive) (2)	8290	Plate, motor/ upper spur gear cover
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
	screw pin (4)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	0000	2250, 2255 servos)
	anodized) (4)/ screw pin (4)	2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
92600	screw pin (4)	5669	Servo horn (with built-in spring and hardware) (for Summit locking
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)	0000	differential)
		8843	Servo horn (with built-in spring and hardware) (for TRX-6™ locking
	Hardware		differential)
1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
4024	wrench	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
1834 1834A	Body clips (12) (standard size) Body clips, black (12) (standard size)		waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
3934	Body clips, heavy duty (12)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
3934A	Body clips, heavy duty (black) (12)		bearing), waterproof (#2262 external BEC and #8247 steel servo
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless		horn recommended for optimal performance)
	steel hardware for 4 wheels)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball	2065	Servo, sub-micro, waterproof
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2065X	Servo, sub-micro, waterproof, metal gear
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)	3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2261	detection, fwd/rev/brake) Y-harness, BEC
1747G 1747P	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2201	
1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		Radio System, Batteries & Chargers
8221	Screw pin, 3x10mm (6)	2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
3236	Screws, 2.5x12mm cap-head machine (6)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2618	Screws, 2.5x16mm cap-head machine (6)	2869X 2976	7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC converter, 40W
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2978 2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)		to separate balance ports)
3965	Screws, 2.5x8mm cap-head machine (6)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)	2943	Battery charge indicators (green (4), blue (4), grey (4))

Page 3	TRX-6™ Mercedes-	Benz® G 63® AMG 6X6	: TQi Traxxas Link En	abled 2.4GHz Radio ((Model 88096-4)	Parts List
--------	------------------	---------------------	-----------------------	----------------------	-----------------	------------

6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)		Shocks (GTS)
8222	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)	8266	Body, GTS shock (aluminum, silver-anodized) (1)
2914	Battery, Power Cell AA Alkaline (4)	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8266A	Body, GTS shock, aluminum (blue-anodized) (1)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8266G	Body, GTS shock, aluminum (green-anodized) (1)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8266R	Body, GTS shock, aluminum (red-anodized) (1)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4) bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	5475	Multi-tool (plastic)
2992	battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),	8261	Piston, damper (red) (4)/ e-clips (8)
2992	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,
2994	Battery/charger completer pack (includes #2970 iD® charger (1),		and rod ends)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8263	Shock shaft, 3x47mm (GTS) (2)
2995	Battery/charger completer pack (includes #2970 iD® charger (1),	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies wit
2991	Battery/charger completer pack (includes #2972 Dual iD®		TiN shafts (assembled with spring retainers) (2)
	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))	8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring
2262	BEC, complete (includes receiver box cover and seals)	92606	retainers) (2)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8260G	Shocks, GTS, aluminum (green-anodized) (assembled with
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	8260R	spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring
2973	Identification Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	UZUUK	retainers) (2)
2313	Battery Identification	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	1666	Silicone shock oil (30 wt)
	Identification		Slipper Clutch Components
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	0000	
	Battery Identification	8292	Input shaft/ output shaft (transmission)
6525	Communication link, telemetry expander	8286	Output shafts (transfer case), front & rear
6512	Cover plate, Traxxas Link™ Wireless Module	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	8249	Slipper eliminator plate
2064	Gear set (for 2065 waterproof sub-micro servo)	0243	
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)		Springs
2072X	Gear set, metal (for 2070, 2075 servos)	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2
2252	Gear set, metal (for 2250, 2255 servos)	8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
2000	Traxxas® iD® batteries)	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
6561	Mount, telemetry expander		Spur Gears & Pinion Gears
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	6746	Gear, 10-T pinion (32-p) (steel)/ set screw
	pad	6747	Gear, 11-T pinion (32-p) (steel)/ set screw
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone		set screw
0500	grease)	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)
6526 6527	Sensor, auto-detectable, temperature	3944X	set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)
6521	Sensor, auto-detectable, voltage Sensor, temperature and voltage (long)	33447	set screw
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	00 1021	set screw
2253 2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
	2250, 2255 servos)		set screw
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro		set screw
	servo)	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	00.4537	set screw
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)
	waterproof (#2262 external BEC and #8247X metal servo horn	20E0V	set screw Goar 20 T ninion (32 p) heavy duty (machined, hardened steel)
	recommended for optimal performance)	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) set screw
2255	Servo, digital high-torque 400 brushless, metal gear (ball	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)
	bearing), waterproof (#2262 external BEC and #8247 steel servo	000 IA	set screw
2075X	horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
2075A 2065	Servo, sub-micro, waterproof		set screw
2065 2065X	Servo, sub-micro, waterproof, metal gear	6745	Gear, 9-T pinion (32-p) (steel)/ set screw
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	8052	Spur gear, 39-tooth (32-pitch)
6550X	Telemetry expander 2.0, TQi radio system (compatible only with	8053	Spur gear, 45-tooth (32-pitch)
	#6551X GPS module)		Steering Components
6550	Telemetry expander, TQi radio system	8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only	8232X	Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
	with #6550X telemetry expander)	8232A	Caster blocks, 6061-16 aluminum (blue-allouized), left and right
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	ULULM	and right
	channel (transmitter only)	8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and righ
6511	Traxxas Link™ Wireless Module	8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
2261	Y-harness, BEC	2072X	Gear set, metal (for 2070, 2075 servos)
	Ready-To-Race Model	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
	_	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
38096-4	TRX-6™ Scale and Trail™ Crawler with Mercedes-Benz® G 63®	0217	
88096-4	TRX-6™ Scale and Trail™ Crawler with Mercedes-Benz® G 63® AMG Body: 6X6 Electric Trail Truck with TQi Traxxas Link™ Enabled	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer

Page 4	TRX-6™ Mercedes-Benz® G 63® AMG 6X6: TQi Tra	xxas Lin	k Enabled 2.4GHz Radio (Model 88096-4) Parts List
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8276	Rod ends (10)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
8277	Rod ends, angled 10-degrees (8)	0465	screw pin (4)
2742 8278	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
8247	Servo horn, steering	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8247X	Servo horn, steering, metal/ 3x14 BCS (1)		#8255A extended stub axle)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)		rings sold separately)
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8268	Wheels, Tactical 1.9 (2)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	8271 8271X	Wheels, TRX-4® 1.9 (2) Wheels, TRX-4® 1.9 (satin beadlock) (2)
8244 8245	Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8178	Wheels, TRX-4® Sport 1.9 (2)
0245			Transmission Components
0074	Suspension Linkage	8283	Cable, T-lock (front)
8274 5355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8284	Cable, T-lock (rear)
3333	adjustment shims; 3.5mm (2), 1.17mm (2)	8841	Cable, T-lock (rear) (TRX-6™)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8195	Differential, locking, front and rear (assembled) (includes T-Lock
0076	(4)) Rod ends (10)	8289	cables and servo) Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
2742	Rod ends, long (6)/ hollow ball connectors (6)		output gear, 2x9.8 pins (5))
8278	Rod ends, offset (4)	8291	Gearbox housing (includes main housing, front housing, & cover)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8285 5041	Gears, transfer case (3) Grease, premium high performance (20cc)
8243	captured (4) Suspension link, front, 5x100mm (lower) (steel) (2)	8292	Input shaft/ output shaft (transmission)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8831	Suspension links, rear lower, 5x95mm (2) (steel)	8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)
8832 8833	Suspension links, rear upper, 5x76mm (2) (steel) Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/	8849	Output drive, transmission or differential (pin retainer (1)/ drive cup
0000	suspension link mounts (left & right)/ 2.5x12 CS (4)		(1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/
	Team Traxxas Items		cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with TRX-6™ axle configuration)
2514	Decal sheet, racing sponsors	8294	Output gear, high range, 24T (metal)
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	8286	Output shafts (transfer case), front & rear
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8290	Plate, motor/ upper spur gear cover
9909	Traxxas® racing banner, red & black (3x7 feet)	8249 8296	Slipper eliminator plate Transmission gears, single speed, metal
	Tires & Wheels	8196	Two speed conversion kit
8169T 8169X	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)		Traxxas Tools
8169G	Beadlock rings, bide (1.9") (aluminum) (4)/ 2x10 CS (48)	3433X	Body reamer (aluminum handle)
8169A	Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)	3433	Body reamer (plastic handle)
8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	3436	Cap, body reamer
8875	Center caps (2)/ beadlock rings (2) (requires #8255A extended stub axle)	3432 3431	Scissors, curved tip
8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8712	Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	extended stub axle)		premium handle (medium), travel pouch, hex drivers (straight:
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8174	extended stub axle) Tires and wheels, assembled (Method 105 1.9" black chrome	8721	and 8.0mm), 1/4" drive Speed bit handle, medium (one piece)
0174	beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1	8720	Speed bit handle, premium, large (rubber overmold)
	left, 1 right)	8722	Speed bit handle, premium, medium (rubber overmold)
8166	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	(requires #8255A extended stub axle)		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
8177	Tires and wheels, assembled, glued (1.9" chrome wheels,		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)	0744	7.00mm, 8.00mm),
8874	Tires and wheels, assembled, glued (2.2" black Mercedes-Benz®	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
	G 63® wheels, Canyon RT 4.6x2.2" tires) (2)/ center caps (2)/		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
0072	beadlock rings (2) (requires #8255A extended stub axle)	0740	2.5mm, 3.0mm), 1/4" drive
8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	wheels, Canyon Trail 4.6x1.9" tires) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8746V	drive
8179	Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels,	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
	Canyon Trail 4.6x1.9" tires) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
8871	Tires, Canyon RT 4.6x2.2"/ foam inserts (2) (wide) (requires 2.2"	07457	2.5mm), 1/4" drive
8270	diameter wheel) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
02604	screw pin (4) Wheel hubs 12mm hay 6061 T6 eluminum (charged gray		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4)		driver handle
	··/A//································		