



XO-1 (Model 64077-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 4614 **Ball bearings (6x12x4mm) (2)**
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3934 Body clips, heavy duty (12)
- 6416 Body mount posts (2)/ body post pivot (2)/ screw pins, 2.5x18mm (2)
- 6415 Body mounts, front & rear
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 6411 **Body, XO-1® (clear, requires painting)/ wing/ wing uprights (2)/ washers (2) decals**
- 6411X **Body, XO-1®, black (painted, decals applied, assembled with wing)**
- 6412 Body, XO-1®, ProGraphix® (graphics are printed, requires paint & final color application) / wing / wing uprights (2) / washers (2) / decals
- 6411R **Body, XO-1®, red (painted, decals applied, assembled with wing)**
- 2514 **Decal sheet, racing sponsors**
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
- 5144 Screw pin, 2.5x18mm (6)
- 6414G **Wing (exocarbon)/ wing mounts (2)/ washers (2)**
- 6414 Wing/ wing mounts (2)/ washers (2)

Center Driveline

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6457 Center bearing carrier/ bushings (2)
- 6465 Cush drive key/ pin/ elastomer damper
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6456 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 5148 Grease, white lithium
- 6464 Housing, cush drive (front & rear halves)
- 6466 Input shaft (cush drive)/ pin
- 6461 Motor adapter/ GS 3x30mm
- 6460 Motor mount
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 2577X Screws, 3x10 button-head machine (hex drive) (stainless steel) (6)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 1647 Silicone grease

Chassis & Attachments

- 6428 Battery cups (2)
- 6427 Battery hold-down retainer (2)
- 6427X **Battery hold-down retainer, tall (2) (allows for installation of taller, multi-cell batteries)**
- 6426 Battery hold-downs (2)
- 6426X **Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)**
- 6437 Body bumper, foam
- 6416 Body mount posts (2)/ body post pivot (2)/ screw pins, 2.5x18mm (2)
- 6415 Body mounts, front & rear
- 6424 Box, receiver (sealed) (servo mount)/ foam (2)/ BCS 3x10mm/ CS 2.5x8mm (2)/ GS 3x4mm/ silicone grease
- 6423 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6430 Bulkhead, front/ tie bar bushings (2)
- 6429 Bulkhead, rear
- 6457 Center bearing carrier/ bushings (2)
- 6421 Chassis brace, 6061-T6 aluminum (dark titanium anodized)
- 6422 Chassis, 6061-T6 aluminum (dark titanium anodized)
- 6436 Diffuser, rear
- 6461 Motor adapter/ GS 3x30mm
- 6460 Motor mount
- 6425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 6432 Splitter extension (universal)/ 3x10mm CC (2)

- 6433 Splitter extension / canards, left and right / 4x12mm CCS (4)/ 3x10mm CC (2)
- 6431 Splitter mount
- 6419 Tunnel extensions, left & right
- 6420 Tunnels, left & right/ vent cover/ 3x8mm CS (1)

Cush Drive Components

- 6465 Cush drive key/ pin/ elastomer damper
- 6464 Housing, cush drive (front & rear halves)
- 6466 Input shaft (cush drive)/ pin
- 6447 Spur gear, 46-tooth (1.0 metric pitch)
- 6448 Spur gear, 50-tooth (1.0 metric pitch)
- 6449 Spur gear, 54-tooth (1.0 metric pitch)

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 3978 Carrier, differential (heavy duty)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 6x10x0.5 TW
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 5130 Oil, differential (100K weight) (.7 oz (20cc))
- 5135 Oil, differential (10K weight)
- 5136 **Oil, differential (30K weight)**
- 5039 **Oil, differential (500K weight)**
- 5137 **Oil, differential (50K weight)**
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)

Driveline Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6457 Center bearing carrier/ bushings (2)
- 6758 Differential output shaft (for steel constant-velocity driveshafts) (2)
- 6456 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 6451 Driveshaft, front (steel-spline constant-velocity) (complete assembly) (1)
- 6452 Driveshaft, rear (steel-spline constant-velocity) (complete assembly) (1)
- 6750 Half shaft, external splined (steel-spline constant-velocity) (1)
- 6751 Half shaft, internal splined (steel-spline constant-velocity) (1)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 5189 Screw pins, 4x13mm (with threadlock) (4)
- 6454 Stub axle, front, 6mm (steel-splined constant-velocity driveshaft) (2)
- 6453 Stub axle, rear, 6mm (steel-splined constant-velocity driveshaft) (2)
- 6469 Wheel hub, splined, 17mm, 6061-T6 aluminum (blue-anodized) (4)/ screw pin, 4x13mm (with threadlock) (4) (for 6mm axles)
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)

Front Suspension & Steering

- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 6445 Bellcrank brace/ draglink
- 6423 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6430 Bulkhead, front/ tie bar bushings (2)
- 3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**

Page 2 XO-1: TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 64077-3) Parts List

6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
6832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
6832A	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
6832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
6832	Caster blocks (c-hubs), left & right
6881	Housings, differential, front
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
6440	Shock tower, front, 7075-T6 aluminum (blue-anodized)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6439	Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)
6454	Stub axle, front, 6mm (steel-splined constant-velocity driveshaft) (2)
3655X	Suspension arms, left & right
6834	Suspension pin set, complete (front and rear)
6441	Suspension pins, front & rear (4)/ tie bar bushings
6498	Sway bar kit, XO-1® (front and rear) (includes front and rear sway bars and adjustable linkages)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3934	Body clips, heavy duty (12)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475	Multi-tool (plastic)
2745	Nuts, 3mm nylon locking (12)
5144	Screw pin, 2.5x18mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
3236	Screws, 2.5x12mm cap-head machine (6)
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
2577X	Screws, 3x10 button-head machine (hex drive) (stainless steel) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3929	Screws, 4x18mm button-head machine (hex drive) (6)
2533	Screws, 4x30mm countersunk machine (hex drive) (6)
3967	Shoulder screws 3x10 (6) (without threadlock)
6834	Suspension pin set, complete (front and rear)
5480X	Wheel wrench, splined, 17mm

Manuals

6499	Owner's manual, XO-1®
------	-----------------------

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
5626	Hold down bracket, electronic speed control
6461	Motor adapter/ GS 3x30mm
6460	Motor mount
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)

2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof

Radio System, Batteries & Chargers

2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2878X	8400mAh 11.1v 3-Cell 25C LiPo Battery
2943	Battery charge indicators (green (4), blue (4), grey (4))
6428	Battery cups (2)
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
6427	Battery hold-down retainer (2)
6427X	Battery hold-down retainer, tall (2) (allows for installation of taller, multi-cell batteries)
6426	Battery hold-downs (2)
6426X	Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)
2914	Battery, Power Cell AA Alkaline (4)
2991	Battery/charger complete pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2990	Battery/charger complete pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo battery (2))
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6556	Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6524	Sensor, temperature & voltage (fits XO-1®)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550	Telemetry expander, TQi radio system
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)

- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module

Ready-To-Race Model

- 64077-3 XO-1®: 1/7 Scale AWD Supercar with TQi 2.4GHz Radio System, Traxxas Link™ Wireless Module, & Traxxas Stability Management (TSM)®

Rear Suspension

- 6455 Axle carriers, rear, 6061-T6 aluminum, left & right (blue-anodized)
- 6423 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6429 Bulkhead, rear
- 3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 6880 Housings, differential, rear
- 6839X Shock tower, front, 7075-T6 aluminum (blue-anodized)
- 6453 Stub axle, rear, 6mm (steel-splined constant-velocity driveshaft) (2)
- 3655X Suspension arms, left & right
- 6834 Suspension pin set, complete (front and rear)
- 6441 Suspension pins, front & rear (4)/ tie bar bushings
- 6498 **Sway bar kit, XO-1® (front and rear) (includes front and rear sway bars and adjustable linkages)**
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

Shocks (GTR)

- 5466 **Body, GTR shock (aluminum) (1)**
- 5467A **Body, GTR shock (aluminum, blue-anodized) (1)**
- 5467R **Body, GTR shock (aluminum, red-anodized) (1)**
- 5466X Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
- 5467 **Body, GTR shock (molded composite) (2)**
- 5465 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5464 **Dust boot, shock (expandable, seals and protects shock shaft)(1 pair)**
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 5562 **Rebuild kit, GTR composite shocks (x-rings, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks**
- 5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
- 5469 Rod ends (GTR shocks) (6)
- 5463 **Shaft, GTR shock (2) (stainless)**
- 5463T Shaft, GTR shock, TiN-coated (2)
- 5460 **Shocks, GTR aluminum (assembled) (2) (without springs)**
- 5460A **Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)**
- 5460R **Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)**
- 5561 **Shocks, GTR composite (assembled) (2) (without springs)**
- 5460X Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
- 1666 Silicone shock oil (30 wt)
- 5461 **Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)**

Springs

- 5433A Spring, shock (red) (GTR) (1.4 rate double pink stripe)
- 5434A Spring, shock (red) (GTR) (1.6 rate double blue stripe) (1 pair)
- 5940 Spring, shock (red) (GTR) (1.8 rate double green stripe) (1 pair)
- 5941 Spring, shock (red) (GTR) (2.0 rate double black stripe) (1 pair)
- 5942 Spring, shock (red) (GTR) (2.3 rate double purple stripe) (1 pair)
- 5434 Spring, shock (white) (GTR) (1.6 rate blue) (1 pair)
- 5427 Spring, shock (white) (GTR) (front 0.7 yellow) (1 pair)
- 5428 Spring, shock (white) (GTR) (front) (0.9 rate orange) (1 pair)
- 5429 Spring, shock (white) (GTR) (rear) (1.0 rate tan) (1 pair)
- 5431 Spring, shock (white) (GTR) (rear) (1.2 rate silver) (1 pair)
- 5430 Spring, shock (white) (GTR) (std. front) (1.1 rate green) (1 pair)
- 5433 Spring, shock (white) (GTR) (std. rear) (1.4 rate pink) (1 pair)

Spur Gears & Pinion Gears

- 6492 Gear, 29-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
- 6493 Gear, 34-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
- 2577X Screws, 3x10 button-head machine (hex drive) (stainless steel) (6)
- 6447 Spur gear, 46-tooth (1.0 metric pitch)
- 6448 Spur gear, 50-tooth (1.0 metric pitch)
- 6449 Spur gear, 54-tooth (1.0 metric pitch)

Steering Components

- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 2728 Ball bearings (5x8x2.5mm) (2)
- 6445 Bellcrank brace/ draglink
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2746 Washers, 3x6mm metal (12)

Suspension Linkage

- 5525 Rod ends (12)/ hollow balls (12)
- 6834 Suspension pin set, complete (front and rear)
- 6441 Suspension pins, front & rear (4)/ tie bar bushings

Tires & Wheels

- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 6468 **Tire glue, TRX® ultra premium**
- 6475 **Tires & wheels, assembled, glued (black, dished wheels, slick tires (S1 compound), foam inserts) (front) (2)**
- 6473 **Tires & wheels, assembled, glued (black, dished wheels, slick tires (S1 compound), foam inserts) (rear) (2)**
- 6479 Tires & wheels, assembled, glued (split-spoke, black chrome wheels, slick tires (S1 compound), foam inserts) (front) (2)
- 6477 Tires & wheels, assembled, glued (split-spoke, black chrome wheels, slick tires (S1 compound), foam inserts) (rear) (2)
- 6471 Tires, slicks (S1 compound) (front) (2)/ foam inserts (2)
- 6470 Tires, slicks (S1 compound) (rear) (2)/ foam inserts (2)
- 6469 Wheel hub, splined, 17mm, 6061-T6 aluminum (blue-anodized) (4)/ screw pin, 4x13mm (with threadlock) (4) (for 6mm axles)
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 6474 **Wheels, dished (white, dyeable) (front) (2)**
- 6472 **Wheels, dished (white, dyeable) (rear) (2)**
- 6478 Wheels, split-spoke (black chrome) (front) (2)
- 6476 Wheels, split-spoke (black chrome) (rear) (2)

Traxxas Team Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**

Page 4 XO-1: TQi 2.4GHz Radio System, Traxxas Link Wireless Module, & TSM (Model 64077-3) Parts List

- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM