

# Apex2 Hoonitruck RTR, Apex2 Hoonitruck RTR LiPo Combo

30123 30123C




### ELECTRIC • ON ROAD • 1:10 SCALE • 4 WHEEL DRIVE • RTR

Team Associated is excited to partner with Hoonigan® to bring you their world-famous Hoonitruck in radiocontrol form. Built on an all new Apex2 chassis, the Team Associated Hoonigan® Hoonitruck is a tire-slaying beast!

The Apex2 chassis has been updated from our previous version with the latest features in on road racing. A front and rear independent suspension with threaded oil-filled shocks and active rear toe give the Apex2 the ultimate in handling on uneven tarmac. This makes it a perfect platform for the Hoonitruck and tire-shredding action!

The **#30123C Apex2 Hoonitruck RTR LiPo Combo** includes a #27201 Reedy Compact Balance Charger and #758 Reedy 7.4V 2S LiPo Battery with T-plug.



## HIGHLIGHTS



Licensed Hoonitruck body



Threaded oil-filled shocks smooth out the bumps when ripping down the tarmac and shredding tires



The Apex2 chassis is equipped with metal ring and pinion gears for long-lasting durability that can handle tire-slaying burn-outs



For better handling, A-arm front and rear independent suspension keeps the Hoonitruck under control during the wildest of driving conditions







Active rear suspension allows the amount of toe change to be adjusted through the suspension cycle, increasing or decreasing rear grip



A sealed center driveline keeps dirt and debris out--along with bits of tire rubber--for smooth and reliable power delivery



Reedy Sport 550 15-turn 3-slot brushed motor



Reedy SC500X programmable brushed ESC (program card sold separately)

Due to ongoing R&D, photos may not match final kit. Vehicle shown on these pages equipped with items NOT included in #30123: battery and charger.

#### **MORE FEATURES**

- Apex2 with licensed Hoonitruck body
- Injection molded brake calipers and rotors
- 2.4GHz 2-channel radio system
- Reedy brushed speed control and 3-pole brushed motor
- Water-resistant, enclosed receiver box
- Steel dog bones and drive axles
- Sealed front and rear gear differentials
- Adjustable hook and loop battery straps
- Full metal ball bearings
- Aluminum motor plate
- Adjustable shock mounting locations
- Bleeder screws included on shock caps
- Bolt-on steering plates
- Molded one-piece tie rods and steering links
- Adjustable body post height locations
- Steel 25T servo horn
- G10 shock towers and G10 main chassis
- "Shorty" battery box
- POM-filled injection molded pivot balls
- The #30123C LiPo Combo includes a Charger and LiPo Battery with T-plug

### **CATALOG INFORMATION**

UPC	Part No.	Description	MAP	MSRP	Available
784695301238	<u>30123</u>	Apex2 Hoonitruck RTR	\$389.99	\$569.99	Feb. 2022
784695984004	30123C Apex2 Hoonitruck RTR		\$455.99	\$669.99	Feb. 2022

## Version Comparison Chart

	Model version	Electronics Included				
Part No.	Description	Motor	Radio, Servo, ESC, Receiver Charger		Battery	
30123	Apex2 Hoonitruck RTR	brushed	included	none	none	
30123C	Apex2 Hoonitruck RTR LiPo Combo	brushed	included	included	LiPo	

Ford Motor Company Trademarks and Trade Dress used under license to Associated Electrics Inc. HOONIGAN Trademarks and Trade Dress used under license to Associated Electrics, Inc.

Download all zipped photos here: <u>https://bit.ly/3GrEwV2</u> (16MB). Link is active for 30 days.

## **SPECIFICATIONS**

Scale	1:10	
Power	Electric	
Length	458mm (18.03")	
Width	200mm (7.87")	
Weight	varies	
Wheelbase	259mm (10.2")	
Axle Ratio	2.6:1	

### ITEMS NEEDED TO COMPLETE

- #30123 and 30123C: Four (4) AA batteries (#302 Reedy AA Alkaline) used in the transmitter
- #30123: NiMH or LiPo Shorty battery with High Current T-Plug (#758 Reedy 7.4V 2S LiPo Battery with T-plug)
- #30123: Charger for battery used (#27201 or #27203 Reedy balance Charger for LiPo, LiFe)