

# Exhibitor Listings (continued)

Media Vision USA	4867	Nortek Security & Control	1855	Premier Mounts	1843
Mediasite	3661	NovaStar	2773	PreSonus Audio Electronics	6181
Mega Systems, Inc.	601	NthFinity – Vutec – Opus Brilliance	2401	PRN	661
Merging Technologies	5460	NTI Audio, Inc.	5646	Pro Co Sound	5260
Mersive	3961	NTP Technology	5586	Pro Intercom LLC	6953
MET Laboratories	5371	Nummax	261	Pro Video Instruments LLC	961
Meyer Sound Laboratories Inc.	5761	Nureva Inc.	4467	Procom Audio	5353
Microsoft	1151	Oblong Industries	4285	PROEL SpA	7061
Middle Atlantic Products, Inc.	2500	One Systems, Inc.	6281	Projx360	1871
MIEG Corporation	5642	Onelan Limited	243	Prolyte Group	7564
Miller's Presentation Furniture	2413	Ophit Co., Ltd.	1361	Promethean	135
Mimo Monitors	542	Optical Cable Corporation	775	Prompter People/Flolight	3691
Minrray Industry Co., Ltd.	4063	Opticis Co., Ltd.	1960	Protech Electronics & Technology Limited	964
miRA	475	Opticonn Inc.	4377	Protective Enclosures Company	5146
Mitsubishi Electric—Diamond Vision Systems Division	1987	Opto Tech Corporation	443	ProX Cases Truss Stands Cables	7051
Mitsubishi Electric Visual and Imaging Systems	1100	Optoma Technology, Inc.	3833	Purelink	1674
Monitors AnyWhere	213	Oskareen	1328	QNAP, Inc.	4364
Monoprice, Inc.	1228	OWI, Inc.	2429	QOMO	1921
Mount-It!	5155	Pacific Radio Electronics	5053	QSC	3811
MSolutions	921	Panasonic	1300	QSTECH CO., LTD.	733
Multi-Caisse Inc.	5556	Panduit Corporation	3012	Quest Events	7845
Multicam Systems	5373	Pathway Connectivity	7661	QuirkLogic, Inc.	4342
MultiTaction, Inc.	4947	Patton Electronics Company	4257	R1 / Group R1 Audiovisual Solutions	576
MuxLab	2575	PC Partner Limited	445	Radial Engineering	6368
Mvix	255	PCLiquidations	4873	Radio Active Designs	6161
MXL Microphones	3725	Peavey Electronics Corp.	6775	Radio Design Labs	6253
MyCaseBuilder	5554	Peerless-AV	3429	Radius Display Products	7668
My-Semi Inc.	1864	Pelican Products Inc.	2461	Ram Commercial	5187
Mystery Electronics	4061	Penton Audio USA	3953	Rane	5551
Nanjing DoubleStar Electronic and Technology Co.,L	2963	Perdue Acoustics	5680	Rational Acoustics LLC	6785
Nationwide Video	2854	Perigon	7358	rAve	L-10
Navigator Systems US	6961	PESA	1186	RCF USA	6551
NB Carts	884	Pexip	3881	RCI Custom	2421
NEC Display Solutions	1600	Philips	3421	REACH TECH CO., LTD.	1187
Nelson Case Corporation	2586	Piloting Technology Co., Ltd.	3280	RealMotion	210
Nemal Electronics	4281	Pioneer Professional Audio	7143	Redleaf—Bosste	3051
Neoti	647	PixelFLEX	248	ReechCraft	7479
Netgear	4286	Plant AV	4191	Renewed Vision, LLC	2471
Network Allies, LLC	3284	Platinum Tools	1761	Renkus-Heinz Inc.	6643
Neutrik USA, Inc.	6361	Pliant Technologies, LLC.	5447	Rentex Audio Visual & Computer Rentals	4023
Newline-Interactive, Inc.	4073	plus24	5586	Revolution Acoustics	4187
Newnex Technology Corp.	5047	Point Source Audio/ Digigram	5443	RF Venue	5562
NewTek	1925	Polar Focus, Inc.	6951	RGB Spectrum	3121
NexusLink	4287	Poly	3461	RGBlink/Mega Systems	601
NFP Property & Casualty Services, Inc.	7762	Powersoft Audio	6681	Ricoh USA, Inc.	943
Niveo Professional	2021	PQ Labs	4360	Riedel Communications GmbH & Co. KG	6261
Norel Systems Ltd.	4365	Precision Rated Products, LLC	1590	Rigtac	566



### JUST ADD POWER 633 3G+ 767DSS Dante Sound System Transmitter



In addition to distributing Ultra HD and 4K video over a single CAT-5e cable, the 3G+ 767DSS transmitter adds compatibility with Dante and AES67 audio networks, with separate switching of audio and video. The transmitter is the first to support the latest Dante chipset for the delivery of 8 x 8 channels.

### KANEXPRO 1367 HDMI 2.0 Fiber Optic Extender

The KanexPro HDMI 2.0 Fiber Optic Extender (EXT-4KFIBERPRO) is designed for sensitive, secure and robust transmissions of AV signals through fiber optic connection. The EXT-4KFIBERPRO is engineered to extend 4K/60 Hz up to 984 feet (300 meters) or 1080p up to 1,300 feet (400 meters) with 4:4:4 and HDR.



### KRAMER 2929 Kramer KDS-8

The KDS-8 is a zero latency, 4K/60 (4:4:4) streamer transceiver using SDVoE technology. Part of the company's AV over IP product line, KDS-8 comes as an encoder in default mode, with the ability to easily switch to a decoder simply at the touch (and hold) of a button. It brings a full range of connectivity options, with the benefit of being future-proof with the power and versatility to handle high data packages.



### LEYARD 3143 TVF Series

The Leyard TVF Series is a family of fine pitch LED video wall displays available in 1.2, 1.5, 1.8 and 2.5 millimeter pixel pitches. Featuring front serviceability and a creative, stackable design that eliminates cabinet-to-cabinet cabling, Leyard TVF Series reduces the complexity of installation and vertical alignment.



### MAGEWELL 2409 Pro Convert AIO RX NDI Decoder

Converting live NDI streams into high-quality SDI or HDMI outputs for connection to base-band devices such as monitors and projectors, Magewell's new Pro Convert AIO RX NDI decoder hardware simplifies the use of NewTek's popular AV-over-IP technology in applications such as digital signage, video walls, and image magnification (IMAG).



### MARTIN AUDIO 6743 WPL Line Array

The Wavefront Precision Longbow (WPL) line array system brings high performance, optimization, flexibility and

control at financially accessible prices to large-scale touring and installation applications. A complete system, it includes external iKON multi-channel amps, automated DISPLAY software and VU-NET control.



### MIDDLE ATLANTIC 2500 Premium+ PDU with RackLink

The new Premium+ PDU with RackLink delivers comprehensive and secure remote management for AV. The series provides all the great features of RackLink including outlet power cycling/logging, advanced system monitoring and control but now at the individual outlet level empowering integrators to truly optimize a system's energy requirements.



### NEUTRIK 6361 opticalCON Dragonfly Fiber Optic Camera Connector Series

The opticalCON Dragonfly fiber optic camera connector series offers advanced lens technology for the broadcast and AV markets, ensuring robust connectivity that's easier to maintain than common hybrid camera signal transmission systems with comparable performance. With technology based on fiber lenses and fusion splicing, Dragonfly achieves a strong signal with minimal loss. opticalCON Dragonfly combines the advantages of lens technology and makes it competitive with physical contact connectivity.



### PEERLESS-AV 3429 Smart City Kiosks

Peerless-AV's all-weather rated Smart City Kiosk is ideal for sharing community information, travel, weather details, wayfinding, advertising, entertainment, and more. The included 49- or 55-inch Xtreme High Bright outdoor display offers full HD1080p resolution for a bright, crisp picture, even in direct sunlight.



### POINT SOURCE AUDIO 5443 CO2 Confidence Collection Wireless Microphones

The patent-pending CO2 Confidence Collection is a new class of wireless microphones that offers built-in redundancy with dual elements, each measuring only 3mm. The mics integrate two of the company's first-to-market features in miniature microphones: IP 57 waterproof rating, and the "unbreakable" headset boom bendable to 360 degrees to bolster durability.



### PURELINK 1674 VIP-CAM-100 1080p Camera

Adding to PureLink's robust AV over IP product line, the PureStream VIP-CAM-100 is a 1080p IP camera featuring 20x optical zoom and advanced PTZ functionality. With support for 3G-SDI and IP streaming, the VIP-CAM-100 is ideal for broadcasting high definition video signals in conferencing, live broadcast, and surveillance applications.



### ROLAND 2955 V-600UHD Multi-Format Video Switcher

The V-600UHD multi-format video switcher facilitates transition to 4K workflows. Roland's multi-format technology, scaling and format conversion allow simultaneous use of full HD and high-pixel-density 4K sources and simultaneous output of 4K and Full HD resolutions. The V-600UHD is loaded with video effects capabilities and ample I/O.



### SHURE 5845 Microflex Complete Wireless (MXCW)

The Microflex Complete Wireless (MXCW) from Shure combines the all-in-one sound system format, flexible microphone control and meeting management capabilities with the advanced audio and RF technology and control software used in Shure professional wireless systems. It delivers what meeting organizers, system integrators and rental companies have been waiting for: a wireless conference system that just works.



### SNAPAV/EPISODE 3155 Episode IP-Enabled Amplifier

The Episode 70V IP-Enabled Amplifier is an IP-controllable amp with an included free cloud-managed platform. Our remote management platform, OvrC, provides access to the local UI, where you can update firmware, modulate the amplifier gain, select inputs, set clipping levels, power-cycle, or check the status of your device.



### SONIC FOUNDRY 3661 Mediasite Join

Available on-premises or in the cloud, Mediasite Join turns recorded content from huddle rooms, Zoom rooms and collaborative spaces into usable, shareable and searchable video. Features include: easy integration with existing web or video conference systems; ability to record and manage everything said and shown during collaborative sessions; recording in H.323, H.239, and SIP.





## Marshall: Next-Gen HD POV Camera Series

**BOOTH 3725** Marshall Electronics' next generation Marshall HD camera line greatly improves upon nearly every feature that has made the current Marshall POV cameras widely adopted in broadcast and professional AV applications. Marshall collaborated directly with integrators to develop four new POV cameras. These include the CV503 (an upgrade of the best-selling CV502 model); the CV506 (an upgrade of the CV505); the CV344 (an upgrade of the CV343); and the CV346 (an upgrade of the CV345). This new line will include all frame rates in one model. In addition, newly added stereo audio inputs and 23.98 fps for TV and cinema production is now standard on all models.



## Meyer Sound: Updated UPQ Loudspeakers

**BOOTH 5761** Drawing on technologies developed for the LEO Family line array systems, Meyer Sound is updating its UPQ point source loudspeakers with a new class D amplifier, new on-board signal processing for optimized frequency and phase response and a 13-pound overall weight reduction. A third variant, the UPQ-D3, offers a new 80-degrees x 80-degrees coverage option. All three variants retain the same exterior cabinet dimensions and rigging points as current UPQ models and incorporate the same proven driver complement as the prior versions. The low frequency section relies on a 15-inch neodymium magnet cone driver while high frequencies are reproduced by a four-inch diaphragm compression driver. The new two-channel class D amplifier is designed for high efficiency with reduced current draw, yet produces a total peak output power of 1800 watts.



## Middle Atlantic: C3 Series Credenza

**BOOTH 2500** Middle Atlantic Products (MAP), a brand of Legrand AV, is launching its C3 Series credenza. This solution combines a 10-inch-deep space-saving profile with modern design that meets the compliance standards of the Americans with Disabilities Act (ADA). The true innovation, using Middle Atlantic's unique Frame to Furniture design approach, is a flexible, configurable rack frame that allows integrators field-mounting flexibility for traditional rackmounts and small devices. This provides them with a solid foundation that can scale as AV components need to be added or replaced without sacrificing the system reliability.




## Nortek: 4K Ultra HD Presentation Switcher

**BOOTH 1855** Nortek Security & Control's (NSC) Gefen Presentation Switcher (EXT-4K600A-MF-51-HBTL5) is a 4K Ultra HD 600 MHz multi-format 5 x 1 scaler with auto-switching and split HDMI and HDBaseT outputs. The new product is designed for conference and collaboration spaces with a wide array of devices and inputs, giving users a convenient single point of contact for their AV sources and displays in collaboration or meeting areas. The Presentation Switcher works with both 4K Ultra HD sources and legacy analog devices, providing flexible connectivity and a single management point for all devices in the room.



## Oblong: Rumpus Visual Collaboration Application

**BOOTH 4285** Rumpus, a new visual collaboration application for purely virtual teams, makes web conferencing both content and context rich. It provides simultaneous access to shared screens from meeting participants, and delivers a new layer of communication with shared cursors, annotation, and emojis for signaling sentiment. Rumpus leverages the insights the Oblong team gleaned over six years of work with its enterprise customers on Mezzanine, the company's flagship product for expansive collaborative work in a room, between connected rooms and for off-site collaborators.



## Peerless-AV: Xtremes High Bright Outdoor Displays

**BOOTH 3429** Featuring an IP68 rating and a patented Dynamic Thermal Transfer system that allows the display to operate in extreme temperatures ranging from -31 degrees F to 140 degrees F, the Xtreme High Bright outdoor display is ideal for any digital signage application, including theme parks, transportation, sporting venues, retail, education, hospitality and more. Xtreme High Bright models thrive in all positions and applications, even in direct sunlight, without compromising the life of the panel or its color accuracy. Available in 43-, 49- and 55-inch models, the Xtreme High Bright outdoor display comes with a rich feature set.



## Pliant Technologies: Updated CrewCom System Firmware

**BOOTH 5447** Pliant's CrewCom firmware update includes numerous system improvements as well as the incorporation of new Oceania 900MHz models. The newly enhanced SmartBoom LITE Headset (PHS-SB11L) features an improved dynamic noise-canceling microphone with wider frequency response, increased sensitivity, an enhanced speaker with wider frequency response, reduced distortion and an updated foam ear pad for added stability and comfort. SmartBoom PRO headsets have also been enhanced with the improved dynamic noise-canceling microphone as well as a reduced housing and windscreen for maximum wind noise reduction.



## ProCo Sound: Hybrid HDMI Cables

**BOOTH 5260** Designed for commercial, studio and residential applications, ProCo Sound's new HDMI Fiber Optic Cables provide seamless connection to source devices like computers, projectors, set-top boxes, televisions, monitors, DVD players, gaming consoles and more. Unlike conventional copper HDMI cables, ProCo's Fiber Optic Hybrid HDMI features an advanced chipset that enables the cables to maintain full 2K and 4K capabilities at 60Hz HDMI signal integrity, which is ideal for long distance connections.

