PENTAPHARM SERVICE CENTER COSMETICS

Formulation Guidelines for SYN[®]-COLL

Issue Date: December 16, 2004

Version No.: 1

Replaces Version No. - of --.--

Pentapharm Ltd, Engelgasse 109, P.O. Box, CH-4002 Basel / Switzerland Phone : +41-61-706 48 48, Fax : +41-61-319 96 19, http://www.pentapharm.com



CONTENTS

SUMMARY	3
INTRODUCTION	3
GENERAL RECOMMENDATIONS	3
TEST PROCEDURE	4
PRESERVATIVES	5
HYDROCOLLOIDS	6
UV FILTERS	6
MISCELLANEOUS SUBSTANCES	7
PENTAPHARM ACTIVES	8
DISCUSSION	9

Guide FormulationsAnne	X
------------------------	---



SUMMARY

SYN[®]-COLL was tested with different groups of raw materials like preservatives, hydrocolloids, sunscreens, commonly used water-soluble substances and other PENTAPHARM actives.

INTRODUCTION

SYN[®]-COLL is an unpreserved, water-soluble, glycerine-based, clear, aqueous peptide solution ready to use. SYN[®]-COLL is a deep-penetrating, bio-active ingredient developed to erase any type of wrinkles and to repair existing stretch marks.

PENTAPHARM has screened a wide range of common ingredients to test their compatibility with SYN[®]-COLL.

The following guidelines give an overview of those raw materials tested and found to be either compatible or incompatible with SYN[®]-COLL.

GENERAL RECOMMENDATIONS

- **Dosage:** For skin care preparations, concentrations of 1 to 3% SYN[®]-COLL are recommended.
- **Processing:** SYN[®]-COLL can be processed either cold or warm (up to 2 hours at 80°C) and is incorporated into the aqueous phase of a cosmetic formulation.
- **pH:** The optimal pH range for the formulation with SYN[®]-COLL is between 3.0 and 7.0.
- **Ethanol:** SYN[®]-COLL is compatible with ethanol at concentrations up to 50%.



TEST PROCEDURE

The different raw materials were tested with 3% SYN[®]-COLL in aqueous solutions.

The raw materials to be tested were used in concentrations according to the manufacturer's indications. Should these raw materials be used at other concentrations, we recommend to eventually re-test their stability with SYN[®]-COLL.

The samples were stored at 4°C, room temperature and 40°C. The samples were judged after 1 month and again after 3 months according to the following criteria: pH value, odor, color, appearance, viscosity.

The results of these compatibility tests are split into three groups:

- *Recommended substances*: without or with very slight turbidity, stable pH value, no odor or color development, stable viscosity.

- **Compatible substances**: with slight turbidity, stable pH value or slight variation, no odor or color development, stable viscosity.

- **Substances with limited compatibility**: high turbidity, and/or unstable pH value, and/or odor or color development, and/or unstable viscosity.

However, if these substances with limited compatibility are used with SYN[®]-COLL in an emulsion or/and in lower concentration, probably no visible incompatibilities can be recognized.



PRESERVATIVES

RECOMMENDED PRESERVATIVES

Product Name / Supplier	% Wt.	INCI Name
Phenoxetol / Nipa	1.0	Phenoxyethanol
Glydant 2000 / Lonza	0.4	DMDM Hydantoin
Isocil PC / Lonza	0.1	Methylchloroisothiazolinone,
		Methylisothiazolinone
Spectradyne / Lonza	0.3	Chlorhexidine Digluconate
Benzoic Acid / VWR	0.2	Benzoic Acid

With SYN[®]-COLL, these preservatives formed stable aqueous solutions without or with very slight turbidity.

COMPATIBLE PRESERVATIVES

Product Name / Supplier	% Wt.	INCI Name
Nipastat Sodium / Nipa	0.1	Methylparaben, Butylparaben, Ethylparaben,
		Propylparaben
Nipaguard PDU / Nipa	0.5	Diazolidinyl Urea
Unicide U-13 / Lipo	0.6	Imidazolidinyl Urea
Glycacil 2000 / Lonza	0.8	Iodopropynyl Butylcarbamate
Irgasan DP300 / Ciba	0.3	Triclosan

With SYN $^{\ensuremath{\text{\$}}}$ -COLL, these preservatives formed stable aqueous solutions with slight turbidity.

PRESERVATIVES WITH LIMITED COMPATIBILITY

Product Name / Supplier	% Wt.	INCI Name
Potassium Sorbate / CFS-	0.5	Potassium Sorbate
Schweizerhall		
Benzyl Alcohol / VWR	1.0	Benzyl Alcohol
Geogard 221 / Lonza	0.8	Dehydroacetic Acid (and) Benzyl Alcohol

These substances are not recommended for clear formulations, but might be suitable for emulsion-type preparations.



HYDROCOLLOIDS

RECOMMENDED HYDROCOLLOIDS

Product Name / Supplier	% Wt.	INCI Name
Pemulen TR-1 / Noveon	1.0	Acrylates / C10-30 Alkyl Acrylate Crosspolymer
Carbopol ETD 2001 / Noveon	0.5	Carbomer
Natrosol 250 HHX / Hercules	2.5	Hydroxyethyl Cellulose
Keltrol RD / Kelco	3.0	Xanthan Gum
Stabileze QM / ISP	0.5	PVM/MA Decadiene Crosspolymer
Sepigel 305 / Seppic	3.0	Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7
Structure XL / National Starch	5.0	Hydroxypropyl Starch Phosphate

These hydrocolloids formed stable gels with SYN[®]-COLL.

COMPATIBLE HYDROCOLLOIDS

Product Name / Supplier	% Wt.	INCI Name
Aristoflex AVC / Clariant	1.0	Ammonium Acryloyldimethyltaurate / VP
		Copolymer

With SYN[®]-COLL, this hydrocolloid formed a gel that developed a slight turbidity.

UV FILTERS

UV FILTERS WITH LIMITED COMPATIBILITY

Product Name / Supplier	% Wt.	INCI Name
Parsol HS / Roche	5.0	Phenylbenzimidazole Sulfonic Acid
Uvinul MS 40 / BASF	5.0	Benzophenone-4

With SYN[®]-COLL, these UV filters formed unstable solutions.



MISCELLANEOUS SUBSTANCES

RECOMMENDED MISCELLANEOUS SUBSTANCES

Product Name / Supplier	% Wt.	INCI Name
Glycerin 86.5%	20.0	Glycerin
1,3-Butandiol	20.0	Butylene Glycol
EDG Plus	5.0	Ethoxydiglycol
Cremophor RH 410	5.0	PEG-40 Hydrogenated Castor Oil
Glycine	2.0	Glycine
Glycolic Acid	2.0	Glycolic Acid

These miscellaneous substances formed stable, clear to very slightly turbid solutions with $\text{SYN}^{\$}\text{-}\text{COLL}.$

COMPATIBLE MISCELLANEOUS SUBSTANCES

Product Name / Supplier	% Wt.	INCI Name
D-Panthenol 50P	2.0	Panthenol
Propylene Glycol	20.0	Propylene Glycol
Lactic Acid	2.0	Lactic Acid
Citric Acid	2.0	Citric acid

With SYN[®]-COLL, these miscellaneous substances formed stable solutions with slight turbidity.

MISCELLANEOUS SUBSTANCES WITH LIMITED COMPATIBILITY

Product Name / Supplier	% Wt.	INCI Name
EDTA	0.1	EDTA
Sodium Metabisulfite	0.1	Sodium Metabisulfite
L-Lysine	2.0	Lysine
L-Glutamic Acid	2.0	Glutamic Acid

These substances are not recommended for clear formulations but might be suitable for emulsion-type preparations.

Only a short listing of miscellaneous materials has been formally screened. Clearly a wide range of ingredients can be used in combination with SYN[®]-COLL.



PENTAPHARM ACTIVES

Product Name	Product Code	% Wt.	INCI Name
CEPHALIPIN	293-01	5.0	Cephalins, Disodium Cocoampho-diacetate
DISMUTIN [®] -BT	313-01	1.0	Superoxide Dismutase
EASHAVE	316-01	5.0	Triticum Vulgare (Wheat) Germ Extract, Saccharomyces Cerevisiae Extract, Sodium Hyaluronate
IRICALMIN	316-02	5.0	Triticum Vulgare (Wheat) Germ Extract, Saccharomyces Cerevisiae Extract, Sodium Hyaluronate
MARISCAN®	284-01	5.0	Glycosaminoglycans
PENTAGLYCAN	181-01	5.0	Glycosaminoglycans

RECOMMENDED PENTAPHARM ACTIVES

These water-soluble PENTAPHARM actives formed stable, clear to very slightly turbid solutions with $\textsc{SYN}^{\texttt{B}}\text{-}\textsc{COLL}.$

COMPATIBLE PENTAPHARM ACTIVES

Product Name	Product Code	% Wt.	INCI Name
COLHIBIN	325-01	5.0	Hydrolyzed Rice Protein
EDELWEISS	900-01	5.0	Leontopodium Alpinum Exctract
FITOBROSIDE	292-01	5.0	Triticum Vulgare (Wheat) Germ Extract
IMMUCELL®	302-01	5.0	Glycoproteins
LACTOMIDE	309-01	5.0	Milk Lipids, Ceramide 3
MELAWHITE®	282-01	5.0	Water, Leukocyte Extract
MELFADE [®] -J	308-02	5.0	Water, Arctostaphylos Uva Ursi Leaf Extract,
			Glycerin, Magnesium Ascorbyl Phosphate
PENTACARE-NA	319-01	5.0	Hydrolyzed Wheat Gluten, Ceratonia Siliqua Gum
PENTAVITIN®	180-01	5.0	Saccharide Isomerate
PEPHA [®] -NUTRIX	800272	5.0	Colostrum Whey
PEPHA [®] -TIGHT	800356	5.0	Algae Extract (and) Pullulan
PHYTALURONATE [®]	298-01	5.0	Ceratonia Siliqua Gum
PREREGEN®	315-01	5.0	Glycine Soja (Soybean) Protein, Oxido
			Reductases
REVITALIN [®] -BT	291-01	5.0	Glycoproteins
SERICIN	303-02	5.0	Sericin
SETAKOL®	320-01	5.0	Hydrolyzed Sericin

With SYN $^{\ensuremath{\text{B}}}\xspace$ -COLL, these water-soluble PENTAPHARM actives formed stable solutions with slight turbidity.



Product Name	Product Code	% Wt.	INCI Name
ALPHA-ARBUTIN	336-01	2.0	Alpha-Arbutin
ELHIBIN®	301-02	5.0	Glycine Soja (Soybean) Protein
ERYTHRULOSE	307-01	5.0	Erythrulose
GIGAWHITE™	910-01	5.0	Water, Glycerin, Malva Sylvestris (Mallow) Extract, Mentha Piperita (Peppermint) Leaf Extract, Primula Veris Extract, Alchemilla Vulgaris Extract, Veronica Officinalis Extract, Melissa Officinalis Leaf Extract, Achillea Millefolium Extract
HYASOL-BT	296-02	5.0	Sodium Hyaluronate
NECTAPURE	911-02	5.0	Glycerin, Water, Buddleja davidii Extract, Thymus vulgaris (Thyme) Extract
PENTACARE-HP	305-02	5.0	Water, Ceratonia Siliqua Gum, Hydrolyzed Casein
REGU [®] -AGE	800131	5.0	Oxido Reductases, Glycine Soja (Soybean) Protein, Hydrolyzed Rice Bran Protein

PENTAPHARM ACTIVES WITH LIMITED COMPATIBILITY

These substances are not recommended for clear formulations but might be suitable for emulsion-type preparations.

DISCUSSION

SYN[®]-COLL is very easy to formulate in gels, cream gels and emulsions and shows good compatibility with most of the tested raw materials.

Some of the tested substances showed a limited compatibility in aqueous solution with SYN[®]-COLL. This does not necessarily mean that they cannot be used with SYN[®]-COLL in emulsions: the formula and/or the concentrations have to be carefully evaluated in detail to ensure the stability of the product.

We are open to discuss any questions connected with the formulation of SYN[®]-COLL and any addition to these guidelines would be welcome.

December 16, 2004

PENTAPHARM LTD.

Dr. Mathias Gempeler Vice President Head Sales & Marketing Cosmetics Marie-Sophie Meyer Manager Service Center Cosmetics

