

ASHLAND®

SAFETY DATA SHEET

Page: 1

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Ashland	Regulatory Information Number	1-800-325-3751
P.O. Box 2219	Telephone	614-790-3333
Columbus, OH 43216	Emergency telephone number	1-800-ASHLAND (1-800-274-5263)
Product name	Suttocide™ A 50% SOLUTION preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries	
Product code	832001	
Product Use Description	Preservative	

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid, colourless

WARNING! MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE SKIN AND RESPIRATORY TRACT IRRITATION.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin contact

Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. May cause allergic skin reaction.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: Skin

Symptoms

ASHLAND[®]

SAFETY DATA SHEET

Page: 2

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

No data

Target Organs

No data

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

No data

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS-No. / Trade Secret No.	Concentration
GLYCINE, N-(HYDROXYMETHYL)-, MONOSODIUM SALT	70161-44-3	>=50-<60%

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Flush exposed area with large amounts of water. If skin is damaged, seek immediate medical attention. If skin is not damaged and symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available.

Treatment: No information available.

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO₂), Water spray

Hazardous combustion products

formaldehyde

Precautions for fire-fighting

Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage

Store in a cool, dry, ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

Exposure Guidelines

Contains no substances with occupational exposure limit values.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Wear resistant gloves (consult your safety equipment supplier).

Discard gloves that show tears, pinholes, or signs of wear.

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Colour	colourless, yellow
Odour	characteristic, mild
Boiling point/boiling range	209.8 °F / 98.8 °C
pH	10.0 - 12.0
Flash point	212 °F / 100 °C
Vapour pressure	1.330 hPa @ 68 °F / 20 °C
Density	1.28 - 1.3 g/cm ³
Water solubility	soluble

10. STABILITY AND REACTIVITY

ASHLAND®

SAFETY DATA SHEET

Page: 5

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

Stability

Stable.

Conditions to avoid

None known.

Incompatible products

None known.

Hazardous decomposition products

No data

Hazardous reactions

Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin absorption
Skin contact
Eye Contact
Ingestion

Product

Acute oral toxicity : LD 50Rat
2,100 mg/kg

Acute inhalation toxicity : LC 50 Rat: 6.0 mg/l
Exposure time: 4.5 h

Acute dermal toxicity : no data available

Skin corrosion/irritation : Result: Irritating to skin

Serious eye damage/eye irritation : Result: Slightly irritating to eyes

Respiratory or skin sensitisation : no data available

Components:

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

GLYCINE, N-(HYDROXYMETHYL)-, MONOSODIUM SALT:

Acute oral toxicity : LD 50 Rat: 1,110 mg/kg

Acute inhalation toxicity : LC 50 Rat: > 2.3 mg/l
Exposure time: 4.0 h

Acute dermal toxicity : LD 50 Rabbit: > 2,000 mg/kg

Respiratory or skin sensitisation : Classification: May cause sensitization by skin contact.
Result: May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

no data available

Components:**GLYCINE, N-(HYDROXYMETHYL)-, MONOSODIUM SALT:**

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 93.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC 50 (Water flea (Daphnia magna)): 46.5 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC 50 (Algae, algal mat (Algae)): 6.3 - 8.65 mg/l
Exposure time: 72 h

Persistence and degradability**Product:**

no data available

Components:

no data available

Bioaccumulative potential**Product:**

no data available

ASHLAND®

SAFETY DATA SHEET

Page: 7

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

Components:

no data available

Mobility in soil

Product:

no data available

Components:

no data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

ASHLAND®

SAFETY DATA SHEET

Page: 8

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries 832001

TRANSPORT CANADA - ROAD

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SARA Hazard Classification SARA 311/312 Classification

Acute Health Hazard

SARA 313 Component(s)

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	y (positive listing)
Japan. Kashin-Hou Law List	n (Negative listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)

ASHLAND®

SAFETY DATA SHEET

Page: 9

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries 832001

China. Inventory of Existing Chemical Substances	y (positive listing)
--	----------------------

	HMIS	NFPA
Health	2	2
Flammability	1	1
Physical hazards	0	
Instability		0
Specific Hazard	--	--

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

ASHLAND®

SAFETY DATA SHEET

Page: 10

Revision Date: 04/23/2013

Print Date: 1/29/2014

MSDS Number: R0717507

Version: 1.0

Suttocide™ A 50% SOLUTION preservative
™ Trademark, Ashland or its subsidiaries, registered
in various countries832001

vPvB : Very Persistent and Very Bioaccumulative
WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
DOT : Department of Transportation
FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
HMIRC : Hazardous Materials Information Review Commission
HMIS : Hazardous Materials Identification System
NFPA : National Fire Protection Association
NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration
PMRA : Health Canada Pest Management Regulatory Agency
RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System