

VARISOFT® EQ 65 Pellets

Readily biodegradable ester quat with excellent conditioning performance

- Excellent conditioning agent with good cost performance relation
- Emulsifier with typical cationic skin feel
- Readily biodegradable
- Solvent-free and high flash point
- Vegetable based

Personal Care

INCI Name

Distearylethyl Dimonium Chloride;
Cetearyl Alcohol

Chemical and physical properties (not part of specifications)

Appearance (20 °C)	Pellets
Active matter	approx. 65 %

Properties

VARISOFT® EQ 65 Pellets is an ester quat based on high purity stearic acid and is compounded with Cetearyl Alcohol. It is a readily biodegradable conditioning agent with a high flash point.

VARISOFT® EQ 65 Pellets improves the conditioning properties of the wet and dry hair. It can also act as an emulsifier providing a sensory profile typical of cationic emulsions:

- Substantive to hair and skin
- Improves detangling and wet combing of hair
- Provides good wet feel of hair
- Superior dry combing and dry feel of hair
- Substantive to skin for good water resistance
- Cationic emulsifier for skin care emulsions

Conditioners including VARISOFT® EQ 65 Pellets have a very rich and creamy appearance.

In a cream rinse treatment VARISOFT® EQ 65 Pellets showed an excellent rinsability and was more easily rinsed out of hair when compared to Behentrimonium Chloride (VARISOFT® BT 85 Pellets), a high performance conditioning agent.

Figure 1 shows the combing force measurement results of virgin brown hair, predamaged by permanent wave treatment, generated with Diastron MTT 175. The results are based on 3 swatches each. The test formulations were conditioning rinses containing 1 wt% active conditioning agent based on 0.5 % Cetearth-25; 5.0 % Cetyl Alcohol; 1.5 % VARISOFT® EQ 65 Pellets resp. VARISOFT® BT 85 Pellets; and water to 100.0 %, pH = 4. At a realistic rinsing time of 1 min., the reductions of wet coming forces are excellent and very comparable for both quaternaries. With increasing rinsing time, the efficacy of VARISOFT® EQ 65 Pellets decreases. This could be of advantage for the consumer (reduced water consumption, less time consuming).




Figure 1: Reduction of combing work depending on rinsing time – comparison between Behentrimonium Chloride and VARISOFT® EQ 65 Pellets.

Conditioning efficacy

VARISOFT® EQ 65 Pellets shows excellent conditioning properties, which outperform Cetrimonium Chloride and are similar to the very efficient Behentrimonium Chloride.

Technical half head tests with 10 test persons – performed by an external test institute – verified the excellent conditioning properties of VARISOFT® EQ 65 Pellets.

The test formulations contained

- 0.5 % TEGINACID® C (Cetearth-25)
- 5.5 % Cetearyl Alcohol
- 2.0 % active cationic

The pH value had been adjusted to 4.5.

Figure 2 half head study shows that for most parameters tested VARISOFT® EQ 65 Pellets outperformed CTAC (Cetrimonium Chloride).

Figure 3 half head study shows that the conditioning properties of VARISOFT® EQ 65 Pellets are very similar to the ones of the highly efficient BTAC, VARISOFT® BT 85 Pellets (Behentrimonium Chloride).




Figure 2: Half head test results - comparison between VARISOFT® EQ 65 Pellets and CTAC (Cetrimonium Chloride).




Figure 3: Half head test results - comparison between VARISOFT® EQ 65 Pellets and BTAC (Behentrimonium Chloride), i.e. VARISOFT® BT 85 Pellets.

Application

VARISOFT® EQ 65 Pellets can be used for formulating

- Hair conditioners (rinse-off and leave-in)
- Skin care creams and lotions

Due to the content of Cetearyl Alcohol, the amount of additional fatty alcohol can be reduced.

Preparation

VARISOFT® EQ 65 Pellets can be dispersed in water at approximately 75 °C. Addition of nonionic emulsifiers such as Cetareth-25 would improve the processability of VARISOFT® EQ 65 Pellets in water.

The viscosity of conditioners including VARISOFT® EQ 65 Pellets can be optimized by applying a second homogenization step after cooling down to room temperature.

VARISOFT® EQ 65 Pellets shows great stability at lower pH values. At formulation-pH of 5 and above, VARISOFT® EQ 65 Pellets tends to hydrolyze. Therefore, we recommend adjusting the pH of a cream rinse conditioner formulation containing VARISOFT® EQ 65 Pellets to around 4.

Recommended usage concentration

1 - 10 % VARISOFT® EQ 65 Pellets

Packaging

600 kg pallet (24 x 25 kg bag)

Hazardous goods classification

Information concerning

- classification and labeling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in accidents and fires
- toxicity and ecological effects

is given in our material safety data sheets.

Guide Line Formulations

Intensive Conditioning Hair Rinse WP 45/1	
VARISOFT® EQ 65 Pellets	2.0 %
VARISOFT® BT 85 Pellets (Behentrimonium Chloride)	2.0 %
ABIL® T Quat 60 (Silicone Quaternium-22)	0.8 %
TEGO® Alkanol 1618 (Cetearyl Alcohol)	5.0 %
Water	90.2 %
Preservative, Perfume	q.s.
Preparation:	
1. Add all ingredients to water and heat to 75 °C with adequate mixing until all ingredients are dissolved.	
2. Homogenize.	
3. Cool down while stirring.	
4. Add preservatives and perfume at temperature below 40 °C.	
5. Homogenize for a 2 nd time at 30 °C for 30 seconds to increase viscosity.	

Intensive Conditioning Hair Mask WP 103/10	
Phase A	
TEGO® Alkanol 1618 (Cetearyl Alcohol)	3.0 %
TEGIN® M Pellets (Glyceryl Stearate)	0.5 %
VARISOFT® EQ 65 Pellets	2.0 %
TEGO® Amid S 18 (Stearamidopropyl Dimethylamine)	1.3 %
ABIL® T Quat 60 (Silicone Quaternium-22)	1.5 %
Phase B	
Water	89.6 %
TEGO® Cosmo C 100 (Creatine)	0.3 %
Glycerin	1.0 %
Panthenol	0.5 %
Citric Acid Monohydrate	0.3 %
Phase Z	
Preservative, Perfume	q.s.
Preparation:	
Blend phases A and B separately. Heat them up to 85 °C. Combine and homogenize for 30 seconds. Add preservative and perfume below 30 °C. Homogenize for a 2 nd time at 30 °C for 30 seconds to increase viscosity.	

Eco-friendly Conditioner, PEG-free AK 85/10	
VARISOFT® EQ 65 Pellets	3.1 %
TEGO® Alkanol 1618 (Cetearyl Alcohol)	4.4 %
Glycerin	2.0 %
Water	90.5 %
Preservative, Perfume	q.s.
Preparation:	
<ol style="list-style-type: none"> 1. Add all ingredients to water and heat to 85 °C with adequate mixing until all ingredients are dissolved. 2. Homogenize. 3. Cool down while stirring. Add preservatives and perfume at temperature below 40 °C. 4. Homogenize for a 2nd time at 30 °C for 30 seconds to increase viscosity. 	

Hand and Body Lotion	
ADP 5616-160	
Water	74.60 %
Sodium Chloride	0.05 %
Glycerin	7.65 %
VARISOFT® EQ 65 Pellets	4.75 %
Petrolatum	4.55 %
TEGOSOFT® P (Isopropyl Palmitate)	4.25 %
TEGO® Alkanol 16 (Cetyl Alcohol)	3.75 %
ABIL® 350 (Dimethicone)	0.40 %
Preservative	q.s.
Citric Acid ad pH 4.2 - 4.3	q.s
Preparation:	
<ol style="list-style-type: none"> Using overhead stirring, add water and glycerin in a steel container and heat to 70 °C. Add VARISOFT® EQ 65 Pellets, Petrolatum, TEGOSOFT® P, TEGO® Alkanol 16 into the container separately with holding the material at temperature after each addition. Add ABIL® 350 into the vessel and hold the temperature for 20 minutes. Homogenize. Continue to stir until the mixture cools to 40 - 45 °C. Add preservative. Adjust pH to 4.2-4.3 with Citric Acid (10 % in water). 	

D 02/12

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments.

The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.
(Status: April, 2008)

Evonik Industries AG Goldschmidtstraße 100 45127 Essen, Germany
P.O. BOX 45116 Essen PHONE +49 201 173-2854 FAX +49 201 173-1828
personal-care@evonik.com www.evonik.com/personal-care

