

# Hot Water Gasoline Direct Drive

Chosen by "World's Best" for reliability, engineering and design. The Mi-T-M HSP-3003-3MGH is the ideal 'all in one' machine for the professional graffiti removal contractor. The Patented Electro Magnetic Firing (EMF) system eliminates the need for a 12V battery to operate the burner. Available with 100-foot of steel wire-braided hose and quick disconnects.

**WORLD'S  
BEST**

**GRAFFITI  
Removal System**



**HSP-3003-3MGH**  
3000 PSI @ 2.9 GPM  
270cc Honda OHV Engine

POWERED by  
**HONDA**



**Performance Under Pressure.®**

#### Pump

- Direct drive triplex piston AR pump
- Stainless-steel and brass unloader valve, preset
- Forged brass manifold
- Thermal relief valve
- Low pressure detergent injector

#### Engine

- 270cc Honda OHV gasoline engine

#### Frame

- Reinforced powder coated steel tube frame with center balanced lift
- Pneumatic tires

#### Components

- No. 1 or No. 2 diesel or kerosene fired burner (Not approved for bio-fuel)
- Patented electro magnetic firing (EMF) system
- Top-fired powder coated heat exchanger

#### Unit Includes:

- 100-ft. x 3/8-in. steel wire-braided pressure hose with quick connects
- Insulated trigger gun with safety lock-off
- Adjustable pressure insulated dual lance
- Quick connect nozzles – 0°, 15°, 25° and 40°

#### Miscellaneous

- Temperature rise 150°F/66°C above ambient, maximum outlet temperature is 200°F
- Includes adjustable temperature option

Limited Warranties:

**3 Year**  
Coil

**3 Year**  
Honda Engine

**7 Year**  
Pump



MODEL NUMBER	PSI	GPM	DISPLACEMENT/ ENGINE	FUEL TANK CAP.	BURNER FUEL TANK CAP.	BURNER FUEL CONS.	BTU PER HOUR	DIMENSIONS (LxWxH)	SHIP WT.	NET WT.
HSP-3003-3MGH	3000	2.9	270cc Honda OHV	1.59 gal.	5.5 gal.	1.84 gph	253,000	43in.x30in.x41in.	530 lb.	407 lb.