

### MPM Wound & Skin Cleanser

Non-toxic - Contains Poloxamer 188



#### Used to:

Remove particulate matter & other debris from dermal wounds without harming living tissue

#### **Directions:**

Spray wound & surrounding area. Allow time for debris to soften. Adjust nozzle to "STREAM" to loosen debris. Adjust nozzle to "SPRAY" to gently flush debris from wound bed. No rinsing necessary.

	Product #	Size	Pkg.
MPM Wound & Skin Cleanser	MP00030	16 oz. Spray Bottle	6/Cs.
MPM Wound & Skin Cleanser	MP00031	8 oz. Spray Bottle	9/Cs.



16 oz

8 oz

**Specifications:** 

Ph Range 6.8 to 7.5 PSI 5.8 to 6.2 (Depends on distance)

## MPM Antiseptic

Spray can be adjusted

Wound & Skin Cleanser

MRSA (Methicillin Resistant Staphylococcus Aureus) • VRE (Vancomycin Resistant Enterococcus)

#### Used to:

- · Clean superficial wounds
- For washing small superficial wounds
- · Aids in removal of foreign material such as dirt and debris
- First-aid

#### **Benefits:**

- Nonirritating
- Does not delay wound healing

#### **Directions:**

- Spray on infected area up to three times daily.
- May be covered with sterile bandage.
- If bandaged, let dry first so bandage will not adhere.



8 oz

2 oz spray

	Product #	Size	Pkg.
MPM Antiseptic Wound Cleanser	MP00032	8 oz. Spray Bottle	9/Cs.
MPM Antiseptic Wound Cleanser	MP00034	2 oz. Spray Bottle	24/Cs.

#### **Specifications:**

Ph Range 6.8 to 7.5 PSI 5.8 to 6.2 (Depends on distance)

- standard 4 to 15

# Have a wound that won't heal?



- Sores
- Blisters
- Scrapes
- Ulcers
- Other Wounds

#### **Directions for use:**

- Cleanse wound with MPM Wound and Skin Cleanser.
- Apply sheet, may be trimmed to size.
- Apply powder approximately ¼" thick, do not pack.
- Cover with a non-adherent dressing.
- Repeat daily.

	Product #	HCPC	Size	Pkg.
MPM Triple Helix Collagen Dressing	MP00310	A6021	2" x 2" Sheet	1 Sheet/Pch., 5 Pchs. per Bag, 10 Bags/Cs.
MPM Triple Helix Collagen Powder	MP00311	A6010	1 Gram Pouch	1 Gram/Pch. 5 Pchs. per Bag, 10 Bags/Cs.
MPM Triple Helix Collagen Rope	MP00312	A6024	12" Rope	1 Rope/Pch., 5 Pchs. per Bag, 10 Bags/Cs.
MPM Triple Helix Collagen Powder	MP00313	A6010	10 Gram Bottle	12 bottles per case

3

Contains HCl 2%

# MPM Regenecare®

### Wound Care Gel

Amorphous hydrogel dressings proven to reduce pain intensity without side effects <sup>1</sup>

Proven to reduce both pain and itching in cross-over study <sup>2</sup>




**Prescription Medical Device** 

#### Indications\*:

- Pressure ulcers
- Venous stasis ulcers
- · First and second degree burns
- Superficial wounds and scrapes

#### Why they work:

- Medium molecular weight polysaccharides in Aloe Vera, moisturizes the wound environment.
- Marine collagen acts as natural barrier.
- Regenecare contains Sodium Alginate to help absorb drainage



- Regenecare reduced pain of dressing change by a highly significant number as compared with baseline (dressing change with no anesthetic applied); (N=60; p= .0000000156).
- Regenecare appeared to assist or at least did not hinder wound healing with aggressive clinical treatments; 91% of evaluable wounds healed with weekly application of Regenecare as contact layer.
- Regenecare with 2% Lidocaine HCl was statistically more effective in reducing pain of dressing change as compared to Lidocaine HCl 2% jelly, USP (N=10; p=0.000137).
- Regenecare contains active ingredients which improve lidocaine delivery and availability to the wound better than 2% Lidocaine jelly, containing only aqueous excipients and waxes.
- Because Regenecare contains marine collagen, aloe vera and glycerin as active moisturizers, it provides a moist wound bed environment, shown to support wound healing.

#### **Directions:**

- Cleanse the irritated area to remove extraneous material.
- Apply to dry, painful skin or tissue three times a day or as needed to assist in pain relief and provide a moist environment for healing.

<sup>2</sup> Evaluation of Regenecare® Topical Gel in the treatment of skin rash associated with Cetuximab (Erbitux®), Tarceva® and other EGFR inhibitorstreated cancer patients

	Product #	Size	Pkg.
MPM Regenecare	MP00100	3 oz. Tube	12/Cs.
MPM Regenecare	MP00101	½ oz. Tube	12/Cs.
MPM Regenecare	MP00110	4 ml. Tube	36/Cs.

<sup>\*</sup> Under the supervision of a healthcare professional, Regenecare may be used as indicated.

# MPM Regenecare®HA Wound Care Gel

Topical Anesthetic Hydrogel - Non-Prescription OTC Drug - Contains Sodium Hyaluronate



### Regenecare HA Wound Gels have been shown to be effective in the management of:


- Minor Burns
- Sunburn
- Minor Cuts
- Scrapes
- Insect Bites
- Minor Skin Irritations

#### Why they work:

2% Lidocaine HCl reduces pain, inflammation, breaks "itch and scratch" cycle

#### **Directions for Gel or Spray:**

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: Consult a physician prior to use.





	Product #	Size	Pkg.
MPM RegenecareHA	MP00107	3 oz. Tube	12/Cs.
MPM RegenecareHA	MP00108	4 ml. Tube	36/Cs.
MPM RegenecareHA Spray	MP00117	4 oz. Btl.	12/Cs.

# MPM Repel<sup>™</sup>

Wound Dressing (Composite)

#### Why it works:

- Center layer absorbs exudate, reducing number of dressing changes
- Top layer allows gaseous exchange
- Absorptive qualities virtually eliminate maceration
- Can be used on infected wounds
- Dressing is non-adherent to tissue, reducing trauma during dressing changes
- Protects wound from urine and feces



- · Can be left on while showering
- Can be wiped off when soiled

\* Under the supervision of a healthcare professional, Repel™ may be used as indicated.



Cleanse wound with MPM Wound and Skin Cleanser.

Partially peel the dressing backing. Apply the exposed pad to the wound. Complete removal of the backing and smooth dressing into place. Dressing can be left in place while showering. Cleanse and re-apply as directed.



	Product #	Size	Pkg.
MPM Repel Wound Dressings (Sterile)	MP00082	4 x 4 Overall 2 x 2 Pad	30/Poly Bag 4 Bags/Cs.
MPM Repel Wound Dressings (Sterile)	MP00084	6 x 6 Overall 4 x 4 Pad	30/Poly Bag 4 Bags/Cs.
MPM Repel Wound Dressings (Sterile)	MP00086	6 x 8 Overall 4 x 6 Pad	30/Poly Bag 4 Bags/Cs.

# MPM WoundGard®

**Bordered Gauze Dressings** 

#### Indications\*:

Minor cuts, scrapes, burns and abrasions.

	Product #	Size	Pkg.
MPM WoundGard (Sterile)	MP00091c	2 x 2 Overall 1 x 1 Pad	30/Bag 4 Bags/Cs.
MPM WoundGard (Sterile)	MP00092c	4 x 4 Overall 2 ½ x 2 ½ Pad	30/Bag 4 Bags/Cs.
MPM WoundGard (Sterile)	MP00094c	5 x 5 Overall 3 x 3 Pad	30/Bag 4 Bags/Cs.
MPM WoundGard (Sterile)	MP00096c	6 x 6 Overall 4 x 4 <sup>1</sup> / <sub>4</sub> Pad	30/Bag 4 Bags/Cs.
MPM WoundGard (Non-Sterile)	MP00097c	4 x 4 Overall 2 ½ x 2 ½ Pad	30/Bag 4 Bags/Cs.
WoundGard (Non-Sterile)	MP00098c	6 x 6 Overall 4 x 4 <sup>1</sup> / <sub>4</sub> Pad	30/Bag 4 Bags/Cs.
WoundGard (Non-Sterile)	MP00099c	6 x 8 Overall 4 x 6 Pad	30/Bag 4 Bags/Cs.

#### Why it works:

- Maintains a moist environment
- Protects the wound from contamination, blood or drainage strike through
- Absorbs drainage
- Absorbent pad is non-adherent
- Allows the wound to breathe
- Eliminates the need for gauze, tape and scissors

#### **Directions:**

- 1) Cleanse the wound.
- 2) Remove backing from dressing and apply dressing to wound.

\* Under the supervision of a healthcare professional, WoundGard® may be used as indicated.



Great for Skin Tears



Inexpensive. Available as sterile and non-sterile.

# NOTraum

# SILICONE

Foam Dressing Bordered

Easy On, Easy Off Benefits:

- No trauma for the wound and supporting skin upon removal
- · Adheres easily and securely to dry, intact surround skin
- · Does not adhere to moist wounds, maintains a moist wound environment
- · Waterproof top layer
- · Specialty foam quickly absorbs large amounts of fluid
- Minimizes the risk or maceration
- Decreases need for dressing changes and risk of post-op complications.

#### Indications\*:

- Moderate to highly exuding wounds such as pressure, leg & foot ulcers.
- · Partial and full thickness wounds
- Superficial wounds
- 2nd degree burns
- Skin tears, road rash & minor injuries

#### **Directions:**

Cleanse the wound, remove release liner from dressing, place dressing on wound and secure by gently pressing on silicone border.

\* Under the supervision of a healthcare professional, NOTraum Dressing may be used as indicated.



	Product #	Size	Pkg.
MPM NOTraum Silicone Foam Drsgs.	MP00451	4" x 4" Overall / 2" x 2" Pad	10/Bag, 5 Bags/Cs.
MPM NOTraum Silicone Foam Drsgs.	MP00452	6" x 6" Overall / 4" x 4" Pad	10/Bag, 5 Bags/Cs.

# MPM ExcelGinate®AG Dressings

Advanced antimicrobial wound care



#### Indications\*:

An effective barrier to microbial penetration for moderate to heavy exudating partial and full-thickness wounds, including pressure ulcers, venous ulcers, diabetic ulcers, donor and graft sites, traumatic and surgical wounds and 1st and 2nd degree burns.

#### MPM ExcelGinate®AG Release Rate (PPM) Comparison

Product	4hr	8hr	16hr	24hr	48hr	72hr	%
MPM ExcelGinate®AG	11.3	16.9	20.6	25.0	32.2	34.9	
Aquacel®Ag	15.4	16.7	17.0	18.0	18.7	18.6	-87.6%
Silvercel™	11.6	11.8	11.8	11.8	11.9	12.0	-190%
SilvaSorb™	12.0	13.9	14.0	16.5	17.3	19.1	-82%







### Fiber Strength Comparison (Standard Tensile Burst Test)

Rope	Dry	Saturated	% Decrease	Tesile Srength compared to MPM ExcelGinate®AG
MPM ExcelGinate®AG	60	46	30%	
Aquacel®Ag	65	2	3,150%	-2,200%
Silvercel™	35	20	75%	-130%

- When saturated, ExcelGinate® AG is over 2,000% stronger than Aquacel Ag™
- When saturated, ExcelGinate® AG is over 130% stronger than Silvercel™

	Product #	Size	Pkg.
MPM ExcelGinate AG Dressing	MP00830	2 x 2	10/Box, 5 Bxs./Cs.
MPM ExcelGinate AG Dressing	MP00832	4 x 4.75	10/Box, 5 Bxs./Cs.
MPM ExcelGinate AG Rope	MP00834	12" Rope	5/Box, 5 Bxs./Cs.
MPM ExcelGinate AG Dressing	MP00836	6 x 6	10/Box, 5 Bxs./Cs.

Designed to replace Silvercel<sup>™</sup>, Aquacel Ag<sup>™</sup>, or any other silver impregnated dressings with the ion delivery system of silver combined with alginate



<sup>\*</sup> Under the supervision of a healthcare professional, ExcelGinate® AG may be used as indicated.

# MPM SilverMed®

### **Antimicrobial Silver**

SilverMed Antimicrobial Hydrogel
Does not contain sulfa

SilverMed Antimicrobial has been shown to be effective against a broad spectrum of pathogenic bacteria and fungi

#### Indications\*:

SilverMed<sup>TM</sup> Antimicrobial Hydrogel is indicated for the management of minor burns, superficial cuts, lacerations, abrasions and minor irritation of the skin. Under the supervision of a healthcare professional, it is indicated for partial and full thickness wounds including pressure ulcers, venous stasis ulcers, diabetic ulcers, first and second degree burns, abrasions, lacerations, skin tears, grafted wounds, donor sites and surgical wounds.

#### **Benefits:**

- · Provides full antimicrobial contact with entire wound bed
- Sustained & effective silver ion release for 3+ days
- Remains clear while in use no discoloration or staining of tissue
- Non-cvtotoxic
- Ideal viscosity very easy to apply & remove

#### Why it works:

- Regulates hydration to keep a favorable moisture level
- Extended protection
- Will not stain or irritate the tissue

#### **Directions**

- Cleanse wound of dirt, debris, and necrotic tissue.
- Spread Silver Hydrogel throughout the wound to approximately ¼" thickness.
- May cover with dressing, preferably waterproof.
- Change in accordance with your protocol.

# Drastic Improvement Achieved on edematous, unhealthy granulation tissue



**BEFORE** 



# Patient treated unsuccessfully for 1 year prior to use of SilverMed®

- This is a picture of an abdominal surgical wound that was infected, and dehisced. It has a critically colonized wound with a high bioburden, increased odor, and drainage causing unhealthy edematous granulation tissue.
- SilverMed was used once a day for 7 days and covered with MPM Medical Inc. Repel Composite Dressing.
- After 1 week using SilverMed once a day, healthy granulation tissue emerged and the wound almost completely re-epithelialized.



	Product #	Size	Pkg.
MPM SilverMed Hydrogel	ABSM1404	.5 oz. Tube	12/Cs.
MPM SilverMed Hydrogel	ABSM1406	1.5 oz. Tube	12/Cs.
MPM SilverMed Hydrogel	ABSM1410	3 oz. Tube	12/Cs.

<sup>\*</sup> Under the supervision of a healthcare professional, SilverMed® may be used as indicated.

# MPM Multi-Layered Composite Bordered & Non-Bordered Dressing

#### Indications\*:

- Heavily-draining wounds
- Deep, partially-thick or fully-thick draining wounds
- Ulcers, stages II, III, IV
- · Leg ulcers

#### Why it works:

- Dressing is non-adherent to tissue
- · Center layer absorbs exudate, reducing number of changes
- Top layer allows gaseous exchange while protecting the wound from contaminants
- Maintains moist wound environment

#### **Directions:**


- 1) Cleanse the wound.
- 2) Peel back and partially release the dressing backing to expose the pad.
- 3) Apply pad over wound and completely remove backing. Smooth dressing into place.

<sup>\*</sup> Under the supervision of a healthcare professional, Multi-Layered Composite may be used as indicated.



Non-Bordered	Product #	Size	Pkg.
MPM Multi-Layered Non-Bordered Composite Dressing	MP00071	2 x 2 Pad	10/Bag 5 Bags/Cs.
MPM Multi-Layered Non-Bordered Composite Dressing	MP00073	4 x 4 Pad	10/Bag 5 Bags/Cs.
MPM Multi-Layered Non-Bordered Composite Dressing	MP00075	6 x 6 Pad	10/Bag 5 Bags/Cs.

#### Composite Dressing



Available as Bordered and Non-Bordered

Bordered	Product #	Size	Pkg.
MPM Multi-Layered Bordered	MP00072c	4 x 4 Overall	10/Bag
Composite Dressing		2 x 2 Pad	5 Bags/Cs.
MPM Multi-Layered Bordered	MP00074c	6 x 6 Overall	10/Bag
Composite Dressing		4 x 4 Pad	5 Bags/Cs.
MPM Multi-Layered Bordered	MP00076c	6 x 8 Overall	10/Bag
Composite Dressing		4 x 6 Pad	5 Bags/Cs.

# MPM Spot Dressing

Microlayered, Sterile

MPM Microlayered Spot Dresssing comprises a polyurethane membrane covered by a continuous thin film backing with excellent moisture vapor transmission. It is a barrier to liquids and other outside contaminants.

#### Indications\*:

Management of pressure ulcers I-IV, leg ulcers, skin tears, cuts, burns, and abrasions.

#### **Directions:**

- 1) Cleanse the wound, removing dirt, debris and necrotic tissue.
- Peel back dressing backing to expose pad and apply over wound.
- 3) Completely remove backing and smooth dressing into place.
- 4) Change dressing according to facility protocol.

	Product #	Size	Pkg.
MPM Microlayered Spot Dressing (Sterile)	MP00499	23/8 x 23/4 Overall 1 x 11/4 Pad	30/Bg. 4 Bgs./Cs.



#### MPM Foam Dressings

	Product #	Size	Pkg.
MPM Foam Drsgs.	MP00500	4 x 4 Overall/2 x 2 Pad	10/Bag, 5 Bags/Cs.
MPM Foam Drsgs. Circular Tube Site	MP00501	4" Diameter Overall 2" Diameter Pad	10/Bag, 5 Bags/Cs.
MPM Foam Drsgs.	MP00502	6 x 6 Overall/4x4 Pad	10/Bag, 5 Bags/Cs.
MPM Foam Drsgs.	MP00503	5 x 5 Overall/3x3 Pad	10/Bag, 5 Bags/Cs.
MPM Foam Drsgs.	MP00506	9 x 9 Overall/6 x 6 Pad	10/Bag, 5 Bags/Cs.
MPM Foam Drsgs.	MP00510	2 x 2 Overall Non-Bordered	10/Bx., 5 Bxs./Cs.
MPM Foam Drsgs.	MP00511	4 x 4 Overall Non-Bordered	10/Bx., 5 Bxs./Cs.
MPM Foam Drsgs.	MP00512	6 x 6 Overall Non-Bordered	10/Bx., 5 Bxs./Cs.
MPM Foam Drsgs.	MP00520	4 x 4 Overall Non-Bordered	30/Bag, 4 Bags/Cs.

		<b>`</b>	
MPM Isolate Hydrophilic Foam Drsgs.	MP00552	3 x 3 Overall Non-Bordered	30/Bag, 4/Cs.
MPM Isolate Hydrophilic Foam Drsgs.	MP00553	4 x 5 Overall Non-Bordered	30/Bag, 4/Cs.
MPM Isolate Hydrophilic Foam Drsgs.	MP00554	6 x 6 Overall Non-Bordered	30/Bag, 4/Cs.
MPM Isolate Hydrophilic Foam Drsgs.	MP00555	7 x 8 Overall Non-Bordered	30/Bag, 4/Cs.

MPM Isolate Foam Dressings

# MPM Foam Dressing Bordered & Non-Bordered

#### **Uses:**

Hydrophilic Foam dressings are appropriate for use as either a primary or secondary dressing.

\* Under the supervision of a healthcare professional, Foam Dressing may be used as indicated.





Circular Tube Site Dressing MP00501

#### Why it works:

- Reduces pressure on the wound
- · Specialty foam quickly absorbs large amounts of fluid
- Waterproof top layer

#### **Directions:**

(Non-Prescription)

- Cleanse wound, remove release liner from dressing, place dressing on wound, secure by gently pressing on tape border.
- Secure non-bordered with secondary dressing. Secure nonbordered with secondary dressing.

# MPM CoolMagic<sup>™</sup>

Hydrogel Sheet Dressing

Instantly cooling, pain relieving hydrogel sheet dressing


#### Indications\*:

- Skin irritations
- Minor burns
- Minor cuts, scrapes and abrasions

#### Why it works:

- Semi-occlusive allows flow of oxygen
- · Helps to prevent bacteria and foreign matter from entering wound
- Hydrophilic and absorptive absorbs three times its weight

<sup>\*</sup> Under the supervision of a healthcare professional, CoolMagic™ may be used as indicated.



#### **Directions:**

- Apply over wound for a cool, soothing effect.
- Change every 24 to 36 hours or as directed.
- Hold in place with tape or stretch gauze.
- Can be applied over hydrogels including those containing silver or lidocaine, such as Regenecare® HA.

## MPM Excel Hydrocolloid

#### Transparent Wound Dressing



Transparent, will not roll up and you can see the wound!


#### Effective in the management of:

- Superficial wounds such as cuts, lacerations or abrasions and minor burns.
- Can be used without a prescription under the supervision of a health care professional for: Partial or full thickness dermal ulcers, leg ulcers, second-degree burns and donor sites.

#### Why it works:

- Absorptive
- Wicks away drainage
- Protective
- · Cushions wound bed from pressure and trauma

	Product #	Size	Pkg.
MPM Excel Hydrocolloid	MP00600	2 x 2	5 Bag,10 Bags/Cs.
MPM Excel Hydrocolloid	MP00602	4 x 5	5 Bag,10 Bags/Cs.
MPM Excel Hydrocolloid	MP00607	6 x 6	5 Bag,10 Bags/Cs.
MPM Excel Hydrocolloid Designed for Sacrum	MP00606	3.6 x 4	5 Bag,10 Bags/Cs.
MPM Excel Hydrocolloid Designed for Sacrum	MP00608	6 x 6½	5 Bag,10 Bags/Cs.



#### **Directions:**

- 1) Cleanse the wound.
- 2) Select dressing that overlaps wound by 1".
- 3) Apply dressing over wound and press down.

# MPM ExcelGinate® Dressings

(Calcium Alginate)

#### Indications\*:

Minor cuts, scrapes and abrasions

#### Why it works:

- Tightly woven to maintain its integrity upon removal
- Recommended for moderately- to heavily-exudating wounds

Pkg.

5 Bag, 10 Bags/Cs.

5 Bag, 10 Bags/Cs.

5 Bag, 10 Bags/Cs.

5 Bag, 5 Bags/Cs.

5 Bag, 5 Bags/Cs.


Highly absorptive – absorbs four times its weight

#### **Directions:**

- 1) Cleanse the wound.
- 2) Apply ExcelGinate to the wound bed and cover with a non-occlusive secondary dressing.
- 3) Change dressing daily.



\* Under the supervision of a healthcare professional, ExcelGinate® Dressings may be used as indicated.





<sup>\*</sup> Under the supervision of a healthcare professional, Excel Hydrocolloid may be used as indicated.

# MPM GelPad®

#### Hydrogel Saturated Gauze Dressing

#### Packing to Promote Granulation



							•
ln	Мı	ഹ	*:	n	n	c	~:
		ca					-

- · Pressure ulcers, stages I-IV
- 1st and 2nd degree burns
- · Stasis ulcers

#### Why it works:

- · Reduces painful dressing removal
- Hydrogel containing Aloe vera and glycerin which provides moisture
- Non-injurious to healthy tissue
- Designed for wound packing

	Product #	Size	Pkg.
MPM Hydrogel Saturated	MP00050	2 x 2 Gauze	100 Pouches/
Gauze Dressings		4 Ply	Case
MPM Hydrogel Saturated	MP00052	2 x 2 Gauze	30 Pouches/Bx.
Gauze Dressings		4 Ply	4 Bxs./Cs.
MPM Hydrogel Saturated	MP00009	4 x 4 Gauze	10 Pouches/Bx.
Gauze Dressings		4 Ply	4 Bxs./Cs.
MPM Hydrogel Saturated	MP00010	4 x 4 Gauze	100 Pouches/
Gauze Dressings		4 Ply	Case
MPM Hydrogel Saturated	MP00011	8 x 4 Gauze	10 Pouches/Bx.
Gauze Dressings		4 Ply	4 Bxs./Cs.
MPM Hydrogel Saturated	MP00012	8 x 4 Gauze	100 Pouches/
Gauze Dressings		4 Ply	Case
MPM Hydrogel Saturated	MP00013	10 x 6 Gauze	10 Pouches/Bx
Gauze Dressings		12 Ply	4 Bxs./Cs.
MPM Hydrogel Saturated	MP00014	10 x 6 Gauze	100 Pouches/
Gauze Dressings		12 Ply	Case

#### **Directions:**

- 1) Pack wound with appropriate size GelPad and cover with secondary wound cover.
- 2) Change dressing daily.

## MPM Excel-Gel<sup>™</sup>

Hydrogel Dressing

#### Indications\*:

- Pressure ulcers, Stages I IV
- 1st and 2nd degree burns
- · Stasis ulcers

#### Why it works:

- Non-toxic
- Non-injurious to healthy tissue
- · Aloe vera and glycerin moisturize the wound
- · Allows visualization of the wound
- Maintains moist wound environment

#### **Directions:**

Apply Excel-Gel to the wound bed approximately 1/4" thick and cover with secondary cover.

\* Under the supervision of a healthcare professional, Excel-Gel™ may be used as indicated.

	Product #	Size	Pkg.
MPM Excel Gel Dressings	MP00006	3 oz. Tube	12/Cs.
MPM Excel Gel Dressings	MP00026	1 oz. Tube	30/Tubes/Bx. 4 Bxs./Cs.
MPM Excel Gel Dressings	MP00027	1 oz. Tube	200/Cs.



August 22 3.4 x 2.1 centimeters



Sept. 28 1.6 x 7 centimeters



1 oz 3 oz

<sup>\*</sup> Under the supervision of a healthcare professional, GelPad may be used as indicated.

### MPM NormIshield® Cream

An inexpensive choice to effective skin care

#### NormIShield Cream has been shown:

 Helps prevent and temporarily protect chafed, chapped or cracked skin.

#### **Additional Benefits:**

Offers sooting relief from incontinence related skin problems.

#### Why it works:

 Aloe Vera moisturizes to help prevent callous build up and cracking of the skin

Dimethicone seals in moisture and helps to protect skin from outside contaminants

#### **Directions:**

Adults and children 2 years of age or older: Cleanse affected area. Allow to dry. Apply NormlShield(R) liberally. Apply as needed.

	Product #	Size	Pkg.
MPM NormIshield Cream	MP00022	4 oz. Tube	12/Cs.



## MPM Anti-Fungal<sup>™</sup> Cream

### Anti-Fungal Cream has been shown to support the effective treatment of:

- Athlete's foot
- Ringworm
- Jock itch

#### **Provides additional benefits:**

Relief from the discomfort associated with itching, burning & scaling.

#### Why it works:

Active ingredient - 1% Clotrimazole

#### **Directions:**

Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.





Cures athlete's foot

4 oz

	Product #	Size	Pkg.
MPM Anti-Fungal Cream	MP00023	4 oz. Tube	12/Cs.

# Fluid Management for Exuding Wounds

### Super Absorbent Dressings



Wet wounds have always been a real problem for patients and nurses. Traditional dressings and foam dressings may cause maceration and leakage when used on wet wounds.

MPM DryMax Extra is a thin, sterile, superabsorbent single-use dressing, indicated for use on exuding wounds such as different chronic wounds, legs ulcers, pressure ulcers and diabetic foot ulcers.

MPM DryMax Extra absorbs wound fluid and retains it in the superabsorbent core. The vertical absorption and retention capacity prevents maceration on the wound edges. Bacteria from the wound exudate are absorbed into the core of the product.

MPM DryMax Extra can be used under compression and due to its absorption and retention capacity, it reduces the number of dressing changes compared to traditional products. This reduces treatment costs and improves the quality of the life for the patients.

	Product #	Size	Pkg.
MPM DryMax Extra Dressing	MP00700	4" x 4" Sheet	1 Sheet/Pch. 10 Pchs./Bx./5 Bxs./Cs.
MPM DryMax Extra Dressing	MP00701	4" x 8" Sheet	1 Sheet/Pch. 10 Pchs./Bx./5 Bxs./Cs.
MPM DryMax Extra Dressing	MP00702	8" x 8" Sheet	1 Sheet/Pch. 10 Pchs./Bx./5 Bxs./Cs.

### MPM DryMax Blue

Waterproof Barrier

	Product #	Size	Pkg.
MPM DryMax Blue Dressing	MP00704	4" x 4" Sheet	1 Sheet/Pch. 10 Pchs./Bx./5 Bxs./Cs.
MPM DryMax Blue Dressing	MP00706	6" x 6" Sheet	1 Sheet/Pch. 10 Pchs./Bx./5 Bxs./Cs.



# Want to Know More About Wound Care, Pain Management or Oncology Care?

Find the answers at www.mpmmed.com



You'll also find: Hydrogels • Alginates • Antiseptic Cleansers
Silver Products • Lidocaine Products • Specialty Dressings
• Moisture Barriers • And More

#### Direct all orders to MPM Medical, Inc. or your dealer of choice

MPM Medical, Inc., 2301 Crown Ct. • Irving, Texas 75038 • www.mpmmed.com Telephone Orders: (972) 893-4090 • Toll Free: 1-800-232-5512

Fax Orders: (972) 893-4092 • Terms: Net 30 Days

Return Policy: All returns of product must be authorized by the President.

Damaged or less than full cases will not be accepted. Freight must be prepaid by sender.

Expired product will not be accepted.

No product accepted over six (6) months from time of purchase. 40% re-stocking fee is charged on all authorized returns.

