Read me FIRST

www.CookWithKenyon.com



# SINGLE ZONE GRILL STAND ASSEMBLY INSTRUCTIONS

Part # 145759 Created: September 28, 2022 Revised: August 8, 2023

### PLEASE READ THESE INSTRUCTIONS IN THEIR ENTIRETY BEFORE USE. SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.





\*Included in kit but not Ca need for assembly\* \*(

Casters (4X) \*Optional\*



## **Assembled Stand**



## **Assembling Grill Stand**

Assemble stand on a carpet or soft surface to avoid any dents or scratches.

Kenyon recommends using gloves during assembly.

Unpack stand parts carefully, lay the parts out to check for shipping damage.



Place <u>Side Assembly</u> and a <u>Top Frame</u> <u>Panel</u> on a flat surface. Align the top hole on the <u>Top Frame Panel</u> with the top hole of the leg (contained within <u>Side Assembly</u>). Fasten 2X of screw <u>S1</u> to the corresponding holes 1 & 2 as shown in the figure below. **Use: 2X Screw S1** 



Align the top hole of the remaining <u>Top</u> <u>Frame Panel</u> with the top hole of the opposite leg from <u>Step 2</u> on the <u>Side Assembly</u>. Fasten 2X of screw <u>S1</u> to the corresponding holes 3 & 4 as shown in the figure below. **Use: 2X Screw S1** 



4

3

Align the <u>Side Shelf Assembly</u> top holes with the top holes of the <u>Top Frame Panels</u>. Use 4X of screw <u>S1</u> to fasten the <u>Side Shelf</u> <u>Assembly</u> to both <u>Top Frame Panels</u> using holes 5,6,7 & 8 as shown in the figures below.

#### Use: 4x Screw S1



5

Remove vinyl covering from the <u>Stationary</u> <u>Shelf</u> before installation. Slide the <u>Station-ary Shelf</u> between the legs of the stand as shown in the figure below. Fasten 8X of screw S1 to the 2 holes in each of the 4 legs. Do not fully tighten the <u>S1</u> screws until all 8 screws are fastened to the legs. **Use: 8X Screw S1** 





Place the <u>Top Adapter Plate</u> on top of the stand assembly. Use the label on the part to place the plate in the correct orientation. The larger flat surface goes in the front of the stand. Use 8X S2 screws to fasten the plate to the stand using only the front and back countersunk holes as shown in the figure below. Do not fully tighten the S2 screws until all 8 screws are fastened to the <u>Top Adapter Plate</u>. **Use: 8X Screw S2** 



7

Fasten 2X <u>S3</u> screws to the corresponding holes 9&10 as shown in the figure below. Do not tighten all the way. Place <u>Side</u> <u>Tray</u> onto <u>Side Assembly</u> by aligning the keyholes on the <u>Side Tray</u> with the 2X <u>S3</u> screws.

Use: 2X Screw S3



8

Place your <u>Single Zone Grill</u> into the cutout of the <u>Top Adapter Plate</u> as shown in the figure below. Fasten the grill to the plate using 4X <u>S2</u> screws in the 4 corners of the grill flange. **Use: 4X Screw S2** 

#### There are three options for this step:

1) If using the elevator bolts, screw E1 into the bottom of each leg and adjust for leveling. Use the jam nut to secure the elevator bolt in place.

2) If fastening the Stand to a deck or patio, find the install location to set the Stand. Use screw S4 to fasten in place.

3) If using the casters, fasten into the bottom of each leg. Each caster includes a brake to secure the stand in place.

Use: 4X Screw S4, OR 4X Elevator Bolt with Jam Nut E1, OR 4X Casters



10 Congratulations, your Single Zone Grill Stand has been assembled! Take this time to tighten all fasteners.

The Folding Shelf can be lifted and lowered into position by lifting both levers on the brackets underneath. Although there are rubber caps on the levers to protect your stand, do not let the Folding Shelf fall into the down position.

The Folding Shelf can be lifted and lowered into position by lifting both levers on the brackets underneath. Although there are rubber caps on the levers to protect your stand, do not let the Folding Shelf fall into the down position.



Take the remaining vinyl off and use this time to clean and polish to put a beautiful shine on the grill and stand. Remember to wipe with the grain of the sheet metal. Never wipe across or diagonally. We have included a sample of stainless-steel polish for your convenience.

There are 4 hooks included in this package. The hooks can be used to hang your grilling accessories wherever you would like. Be aware that once the hooks are applied, they cannot be adjusted without damaging the surface they are attached to. The hooks are applied using a very high bond tape. Thoroughly clean the area where you want the hooks installed. Peel the protective layer off the double-sided tape located on the back of the hook and firmly apply the hook to the desired location on the stand. Allow the adhesive to set for 2 hours prior to putting any load on the hook.



Congratulations, go grill your favorite food! If you have any questions or concerns while assembling, please do not hesitate to call Kenyon customer service at 860-664-4906.