













TECHNICAL NOTES:

- DIMENSIONS ARE TO FACE OF VIEW SHOWN AND
 AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION.
- 2. THIS PRODUCT IS NOT CATEGORIZED AS AN APPREANCE ITEM, ,MINOR IMPERFECTIONS INCLUDING, BUT NOT LIMITED TO, FLOW MARKS. COLOR BLEMISHES, GATE MARKS, AMD SOFT FLASH THAT DO NOT AFFECT THE FORM, FIT, OR FUNCTION OF THE PART ARE PERMISSIBLE.
- 3. MATERIAL MEETS ROHS AND REACH DIRECTIVES



CONNECTOR ID AND CONTAINS CONNECTOR ID CONFIDENTIAL INFORMATION. THE REPRODUCTION, DISTRIBUTION AND UTILIZATION OF THIS DOCUMENT OR ITS RELATED CAD MATH DATA, AS WELL AS COMMUNICATION OF ANY CONTENT TO OTHERS, WITHOUT EXPRESS AUTHORIZATION, IS PROHIBITED.

MATERIAL

SEE TABLE

SALES DRAWING NAM

PCB Connector for Standard Automtive Minirelay

CID8051-6.3-21PCB

CID8051-6.3-21PCB	PC Board	PA66	-40°C to +125°C
PN	Type	Material	Operating Temp

TOLERANCES UNLESS OTHERWISE SPECIFIED
ONE PLACE DECIMAL +/- 0.2
TWO PLACE DECIMAL +/- 0.1
THEEE PLACE DECIMAL +/- 0.01
DRAWING NOT TO SCALE