Trade name: Eulex Product no.: 43999

Current version: 1.0.1, issued: 15.09.2020 Replaced version: 1.0.0, issued: 08.05.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Eulex

Substance name n-butyl acetate REACH registration no. 01-2119485493-29

Identification numbers

CAS no. 123-86-4 EC no. 204-658-1 Index no. 607-025-00-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3 and 4 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Product identifier

123-86-4 (n-butyl acetate)

Hazard pictograms

Trade name: Eulex Product no.: 43999

Current version : 1.0.1, issued: 15.09.2020Replaced version: 1.0.0, issued: 08.05.2020Region: GB





GHS02

Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P405 Store locked up.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name n-butyl acetate

Identification numbers

CAS no. 123-86-4 EC no. 204-658-1 Index no. 607-025-00-1

3.2 Mixtures

Not applicable. The product is not a mixture.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off with water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Trade name: Eulex Product no.: 43999

Current version : 1.0.1, issued: 15.09.2020Replaced version: 1.0.0, issued: 08.05.2020Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Extinguishing powder; Foam; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Trade name: Eulex Product no.: 43999

Current version: 1.0.1, issued: 15.09.2020 Region: GB

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	n-butyl acetate	123-86-4		204-658-1	
	List of approved workplace exposure limits (WELs) /	EH40			
	Butyl acetate				
	WEL short-term (15 min reference period)	966	mg/m³	200	ppm
	WEL long-term (8-hr TWA reference period)	724	mg/m³	150	ppm
	EU 2019/1831				
	n-Butyl acetate				
	WEL short-term (15 min reference period)	723	mg/m³	150	ppm
	WEL long-term (8-hr TWA reference period)	241	mg/m³	50	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	Substance name			
	Route of exposure	Exposure time	Effect	Value	
1	n-butyl acetate			123-86-4	
				204-658-1	
	dermal	Long term (chronic)	systemic	11	mg/kg/day
	dermal	Short term (acut)	systemic	11	mg/kg/day
	inhalative	Long term (chronic)	systemic	300	mg/m³
	inhalative	Short term (acut)	systemic	600	mg/m³
	inhalative	Long term (chronic)	local	300	mg/m³
	inhalative	Short term (acut)	local	600	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	n-butyl acetate			123-86-4 204-658-	
	oral	Long term (chronic)	systemic	2	mg/kg/day
	oral	Short term (acut)	systemic	2	mg/kg/day
	dermal	Long term (chronic)	systemic	6	mg/kg/day
	dermal	Short term (acut)	systemic	6	mg/kg/day
	inhalative	Long term (chronic)	systemic	35.7	mg/m³
	inhalative	Short term (acut)	systemic	300	mg/m³
	inhalative	Long term (chronic)	local	35.7	mg/m³
	inhalative	Short term (acut)	local	300	mg/m³

PNEC values

No	Substance name	CAS / EC no

Trade name: Eulex **Product no.:** 43999

Current version: 1.0.1, issued: 15.09.2020 Replaced version: 1.0.0, issued: 08.05.2020 Region: GB

	ecological compartment	Туре	Value	
1	n-butyl acetate		123-86-4	
			204-658-1	
	water	fresh water	0.18	mg/L
	water	marine water	0.018	mg/L
	water	Aqua intermittent	0.36	mg/L
	water	fresh water sediment	0.981	mg/kg dry weight
	water	marine water sediment	0.0981	mg/kg dry weight
	soil	-	0.0903	mg/kg
	sewage treatment plant	-	35.6	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Multi-layer gloves

Appropriate Material PE / EVAL / PE

Breakthrough time >= 8 h

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour		
liquid		
colourless		
Odour		
characteristic		
Odour threshold		
No data available		
pH value		
No data available		
Boiling point / boiling range		
Value	127	°C

Trade name: Eulex Product no.: 43999

No Substance name

Reference temperature

1 n-butyl acetate

log Pow

Method

Source

Current version: 1.0.1, issued: 15.09.2020 Region: GB

Molting point / molting rongs			
Melting point / melting range No data available			
Sublimation point / sublimation range Value			°C
Decomposition point / decomposition rang No data available	е		
Flash point			
Value Method	closed cup	25	°C
	closed cup		
Ignition temperature	1	000	20
Value		390	°C
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties			
This product is not explosive. In and after use	danger of production	on of inflar	mmable compounds.
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
Value		1.2	% vol
Howardsome shifty or avalative limits			
Upper flammability or explosive limits Value		8.5	% vol
		0.0	70 401
Vapour pressure No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
Value		0.88	g/cm³
Reference temperature		20	°C
Solubility in water			
No data available			
Solubility(ies)			
No data available			
Partition coefficient: n-octanol/water			

3.00		
Viecoeity		
VISCOSILY		
,		

OECD 117

ECHA

CAS no.

123-86-4

2.3

25

EC no.

204-658-1

°C

Trade name: Eulex Product no.: 43999

Current version: 1.0.1, issued: 15.09.2020 Replaced version: 1.0.0, issued: 08.05.2020 Region: GB

No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Risk of explosion on contact with: oxidizing agents

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Static discharges.

10.5 Incompatible materials

Oxidizing agents; Alkali metals; alkaline hydroxides

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	n-butyl acetate		123-86-4		204-658-1	
LD5	0			10760	mg/kg bodyweight	
Spe	cies	rat				
Met	nod	OECD 423				
Sou	rce	ECHA				

Acu	Acute dermal toxicity					
No	Substance name	CAS no.		EC no.		
1	n-butyl acetate	123-86-4		204-658-1		
LD5	0	>	14112	mg/kg bodyweight		
Spe	cies	rabbit				
Meth	nod	OECD 402				
Soul	rce	ECHA				

Acute inhalational toxicity No data available

Skir	Skin corrosion/irritation					
No	Substance name	CAS no.	EC no.			
1	n-butyl acetate	123-86-4	204-658-1			
Spe	cies	rabbit				
Meth	nod	OECD 404				
Soul	rce	ECHA				
Eval	uation	non-irritant				

Seri	Serious eye damage/irritation				
No	Substance name	CAS no.	EC no.		
1	n-butyl acetate	123-86-4	204-658-1		
Spe	cies	rabbit			

Trade name: Eulex Product no.: 43999

Current version : 1.0.1, issued: 15.09.2020Replaced version: 1.0.0, issued: 08.05.2020Region: GB

Method	OECD 405
Source	ECHA
Evaluation	non-irritant

Respiratory or skin sensitisation	
No data available	

Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.	
1	n-butyl acetate	123-86-4	204-658-1	
Source		ECHA		
Evaluation/classification		Based on available data, the classi	fication criteria are not met.	

Rep	Reproduction toxicity				
No	Substance name	CAS no.	EC no.		
1	n-butyl acetate	123-86-4	204-658-1		
Source		ECHA			
Evaluation/classification		Based on available data, the class	ification criteria are not met.		

Carcinogenicity	
No data available	

STOT - single exposure No data available

STOT - repeated exposure			
No Substance name	CAS no.		EC no.
1 n-butyl acetate	123-86-4		204-658-1
Route of exposure	inhalational		
NOAEC		500	ppm
Duration of exposure		90	day(s)
Species	rat		
Method	EPA OTS 798.2450		
Source	ECHA		
Evaluation/classification	Based on available data,	the classificat	tion criteria are not met.

Aspiration hazard	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

_					
Tox	Toxicity to fish (acute)				
No	Substance name	CAS no.	EC no.		
1	n-butyl acetate	123-86-4	204-658-1		
LC5	0	18	mg/l		
Dura	ation of exposure	96	h		
Spe	cies	Pimephales promelas			
Met	hod	OECD 203			
Sou	rce	ECHA			
Eva	luation/classification	Based on available data, the class	ssification criteria are not met.		

Toxicity to fish (chronic) No data available

Toxi	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	n-butyl acetate	123-86-4		204-658-1	
EC50			44	mg/l	
Duration of exposure			48	h	
Spec	cies	Daphnia magna			

Trade name: Eulex Product no.: 43999

Current version: 1.0.1, issued: 15.09.2020 Replaced version: 1.0.0, issued: 08.05.2020 Region: GB

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Toxi	Toxicity to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	n-butyl acetate	123-86-4		204-658-1	
NOE	EC .		23	mg/l	
Dura	ation of exposure		21	day(s)	
Species		Daphnia magna			
with reference to		CAS 110-19-0			
Method		OECD 211			
Source		ECHA			
Eval	uation/classification	Based on available data, the	e classificatio	n criteria are not met.	

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bact	Bacteria toxicity				
No	Substance name	CAS no.	EC no.		
1	n-butyl acetate	123-86-4	204-658-1		
IC50		356	mg/l		
Duration of exposure		40	h		
Species		Tetrahymena pyriformis (Protozoa)			
Source		ECHA			

12.2 Persistence and degradability

Biod	Biodegradability				
No	Substance name	CAS no.	CAS no.		
1	n-butyl acetate	123-86-4		204-658-1	
Туре		aerobic biodegradation			
Value			83	%	
Duration			28	day(s)	
Method		OECD 301 D			
Source		ECHA			
Evaluation		readily biodegradable			

Abic	Abiotic Degration					
No	Substance name		CAS no.		EC no.	
1	n-butyl acetate		123-86-4		204-658-1	
Туре		Photolysis				
Half-life			3	3.3	day(s)	
Reference temperature			2	25	°C	
Source		ECHA				

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)				
No	Substance name	CAS no.	EC no.		
1	n-butyl acetate	123-86-4	204-658-1		
BCF		15.3			
Method		Calculation model used (Q)SAR			
Source		ECHA			

Partition coefficient: n-octanol/water				
No	Substance name	CAS no.	EC no.	
1	n-butyl acetate	123-86-4	204-658-1	
log Pow		2.3		
Reference temperature		25	°C	

Trade name: Eulex Product no.: 43999

Current version : 1.0.1, issued: 15.09.2020Replaced version: 1.0.0, issued: 08.05.2020Region: GB

Method	OECD 117
Source	ECHA

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group III
Hazard identification no. 30
UN number UN1123

Proper shipping name BUTYL ACETATES

Tunnel restriction code D/E Label 3

14.2 Transport IMDG

Class 3
Packing group III
UN number UN1123

Proper shipping name BUTYL ACETATES

EmS F-E, S-D Label 3

14.3 Transport ICAO-TI / IATA

Class 3
Packing group III
UN number UN1123
Proper shipping name Butyl acetates

Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Trade name: Eulex Product no.: 43999

Current version: 1.0.1, issued: 15.09.2020 Region: GB

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

In accordance with the REACH regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.

REACH candidate list of substances of very high concern (SVHC) for authorisation

In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

P5c

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has been carried out for this substance.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763554