



DRAGONFLY WRAP



INSTRUCTION MANUAL



⚠ IMPORTANT! KEEP INSTRUCTIONS FOR FUTURE REFERENCE AND USE.

READ ALL INSTRUCTIONS BEFORE ASSEMBLING AND USING THE SOFT CARRIER.

riangle warning!

FAILURE TO FOLLOW THE MANUFACTURER'S INSTRUCTIONS CAN RESULT IN SEATH OR SERIOUS INJURY. ONLY USE THIS CARRIER WITH CHILDREN WEIGHING BETWEEN 8 LBS (3.6 KG) AND 30 LBS (13.6 KG).

SUFFOCATION HAZARD — BABIES YOUNGER THAN 4 MONTHS CAN SUFFOCATE IN THIS PRODUCT IF FACE IS PRESSED TIGHTLY AGAINST YOUR BODY. BABIES AT GREATEST RISK OF SUFFOCATION INCLUDE THOSE BORN PREMATURELY AND THOSE WITH RESPIRATORY PROBLEMS.

- CHECK OFTEN TO MAKE SURE BABY'S FACE IS UNCOVERED, CLEARLY VISIBLE, AND AWAY FROM CAREGIVER'S BODY AT ALL TIMES.
- MAKE SURE BABY DOES NOT CURL INTO A POSITION WITH THE CHIN RESTING ON OR NEAR BABY'S CHEST.
 THIS POSITION CAN INTERFERE WITH BREATHING, EVEN WHEN NOTHING IS COVERING THE NOSE OR MOUTH.
- IF YOU NURSE YOUR BABY IN THE CARRIER, ALWAYS REPOSITION AFTER FEEDING SO BABY'S FACE IS NOT
 PRESSED AGAINST YOUR BODY.
- NEVER USE THIS CARRIER WITH BABIES SMALLER THAN 8 POUNDS WITHOUT SEEKING THE ADVICE OF A
 HEALTHCARE PROFESSIONAL.

FALL HAZARD: LEANING, BENDING OVER, OR TRIPPING CAN CAUSE BABY TO FALL. KEEP ONE HAND ON BABY WHILE MOVING.

WARNING:

- NEVER LEAVE BABY UNATTENDED IN OR WITH THIS CARRIER.
- WHEN USING THIS WRAP CARRIER, CONSTANTLY MONITOR YOUR CHILD AND ENSURE THE MOUTH AND NOSE ARE UNOBSTRUCTED.
- FOR PRE-TERM, LOW BIRTHWEIGHT BABIES AND CHILDREN WITH MEDICAL CONDITIONS, SEEK ADVICE FROM
 A HEALTH PROFESSIONAL BEFORE USING THIS PRODUCT.
- ENSURE YOU CHILD'S CHIN IS NOT RESTING ON ITS CHEST AS ITS BREATHING MAY BE RESTRICTED WHICH
 COULD LEAD TO SUFFOCATION.
- TO PREVENT HAZARDS FROM FALLING, ENSURE THAT YOUR CHILD IS SECURELY POSITIONED IN THE CARRIER.
- DO NOT USE THIS WRAP FOR BABIES WEIGHING LESS THAN 8 lbs (3.6 kg).












IMPORTANT SAFETY TIPS:

Baby's chin should NEVER rest on baby's chest because this partially closes baby's airway which could lead to suffocation. Never use wrap carrier while engaging in activities such as cooking and cleaning which involve a heat source or exposure to chemicals. Never wear wrap carrier while driving or being a passenger in a motor vehicle. Read and follow all printed instructions and view instructional videos (if applicable) before use. Check for ripped seams, torn straps or fabric, and damaged parts each use. If found, stop using carrier. Always check to ensure that all knots, straps, and adjustments are secure. Ensure that the baby is safely positioned in the wrap carrier. Always check to ensure that all knots, straps, and adjustments are secure. Ensure that the baby is safely positioned in the wrap carrier according to manufacturer's instructions for use. Never leave a baby in a wrap carrier that is not being worn. Check on the baby often. Ensure that the baby is periodically repositioned. Never use a wrap carrier when balance or mobility is impaired because of exercise, drowsiness, or medical conditions. Never place more than one baby in the wrap carrier. Never use/wear more than one wrap carrier at a time. Always ensure there is sufficient room around baby's face to provide a clear source of air. Check that there are at least two fingers clearance under baby's chin. Monitor baby's temperature when in the carrier to make sure baby does not get too hot. Ensure baby's airway is clear and that baby is breathing normally at ALL TIMES. Baby's head should be supported by the wrap fabric until baby demonstrates strong and consistent head and neck control. Check to assure that rings and adjustments are secure before each use. Ensure proper placemen of child in product including leg placement. Premature infants, infants with respiratory problems and infants under 4 months are at greatest risk of suffocation. Never use a soft carrier while engaging in activities, eg. running, cycling, swimming and skiing. Never wear a sof


CARRIER PARTS INSTRUCTIONS



















CLASSIC CARRY NEWBORN CARRY



3






















Correct positioning:

- Baby is upright, chest to chest with wearer.
- Baby's chin is not touching their chest. \
- Baby's airway is clear.
- Face is completely visible.
- Nose and mouth are free.



Incorrect positioning:


- Baby too low.
- Baby is pressed tight against wearer.



Incorrect positioning:

- Baby's face is covered.
- Baby's chin is touching chest.
- Baby is lying horizontally in carrier.
- Baby's legs and hips are not in a supported position.





Warranty and Disclaimer: LÍLLÉbaby warranties products against defects in materials and workmanship. We will either repair or replace, free of charge, during the first 12 months after original purchase. Proof of purchase is required and product must be returned. Coverage does not extend to damage caused by misuse or any use of product that is not in accordance with instruction stated in manual. Coverage does not extend to any product that has been modified. LÍLLÉbaby uses the highest quality and safest dyes possible to ensure a product that will retain its color, but color may fade when washed. LÍLLÉbaby cannot be held responsible for faded colors due to laundering. Different or additional warranty rights may exist in the purchaser's jurisdiction. Those warranties shall apply and be in addition to the warranty rights.

WASH INSTRUCTIONS: Machine Wash Cold. Do Not Bleach. Tumble Dry Low. Do Not Iron. No Not Dryclean.

