

En

HELIOS
TOUCH

Helios Touch
Touch Sensitive Modular Lighting



www.heliostouch.com

info@heliostouch.com


Helios Touch

SHINES THROUGH WITH INNOVATION AND DESIGN


Helios Touch is a modular wall light that uses moveable hexagon panels to design a unique artwork. Turn the interior architecture of any space into the light source, swipe the wall and illuminate the path of your hand as it swipes across the surface. Match the mood by illuminating only the areas you touch.

- **Modular design:**
Hexagon tiles join together with magnet connections to share a single power source, create any shape you require.
- **Self supporting, adjustable shape:**
With only the central tiles fixed to the wall, the outer tiles can be detached and relocated to change the layout of the lights.
- **Touch sensitive control:**
Touch the individual tiles to turn them on or off. Adjust the brightness by holding your hand on the tile.
- **Tactile experience:**
Swipe the wall, illuminating the path of your touch for an engaging sensation.
- **Comfortable lighting:**
Available in warm and cool white light.
- **Safe:**
Low voltage internal circuit, cool to touch.
- **Long Service life and maintenance free:**
Low power consumption with 24 premium LEDs in each tile and an energy efficient 48W power adapter.





Modular Design
Magnet connections to join the tiles and change the shape



Touch Sensitive
Adjust the light by swiping the structure



Shared power
A single power adapter operates up to 24 tiles



International Power Adapters
USA, UK, Europe, Australia style plugs included






6 Pack
6 tiles
Power adapter



12 Pack Bundle
12 tiles
Power adapter

Also sold in 18 and 24 bundles





Supplied with international power adapter
Plug types included: USA, UK, Australia, EU
Operates on 110 / 220 / 240v 50 / 60hz
Max input 2 A

Internal voltage 24v

24 tiles can be powered from 1 supply

Not suitable for dimming systems.
(The internal touch sensitive circuit needs constant power)

LED Spec

Colour Temperature : 4000k (warm white)
6500k (cool white)

Output per tile: 80 lumens



6 Pack with power supply

- 6 tile modules
- 12 Mounting Pads
- International power supply
- 2m Cable
- Interchangeable plug adapters

6 Pack No power supply

- 6 tile modules
- 12 Mounting Pads



Wall mounting

To mount the Helios Touch panels on the wall we suggest using 3M Command Poster Strips on the back of the modules.

Every pack comes with 12 strips.

***We recommended that you have at least 70% (2/3) of your tiles mounted onto the surface.**

Alternatively, the modules can also be attached and hooked onto a surface via the nail holes on the back.



Manufactured by
Dyena Ltd
OVIC Building, Ocean Way,
Southampton, SO14 3AL
UK

www.dyena.com

© Dyena 2020. All Rights Reserved.
Specifications subject to change without notice
Registered in England and Wales 07940390