



Blended Twist

Collection	Artisanal
Style Name	Blended Twist
Style Number	BT413
Product Type	Carpet Tile
Size	24" X 24"
Construction	Tufted
Installation	Quarter Turn, Monolithic, Brick Ashlar, Vertical Ashlar, Multi-Directional




Feature	Description
Minimum Sq Yard	No minimum
SQ Yrds per carton	10.67
Pounds per Carton	37.44
Backing Material	EcoFlex Matrix
Fiber Type	ColorStrand® SD Nylon
Dye Method	Solution Dyed
Installation Methods	Quarter Turn, Monolithic, Brick Ashlar, Vertical Ashlar, Multi-Directional
Stitches per Inch	13.1 (51.57 per 10cm)
Density	6835
Tufted Pile Weight	15.00 oz/yd2 (509 g/m2)
Surface Texture	Textured Patterned Loop


Recommended Installation Methods




Brick Ashlar




Brick Ashlar




Brick Ashlar




Monolithic



Multi-Directional



Quarter Turn



Vertical Ashlar

Colorways



Jewel

Color code: 7559
Style number: BT413



Twilight

Color code: 7568
Style number: BT413



Earth

Color code: 7688
Style number: BT413



Dusk

Color code: 7879
Style number: BT413



Shell

Color code: 7927
Style number: BT413



Mist

Color code: 7948
Style number: BT413

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Foot Traffic Recommendation TARR	Heavy
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.053 kg CO2e/ft2
Embodied Carbon	1.06 kg CO2e/ft2
Total Recycled Content	48%
Pre-Consumer Recycled Content	48%
NSF 140	EcoFlex Matrix - NSF 140 Gold
Indoor Air Quality	GLP 1098
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Program
Environmental Product Declaration	EPD EcoFlex Matrix
Health Product Declaration	HPD 2.1 EcoFlex Matrix - 1000 ppm
Environmental Claims Validation	EPD EcoFlex Matrix
LEED Credit Potential	LEED Eligible
Living Product Challenge	Living Product Challenge 2.0

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static